

TABLE 7-9.
Late Neonatal Deaths by Weeks of Gestation and Weight,
Oregon Residents, Birth Cohort, 1997

Birthweight (In Grams)	Total	Weeks of Gestation									
		< 20	20-23	24-27	28-31	32-35	36	37-39	40	41+	N.S.
Total	28	-	2	5	1	2	3	5	-	10	-
000-349	-	-	-	-	-	-	-	-	-	-	-
350-499	1	-	-	1	-	-	-	-	-	-	-
499 & less	1	-	-	1	-	-	-	-	-	-	-
500-749	4	-	1	3	-	-	-	-	-	-	-
750-999	3	-	1	1	1	-	-	-	-	-	-
1000-1499	-	-	-	-	-	-	-	-	-	-	-
1500-1999	3	-	-	-	-	1	1	-	-	1	-
2000-2499	2	-	-	-	-	1	1	-	-	-	-
<2500	13	-	2	5	1	2	2	-	-	1	-
2500-2999	4	-	-	-	-	-	-	3	-	1	-
3000-3499	4	-	-	-	-	-	-	1	-	3	-
3500-3999	7	-	-	-	-	-	1	1	-	5	-

- Quantity is zero.

NOTE: Calculated gestation from reported date of last menses. If calculated gestation is unknown, the clinical estimate of gestation is used.

Late neonatal death is defined as death at 7 days or older.

TABLE 7-10.
Postneonatal Deaths by Weeks of Gestation and Weight,
Oregon Residents, Birth Cohort, 1997

Birthweight (In Grams)	Total	Weeks of Gestation								
		20-23	24-27	28-31	32-35	36	37-39	40	41+	N.S.
Total	81	-	5	3	5	4	33	13	18	-
000-349	-	-	-	-	-	-	-	-	-	-
350-499	-	-	-	-	-	-	-	-	-	-
<500	-	-	-	-	-	-	-	-	-	-
500-749	5	-	4	1	-	-	-	-	-	-
750-999	-	-	-	-	-	-	-	-	-	-
1000-1249	4	-	1	2	-	-	1	-	-	-
1250-1499	-	-	-	-	-	-	-	-	-	-
1500-1999	1	-	-	-	1	-	-	-	-	-
2000-2499	12	-	-	-	2	1	8	1	-	-
<2500	22	-	5	3	3	1	9	1	-	-
2500-2999	15	-	-	-	2	3	5	4	1	-
3000-3499	24	-	-	-	-	-	13	3	8	-
3500-3999	11	-	-	-	-	-	3	4	4	-
4000-4499	7	-	-	-	-	-	2	1	4	-
4500+	2	-	-	-	-	-	1	-	1	-