

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 1999

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	893.3	542.1	23.4	16.0	35.0	55.3	118.5	284.7	735.9	1,884.2	4,813.2	15,505.0
Infections & Parasitic Disease (A00-B99)	11.5	9.1	1.2	0.4	1.8	0.9	3.8	8.1	6.7	27.9	54.8	157.9
Tuberculosis (A16-A19)	0.1	—	—	—	—	—	—	—	—	0.8	—	2.7
Meningococcal infection (A39)	0.2	—	—	—	0.9	—	—	0.4	—	—	1.1	—
Septicemia (A40-A41)	6.9	4.6	1.2	0.4	0.9	0.5	0.8	3.4	4.0	17.3	38.7	100.7
Creutzfeldt-Jacob disease (A81.0)	0.2	—	—	—	—	—	—	0.4	0.7	0.8	—	—
Viral hepatitis (B15-B19)	0.5	—	—	—	—	—	0.4	1.3	—	—	4.3	—
HIV/AIDS (B20-B24) ³	0.4	—	—	—	—	—	1.9	0.4	—	0.8	—	—
Malignant Neoplasms (C00-C97)	199.4	—	3.5	2.7	3.2	9.3	33.4	111.6	334.1	709.1	1,120.3	1,467.5
Lip, oral cavity & pharynx (C00-C14)	2.0	—	—	—	—	—	—	1.3	2.7	4.9	14.0	19.1
Digestive organs (C15-26)	42.7	—	1.2	—	—	—	2.6	15.3	58.3	134.8	273.9	443.8
Esophagus (C15)	2.3	—	—	—	—	—	—	0.4	5.4	5.8	18.3	16.3
Stomach (C16)	2.6	—	—	—	—	—	0.4	1.3	5.4	6.6	15.0	27.2
Colon, rectum & anus (C18-C21)	20.2	—	—	—	—	—	1.5	6.8	27.5	58.3	132.1	226.0
Colon (C18)	16.5	—	—	—	—	—	1.1	4.7	21.4	52.6	107.4	179.7
Liver & intrahepatic bile ducts (C22)	2.5	—	1.2	—	—	—	0.4	1.3	3.3	6.6	15.0	24.5
Pancreas (C25)	12.7	—	—	—	—	—	0.4	4.2	16.1	47.7	82.7	117.1
Respiratory, intrathoracic organs (C30-39)	51.8	—	—	—	—	0.9	1.9	21.6	111.8	246.5	276.1	228.7
Larynx (C32)	0.2	—	—	—	—	—	—	—	—	0.8	1.1	2.7
Trachea, bronchus & lung (C33-C34)	51.0	—	—	—	—	0.5	1.9	21.6	111.2	241.6	272.8	220.5
Bronchus & lung (C34)	51.0	—	—	—	—	0.5	1.9	21.6	111.2	241.6	272.8	220.5
Skin (C43-44)	2.6	—	—	—	0.5	0.5	2.6	2.5	4.7	5.8	10.7	10.9
Melanoma of skin (C43)	2.3	—	—	—	0.5	0.5	2.3	2.5	4.7	4.9	8.6	10.9
Mesothelioma (C45)	0.2	—	—	—	—	—	—	0.4	0.7	0.8	1.1	—
Breast (C50)	30.5	—	—	—	—	0.5	14.6	29.3	55.6	98.6	140.7	182.4
Female genital organs (C51-58)	18.7	—	—	—	0.9	1.4	6.0	16.5	35.5	60.0	94.5	106.2
Cervix uteri (C53)	2.2	—	—	—	0.5	0.9	2.6	2.5	6.0	4.9	4.3	2.7
Corpus uteri (C54-C55) ⁴	4.2	—	—	—	—	—	0.4	1.7	6.0	13.1	29.0	35.4
Ovary (C56)	11.5	—	—	—	0.5	0.5	3.0	11.5	23.4	38.6	55.9	57.2
Male genital organs (C60-C63)	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	2.5	—	—	—	—	—	0.8	1.3	4.7	9.9	9.7	24.5
Bladder (C67)	3.0	—	—	—	—	—	0.4	0.4	6.0	4.9	18.3	43.6

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Brain, etc. (C70-C72) ⁵	3.5	—	—	1.3	—	1.4	1.1	4.2	6.7	10.7	11.8	16.3
Thyroid/endocrine gland (C73-C75)	1.1	—	—	—	—	0.5	—	0.4	3.3	1.6	6.4	10.9
Lymphoid & hematopoietic (C81-C96)	20.4	—	1.2	0.9	0.5	3.3	1.1	8.9	20.8	51.8	150.4	196.0
Hodgkin's disease (C81)	0.2	—	—	—	—	—	—	—	—	2.5	1.1	—
Non-Hodgkin's lymphoma (C82-C85)	9.0	—	—	—	0.5	0.9	—	5.9	8.7	18.1	70.9	89.8
Leukemia (C91-C95)	7.4	—	1.2	0.9	—	1.9	0.8	2.1	8.0	17.3	48.3	84.4
Lymphoid leukemia (C91)	2.8	—	1.2	0.9	—	0.9	0.4	—	0.7	8.2	20.4	27.2
Myeloid leukemia (C92)	3.3	—	—	—	—	0.5	0.4	2.1	7.4	6.6	15.0	40.8
Multiple myeloma (C88,C90) ⁶	3.7	—	—	—	—	0.5	0.4	0.8	4.0	14.0	29.0	21.8
Neoplasm not specif. as malig. (D00-D48) ⁷	6.7	—	—	0.4	—	—	0.8	1.3	6.0	11.5	35.4	136.1
Diseases of the Blood (D50-89)⁸	3.3	4.6	—	0.9	0.5	0.5	0.4	2.1	2.0	2.5	17.2	59.9
Anemias (D50-D64)	2.0	4.6	—	0.4	—	—	0.4	0.8	0.7	0.8	8.6	51.7
Endocrine & Nutritional Dis. (E00-E88)⁹	36.3	—	1.2	—	1.4	5.1	4.9	16.1	37.5	106.0	192.3	479.2
Diabetes mellitus (E10-E14)	26.3	—	—	—	0.5	4.2	3.4	11.9	31.5	88.7	141.8	285.9
Nutritional deficiencies (E40-E64)	2.5	—	—	—	—	—	0.4	0.4	—	3.3	11.8	68.1
Malnutrition (E40-E46)	1.9	—	—	—	—	—	0.4	0.4	—	2.5	10.7	46.3
Mental Disorders (F01-F99)¹⁰	27.1	—	—	—	—	1.9	7.5	5.1	4.0	15.6	107.4	795.0
Organic dementia (F01, F03)	21.6	—	—	—	—	—	—	—	—	10.7	88.1	724.2
Due to alcohol (F10)	1.3	—	—	—	—	—	2.3	2.5	2.0	4.1	1.1	—
Due to psychoactive substance (F11-F19)	1.6	—	—	—	—	1.4	4.9	1.7	1.3	0.8	3.2	2.7
Alcohol-induced deaths ^{11,12}	4.2	—	—	—	—	0.5	5.6	8.5	12.7	9.0	2.1	5.4
Nervous System Dis. (G00-G99)	51.9	9.1	—	1.3	0.5	1.4	3.0	11.5	17.4	55.9	298.6	1,227.9
Meningitis (G00, G03)	0.5	—	—	0.4	—	—	0.4	—	1.3	1.6	2.1	2.7
Amyotrophic lateral sclerosis (G12.2)	2.5	—	—	—	—	—	0.4	1.3	6.7	10.7	14.0	5.4
Parkinson's disease (G20-G21)	6.2	—	—	—	—	—	—	0.4	0.7	9.9	48.3	122.5
Alzheimer's disease (G30)	35.5	—	—	—	—	—	—	0.4	1.3	14.8	208.4	1,029.1
Epilepsy (G40-G41)	0.2	—	—	—	—	—	0.8	—	—	—	—	2.7
Circulatory System Diseases (I00-I99)	345.1	18.2	1.2	1.8	1.8	6.0	16.5	55.2	177.4	533.3	1,936.7	7,756.6
Major cardiovascular diseases (I00-I78)	343.6	18.2	1.2	1.8	1.8	5.1	16.5	55.2	175.4	531.7	1,927.0	7,732.1
Heart disease (I00-I09, I11, I13, I20-I51)	212.4	13.7	—	1.8	1.4	4.2	12.0	38.6	127.2	356.6	1,145.0	4,674.7
Rheumatic heart diseases (I00-I09) ¹³	3.0	—	—	—	—	—	—	0.4	4.0	5.8	20.4	46.3
Hypertensive heart disease (I11)	7.2	—	—	—	—	—	1.1	—	4.0	10.7	29.0	196.0
Hypertensive heart & renal dis. (I13) ..	1.4	—	—	—	—	—	—	0.4	—	3.3	10.7	21.8
Ischemic heart diseases (I20-I25)	131.0	—	—	—	—	1.4	4.1	20.8	75.7	235.8	778.7	2,725.3

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Myocardial infarction (I21-I22)	44.5	—	—	—	—	0.9	2.3	8.9	30.8	95.3	292.2	765.0
Other acute ischemic hrt. dis. (I24) ..	0.2	—	—	—	—	—	—	—	0.7	—	1.1	5.4
Chronic isch. heart dis. (I20, I25)	86.2	—	—	—	—	0.5	1.9	11.9	44.2	140.5	485.5	1,954.8
Atheroscler. cardiovascular dis. ¹⁴	14.4	—	—	—	—	—	—	2.1	3.3	17.3	87.0	351.2
Other chr. ischemic heart dis. ¹⁵ ...	71.8	—	—	—	—	0.5	1.9	9.8	40.8	123.3	398.5	1,603.6
Heart failure (I50)	28.2	—	—	0.4	—	—	0.4	3.8	7.4	24.7	113.9	852.2
Congestive heart failure (I50.0)	26.9	—	—	0.4	—	—	0.4	3.0	6.7	24.7	108.5	814.0
Left ventricular heart failure (I50.1)	0.1	—	—	—	—	—	—	0.4	—	—	—	—
Heart failure, unspecified (I50.9)	1.3	—	—	—	—	—	—	0.4	0.7	—	5.4	38.1
Hypertension & hyp. renal dis. (I10, I12)	9.9	—	—	—	—	—	0.4	1.3	4.7	19.7	60.2	201.5
Cerebrovascular diseases (I60-I69)	105.1	4.6	1.2	—	0.5	0.9	3.4	14.0	34.2	124.9	633.7	2,493.9
Subarachnoid hemorrhage (I60)	3.0	—	—	—	—	0.5	1.5	5.1	6.0	7.4	12.9	8.2
Intracerebral hemorrhage (I61-I62) ¹⁶	10.8	—	—	—	—	—	0.4	5.5	6.7	26.3	76.3	147.0
Cerebral infarction (I63)	7.9	—	—	—	0.5	—	0.4	0.8	2.7	12.3	40.8	193.3
Stroke (type not specified) (I64)	55.0	—	—	—	—	0.5	1.1	2.1	13.4	56.7	328.7	1,402.1
Atherosclerosis (I70)	6.9	—	—	—	—	—	—	0.4	1.3	7.4	35.4	193.3
Aortic aneurysm & dissection (I71)	5.7	—	—	—	—	—	0.8	0.4	5.4	18.9	29.0	92.6
Diseases of arteries (I72-I78) ¹⁷	3.6	—	—	—	—	—	—	0.4	2.7	4.1	23.6	76.2
Respiratory System Diseases (J00-J99)	88.5	9.1	—	0.9	0.9	1.9	6.0	14.4	69.6	234.2	557.5	1,391.2
Influenza & pneumonia (J10-J18)	22.9	4.6	—	—	—	0.5	1.5	1.7	6.7	26.3	89.2	672.5
Influenza (J10-J11)	0.5	—	—	—	—	—	—	—	—	2.5	3.2	8.2
Pneumonia (J12-J18)	22.3	4.6	—	—	—	0.5	1.5	1.7	6.7	23.8	85.9	664.3
Other acute lower resp. infect'ns (J20-J22)	0.2	—	—	—	—	—	—	—	—	0.8	2.1	2.7
Acute bronchitis (J20-J21) ¹⁸	0.2	—	—	—	—	—	—	—	—	0.8	2.1	—
Chronic lower respiratory dis. (J40-J47) ¹⁹ ..	53.1	—	—	0.4	0.5	0.5	1.9	10.6	52.2	185.7	392.1	506.4
Bronchitis, chronic & unspec. (J40-J42)	0.4	—	—	—	—	—	—	—	—	2.5	1.1	8.2
Emphysema (J43)	8.3	—	—	—	—	—	0.4	0.4	12.1	32.9	56.9	70.8
Asthma (J45-J46)	3.4	—	—	0.4	0.5	—	0.8	3.4	6.0	5.8	18.3	29.9
Other CLRD (J44, J47)	41.1	—	—	—	—	0.5	0.8	6.8	34.2	144.6	315.8	397.5
Pneumoconioses (J60-J66, J68) ²⁰	0.1	—	—	—	—	—	—	—	—	—	—	5.4
Pneumonitis due to solids & liquids (J69) ...	4.5	—	—	—	—	0.5	1.1	—	2.0	7.4	21.5	108.9
Digestive System Diseases (K00-K92)	30.8	4.6	—	—	—	0.5	4.9	15.7	28.8	71.5	162.2	495.5
Peptic ulcer (K25-K28)	2.6	—	—	—	—	—	—	1.7	1.3	1.6	15.0	57.2
Diseases of the appendix (K35-K38)	0.2	4.6	—	—	—	—	—	—	—	1.6	—	—

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										Mortality
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	
Hernia (K40-K46)	0.8	—	—	—	—	—	—	—	—	0.8	7.5	16.3
Chronic liver disease (K70, K73-K74) ²¹	6.3	—	—	—	—	0.5	3.8	8.5	16.1	18.1	20.4	24.5
Alcoholic liver disease (K70) ²²	2.9	—	—	—	—	0.5	3.4	5.9	10.7	4.9	1.1	5.4
Cholelithiasis (K80-K82) ²³	1.3	—	—	—	—	—	—	—	0.7	3.3	7.5	27.2
Diseases of the Skin (L00-L98)²⁴	1.1	—	—	—	0.5	—	—	0.4	2.0	0.8	2.1	29.9
Musculoskeletal Disease (M00-M99)²⁵	8.8	—	—	0.9	—	—	0.4	3.0	7.4	13.1	45.1	185.1
Genitourinary System Dis. (N00-N99)	15.9	9.1	—	—	0.5	0.5	0.8	3.4	8.0	27.1	91.3	332.2
Nephritis (N00-N07, N17-N19, N25-N27) ²⁶	8.5	4.6	—	—	0.5	0.5	0.8	2.5	4.7	15.6	51.6	155.2
Acute nephrotic syndr. (N00-N01, N04) ²⁷ ..	0.3	—	—	—	—	—	—	—	0.7	1.6	2.1	—
Chr. nephritis (N02-N03, N05-N07, N26) ²⁸ ..	0.2	—	—	—	—	0.5	—	—	—	0.8	1.1	—
Renal failure (N17-N19)	8.0	4.6	—	—	0.5	—	0.8	2.5	4.0	13.1	48.3	155.2
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.6	—	—	—	—	—	—	—	0.7	0.8	1.1	19.1
Urinary tract infection (N39.0)	6.0	—	—	—	—	—	—	0.8	1.3	9.0	35.4	141.6
Hyperplasia of prostate (N40)	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) ²⁹	0.1	—	—	—	—	—	—	—	0.7	—	—	—
Pregnancy & Childbirth (O00-O99)³⁰	0.2	—	—	0.5	0.5	0.4	—	—	—	—	—	—
Perinatal Conditions (P00-P96)	3.1	232.3	—	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)³¹ ..	4.4	168.5	2.3	0.4	1.4	0.9	0.4	3.4	2.7	1.6	8.6	16.3
Malformation of the heart (Q20-Q24)	1.3	45.6	—	—	—	0.5	—	0.4	2.0	1.6	2.1	8.2
Other malf. of the circul. sys. (Q25-Q28)	0.2	4.6	—	—	0.5	—	—	0.4	—	—	1.1	—
Malf. of the respiratory system (Q30-Q34)	0.7	45.6	—	—	—	0.5	—	—	—	—	—	—
Symptoms & Signs (R00-R99)³²	24.4	45.6	1.2	—	0.5	1.9	3.0	3.8	14.1	35.3	74.1	658.9
Senility (R54)	3.4	—	—	—	—	—	—	—	—	—	6.4	136.1
Sudden infant death syndrome (R95)	0.6	45.6	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	34.8	31.9	12.9	6.2	21.8	24.2	32.6	29.7	18.1	38.6	109.6	315.8
Accidents (V01-X59, Y85-Y86)	24.5	18.2	11.7	4.9	14.1	13.0	17.3	14.9	13.4	29.6	89.2	288.6
Transport accidents (V01-V99, Y85)	9.9	4.6	3.5	3.6	13.2	7.0	9.8	8.1	11.4	18.1	23.6	8.2
Motor vehicle acc. (Many codes) ³³	9.2	4.6	2.3	2.7	12.7	6.5	8.3	7.2	11.4	17.3	23.6	8.2
Water transport accidents (V90-V94)	0.1	—	—	—	—	—	0.4	—	—	—	—	—
Air transport accidents (V95-V97)	0.1	—	—	—	0.5	—	—	—	—	—	—	—
Nontransport accidents (W00-X59,Y86)	14.7	13.7	8.2	1.3	0.9	6.0	7.5	6.8	2.0	11.5	65.5	280.4
Falls (W00-W19)	4.8	4.6	1.2	—	—	0.5	0.4	1.3	1.3	4.1	23.6	119.8
Firearms (W32-W34)	—	—	—	—	—	—	—	—	—	—	—	—
Drowning & submersion (W65-W74)	0.4	—	2.3	0.4	—	—	0.4	0.8	—	—	—	2.7

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 1999 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Exposure to smoke & fire (X00-X09) ..	0.8	—	1.2	0.4	—	0.5	0.8	0.4	—	0.8	4.3	8.2
Poisoning (X40-X49) ³⁴	2.2	—	—	—	0.5	4.2	6.0	3.0	—	0.8	2.1	—
Suicide (X60-X84, Y87.0)	5.2	—	—	—	3.2	3.7	10.1	10.6	3.3	5.8	5.4	8.2
Homicide (X85-Y09, Y87.1)	2.2	9.1	1.2	0.9	3.6	6.5	1.9	1.7	—	—	—	2.7
Legal intervention (Y35, Y89.0)	—	—	—	—	—	—	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	1.3	4.6	—	0.4	0.9	0.9	3.4	1.7	—	—	2.1	2.7
War and its sequelae (Y36, Y89.1)	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88) ..	1.5	—	—	—	—	—	—	0.8	1.3	3.3	12.9	13.6

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Including uterus, part unspecified.

⁵ Including meninges and other parts of the central nervous system.

⁶ Including immunoproliferative neoplasms.

⁷ Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁸ Including diseases of the blood forming-organs and disorders involving the immune mechanism.

⁹ Including metabolic diseases.

¹⁰ Including behavioral disorders.

¹¹ Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, cardiomyopathy, gastritis, liver disease, maternal care for damage to fetus from alcohol, fetus/newborn affected by maternal alcohol use, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.

¹² The ICD-10 codes for the above categories are F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15, respectively.

¹³ Including acute rheumatic fever.

¹⁴ The ICD-10 code is I25.0.

¹⁵ This includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.

¹⁶ Including other intracranial hemorrhages.

¹⁷ Including diseases of the arterioles and capillaries.

¹⁸ Including acute bronchiolitis.

¹⁹ Formerly chronic obstructive pulmonary disease (COPD).

²⁰ Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.

²¹ Including liver cirrhosis.

²² All alcoholic disease deaths are combined into one category, 'Combined alcoholic dis.', located under Mental Disorders

²³ Including other diseases of the gallbladder.

²⁴ Including subcutaneous tissues.

²⁵ Including connective tissue.

²⁶ Including nephrotic syndrome and nephrosis.

²⁷ Including acute and rapidly progressive nephritic and nephrotic syndrome.

²⁸ Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.

- 29 Inflammatory diseases of female pelvic organs.
- 30 Including the puerperium.
- 31 including congenital deformations and chromosomal abnormalities.
- 32 Including abnormal clinical and laboratory findings not elsewhere classified.
- 33 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 34 Including exposure to noxious substances.
 - Quantity is 0.