

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2000

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Total</b>	29,541	255	61	76	334	387	902	1,836	2,696	5,035	9,115	8,844
Male	14,491	158	40	41	248	278	540	1,146	1,607	2,801	4,535	3,097
Female	15,050	97	21	35	86	109	362	690	1,089	2,234	4,580	5,747
<b>Infections &amp; Parasitic Disease (A00-B99)</b>	442	8	3	-	4	13	57	73	45	54	110	75
Male	243	5	1	-	1	10	42	53	27	32	49	23
Female	199	3	2	-	3	3	15	20	18	22	61	52
<b>Tuberculosis (A16-A19)</b>	6	-	-	-	-	-	-	-	1	1	4	-
Male	4	-	-	-	-	-	-	-	1	1	2	-
Female	2	-	-	-	-	-	-	-	-	-	2	-
<b>Meningococcal infection (A39)</b>	1	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
<b>Septicemia (A40-A41)</b>	191	3	2	-	1	1	6	17	11	31	67	52
Male	87	1	1	-	1	1	2	12	7	16	30	17
Female	104	2	1	-	1	-	4	5	4	15	37	35
<b>Creutzfeldt-Jacob disease (A81.0)</b>	1	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-
<b>Viral hepatitis (B15-B19)</b>	77	1	-	-	-	2	10	31	22	6	3	2
Male	49	-	-	-	-	1	5	25	13	2	2	1
Female	28	1	-	-	-	1	5	6	9	4	1	1
<b>HIV/AIDS (B20-B24)<sup>2</sup></b>	62	-	-	-	-	9	37	13	1	1	1	-
Male	54	-	-	-	-	7	32	12	1	1	1	-
Female	8	-	-	-	-	2	5	1	-	-	-	-
<b>Malignant Neoplasms (C00-C97)</b>	6,989	3	4	10	14	43	176	589	1,062	1,798	2,216	1,074
Male	3,584	1	3	5	8	23	79	282	563	969	1,145	506
Female	3,405	2	1	5	6	20	97	307	499	829	1,071	568
<b>Lip, oral cavity &amp; pharynx (C00-C14)</b>	91	-	-	-	-	1	2	12	21	17	24	14
Male	62	-	-	-	-	-	2	9	18	11	15	7
Female	29	-	-	-	-	1	-	3	3	6	9	7
<b>Digestive Organs (C15-26)</b>	1,519	-	-	-	2	7	37	139	214	350	508	262
Male	838	-	-	-	2	6	22	86	131	223	272	96
Female	681	-	-	-	-	1	15	53	83	127	236	166
<b>Esophagus (C15)</b>	168	-	-	-	-	2	5	13	35	50	48	15
Male	134	-	-	-	-	2	5	9	27	41	39	11
Female	34	-	-	-	-	-	-	4	8	9	9	4

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2000 — Continued

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	130	-	-	-	-	-	3	14	15	27	38	33
Male	77	-	-	-	-	-	1	11	11	17	22	15
Female	53	-	-	-	-	-	2	3	4	10	16	18
Colon, rectum & anus (C18-C21)	629	-	-	-	-	3	16	49	77	139	219	126
Male	312	-	-	-	-	3	9	25	43	88	105	39
Female	317	-	-	-	-	-	7	24	34	51	114	87
Colon (C18)	510	-	-	-	-	1	13	39	55	113	187	102
Male	244	-	-	-	-	1	8	20	29	66	91	29
Female	266	-	-	-	-	-	5	19	26	47	96	73
Liver & intrahepatic bile ducts (C22)	152	-	-	-	2	2	2	25	22	34	48	17
Male	93	-	-	-	2	1	1	20	14	20	30	5
Female	59	-	-	-	-	1	1	5	8	14	18	12
Pancreas (C25)	357	-	-	-	-	-	5	34	55	84	125	54
Male	186	-	-	-	-	-	3	19	30	52	60	22
Female	171	-	-	-	-	-	2	15	25	32	65	32
Respiratory, intrathoracic organs (C30-39)	2,127	-	-	-	-	-	28	131	385	700	661	222
Male	1,144	-	-	-	-	-	11	65	214	382	352	120
Female	983	-	-	-	-	-	17	66	171	318	309	102
Larynx (C32)	36	-	-	-	-	-	-	1	8	13	9	5
Male	26	-	-	-	-	-	-	1	5	10	6	4
Female	10	-	-	-	-	-	-	-	3	3	3	1
Trachea, bronchus & lung (C33-C34)	2,080	-	-	-	-	-	28	129	375	685	647	216
Male	1,112	-	-	-	-	-	11	64	208	371	343	115
Female	968	-	-	-	-	-	17	65	167	314	304	101
Bronchus & lung (C34)	2,078	-	-	-	-	-	28	129	375	684	646	216
Male	1,112	-	-	-	-	-	11	64	208	371	343	115
Female	966	-	-	-	-	-	17	65	167	313	303	101
Skin (C43-44)	146	-	-	-	1	2	12	26	22	32	31	20
Male	93	-	-	-	1	1	7	19	14	20	22	9
Female	53	-	-	-	-	1	5	7	8	12	9	11
Melanoma of skin (C43)	107	-	-	-	1	2	11	22	16	25	17	13
Male	63	-	-	-	1	1	7	15	9	14	11	5
Female	44	-	-	-	-	1	4	7	7	11	6	8
Mesothelioma (C45)	46	-	-	-	-	-	1	5	5	13	17	5
Male	36	-	-	-	-	-	1	3	5	12	11	4
Female	10	-	-	-	-	-	-	2	-	1	6	1

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2000 — Continued

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Breast (C50)	484	—	—	—	—	6	25	74	72	118	129	60
Male	2	—	—	—	—	—	—	—	—	—	1	1
Female	482	—	—	—	—	6	25	74	72	118	128	59
Female genital organs (C51-58)	340	—	—	—	—	3	14	39	63	77	101	43
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	340	—	—	—	—	3	14	39	63	77	101	43
Cervix uteri (C53)	36	—	—	—	—	2	6	10	4	8	6	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	36	—	—	—	—	2	6	10	4	8	6	—
Corpus uteri (C54-C55) <sup>3</sup>	86	—	—	—	—	—	2	7	21	13	25	18
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	86	—	—	—	—	—	2	7	21	13	25	18
Ovary (C56)	202	—	—	—	—	1	6	20	35	52	65	23
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	202	—	—	—	—	1	6	20	35	52	65	23
Male genital organs (C60-C63)	428	—	—	—	1	2	2	4	20	84	186	129
Male	428	—	—	—	1	2	2	4	20	84	186	129
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	420	—	—	—	—	—	—	—	3	18	84	129
Male	420	—	—	—	—	—	—	—	3	18	84	129
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	156	—	—	—	—	—	3	19	30	40	50	14
Male	95	—	—	—	—	—	3	16	19	24	26	7
Female	61	—	—	—	—	—	—	3	11	16	24	7
Bladder (C67)	164	—	—	—	—	—	1	5	20	26	68	44
Male	118	—	—	—	—	—	—	3	13	20	55	27
Female	46	—	—	—	—	—	1	2	7	6	13	17
Brain, etc. (C70-C72) <sup>4</sup>	195	—	3	3	4	4	19	43	40	31	35	13
Male	106	—	2	—	2	2	11	30	20	17	16	6
Female	89	—	1	3	2	2	8	13	20	14	19	7
Thyroid/endocrine gland (C73-C75)	31	—	—	1	—	—	4	2	7	8	6	3
Male	12	—	—	1	—	—	2	—	3	2	3	1
Female	19	—	—	—	—	—	2	2	4	6	3	2
Lymphoid & hematopoietic (C81-C96)	721	1	1	5	2	14	15	41	91	191	228	132
Male	391	—	1	3	1	9	11	24	62	108	110	62
Female	330	1	—	2	1	5	4	17	29	83	118	70

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2000 — Continued

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Hodgkin's disease (C81)	17	-	-	-	-	3	1	2	2	5	3	1	1
Male	7	-	-	-	-	1	-	1	2	2	1	-	-
Female	10	-	-	-	-	2	1	-	-	3	2	1	1
Non-Hodgkin's lymphoma (C82-C85)	299	-	-	-	1	3	6	15	37	73	104	60	60
Male	156	-	-	-	1	3	5	8	21	38	48	32	32
Female	143	-	-	-	-	-	1	7	16	35	56	28	28
Leukemia (C91-C95)	268	1	1	4	1	8	7	15	34	66	79	52	52
Male	150	-	1	2	-	5	5	10	27	40	39	21	21
Female	118	1	-	2	1	3	2	5	7	26	40	31	31
Lymphoid leukemia (C91)	100	1	-	1	-	4	3	5	14	18	27	27	27
Male	62	-	-	1	-	3	3	4	11	11	16	13	13
Female	38	1	-	-	-	1	-	1	3	7	11	14	14
Myeloid leukemia (C92)	123	-	-	2	-	3	3	8	18	37	36	16	16
Male	68	-	-	1	-	1	2	4	15	22	17	6	6
Female	55	-	-	1	-	2	1	4	3	15	19	10	10
Multiple myeloma (C88,C90) <sup>5</sup>	136	-	-	-	-	-	1	9	18	47	42	19	19
Male	77	-	-	-	-	-	1	5	12	28	22	9	9
Female	59	-	-	-	-	-	-	4	6	19	20	10	10
Neoplasm not specif. as malign. (D00-D48) <sup>6</sup>	179	-	1	1	1	1	4	8	14	29	61	59	59
Male	87	-	1	1	-	1	1	4	10	16	33	20	20
Female	92	-	-	-	1	-	3	4	4	13	28	39	39
Diseases of the Blood (D50-89) <sup>7</sup>	107	-	1	-	-	2	5	6	12	13	26	42	42
Male	47	-	1	-	-	1	3	1	3	8	13	17	17
Female	60	-	-	-	-	1	2	5	9	5	13	25	25
Anemias (D50-D64)	51	-	-	-	-	-	1	-	3	2	13	32	32
Male	22	-	-	-	-	-	1	-	-	1	6	14	14
Female	29	-	-	-	-	-	-	-	3	1	7	18	18
Endocrine & Nutritional Dis. (E00-E88) <sup>8</sup>	1,129	2	2	-	2	12	33	93	120	245	367	253	253
Male	535	1	2	-	-	10	18	56	70	125	171	82	82
Female	594	1	-	-	2	2	15	37	50	120	196	171	171
Diabetes mellitus (E10-E14)	847	-	-	-	-	7	19	61	96	192	303	169	169
Male	405	-	-	-	-	6	10	32	55	99	137	66	66
Female	442	-	-	-	-	1	9	29	41	93	166	103	103
Nutritional deficiencies (E40-E64)	32	-	-	-	-	-	-	1	1	5	11	14	14
Male	11	-	-	-	-	-	-	1	1	1	4	4	4
Female	21	-	-	-	-	-	-	-	-	4	7	10	10

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2000 — Continued

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Malnutrition (E40-E46)	31	-	-	-	-	-	-	1	1	5	10	14
Male	10	-	-	-	-	-	-	1	1	1	3	4
Female	21	-	-	-	-	-	-	-	-	4	7	10
<b>Mental Disorders (F01-F99)<sup>9</sup></b>	<b>910</b>	-	-	-	3	26	53	66	41	67	212	442
Male	393	-	-	-	2	21	40	51	31	33	94	121
Female	517	-	-	-	1	5	13	15	10	34	118	321
Organic dementia (F01, F03)	607	-	-	-	-	-	-	1	3	31	163	409
Male	189	-	-	-	-	-	-	1	1	9	66	112
Female	418	-	-	-	-	-	-	-	2	22	97	297
Due to alcohol (F10)	124	-	-	-	-	5	14	33	29	22	19	2
Male	99	-	-	-	-	5	10	27	25	15	15	2
Female	25	-	-	-	-	-	4	6	4	7	4	-
Due to psychoactive substance (F11-F19)	98	-	-	-	3	20	37	27	4	1	6	-
Male	73	-	-	-	2	15	29	22	3	1	1	-
Female	25	-	-	-	1	5	8	5	1	-	5	-
Alcohol-induced deaths <sup>10,11</sup>	383	-	-	-	2	8	43	121	93	73	37	6
Male	293	-	-	-	2	7	27	96	75	51	30	5
Female	90	-	-	-	-	1	16	25	18	22	7	1
<b>Nervous System Dis. (G00-G99)</b>	<b>1,554</b>	5	4	6	10	6	25	51	63	162	552	670
Male	599	4	2	1	5	3	14	32	27	77	238	196
Female	955	1	2	5	5	3	11	19	36	85	314	474
Meningitis (G00, G03)	7	2	-	-	-	-	1	1	-	-	3	-
Male	4	2	-	-	-	-	-	1	-	-	1	-
Female	3	-	-	-	-	-	1	-	-	-	2	-
Amyotrophic lateral sclerosis (G12.2)	96	-	-	-	-	-	2	11	13	31	34	5
Male	48	-	-	-	-	-	1	9	7	15	14	2
Female	48	-	-	-	-	-	1	2	6	16	20	3
Parkinson's disease (G20-G21)	278	-	-	-	-	-	-	-	6	36	131	105
Male	169	-	-	-	-	-	-	-	5	22	84	58
Female	109	-	-	-	-	-	-	-	1	14	47	47
Alzheimer's disease (G30)	905	-	-	-	-	-	-	1	6	53	324	521
Male	261	-	-	-	-	-	-	-	2	23	113	123
Female	644	-	-	-	-	-	-	1	4	30	211	398
Epilepsy (G40-G41)	9	-	-	-	1	1	1	2	-	1	2	1
Male	5	-	-	-	-	1	1	2	-	-	1	-
Female	4	-	-	-	1	-	-	-	-	1	1	1

See footnotes at end of table.

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2000 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Circulatory System Diseases (I00-I99)</b>	10,547	1	2	3	10	26	138	401	749	1,537	3,475	4,205
Male	5,043	1	2	2	6	13	80	281	522	951	1,774	1,411
Female	5,504	-	-	1	4	13	58	120	227	586	1,701	2,794
<b>Major cardiovascular diseases (I00-I78)</b>	10,504	1	2	3	10	24	137	396	744	1,528	3,467	4,192
Male	5,023	1	2	2	6	12	79	278	521	945	1,769	1,408
Female	5,481	-	-	1	4	12	58	118	223	583	1,698	2,784
<b>Heart disease (I00-I09, I11, I13, I20-I51)</b>	7,104	1	1	2	7	22	115	320	572	1,106	2,270	2,688
Male	3,676	1	1	2	3	10	69	237	430	729	1,228	966
Female	3,428	-	-	-	4	12	46	83	142	377	1,042	1,722
<b>Rheumatic heart diseases (I00-I09)<sup>12</sup></b>	65	-	-	-	2	-	2	5	6	11	27	12
Male	21	-	-	-	1	-	1	2	2	4	9	2
Female	44	-	-	-	1	-	1	3	4	7	18	10
<b>Hypertensive heart disease (I11)</b>	185	-	-	-	-	2	5	3	10	25	42	98
Male	51	-	-	-	-	-	3	2	7	14	13	12
Female	134	-	-	-	-	2	2	1	3	11	29	86
<b>Hypertensive heart &amp; renal dis. (I13)</b>	26	-	-	-	-	-	-	2	1	8	5	10
Male	11	-	-	-	-	-	-	1	1	5	2	2
Female	15	-	-	-	-	-	1	1	3	3	3	8
<b>Ischemic heart diseases (I20-I25)</b>	4,751	-	-	-	-	7	66	229	448	837	1,584	1,580
Male	2,697	-	-	-	-	5	45	188	351	580	906	622
Female	2,054	-	-	-	-	2	21	41	97	257	678	958
<b>Myocardial infarction (I21-I22)</b>	1,772	-	-	-	-	2	18	76	178	308	612	578
Male	964	-	-	-	-	-	12	66	135	200	312	239
Female	808	-	-	-	-	2	6	10	43	108	300	339
<b>Other acute ischemic hrt. dis. (I24)</b>	14	-	-	-	-	-	-	-	-	4	4	6
Male	9	-	-	-	-	-	-	-	-	4	4	1
Female	5	-	-	-	-	-	-	-	-	-	-	5
<b>Chronic isch. heart dis. (I20, I25)</b>	2,965	-	-	-	-	5	48	153	270	525	968	996
Male	1,724	-	-	-	-	5	33	122	216	376	590	382
Female	1,241	-	-	-	-	-	15	31	54	149	378	614
<b>Atheroscler. cardiovascular dis.<sup>13</sup></b>	423	-	-	-	-	2	2	21	35	72	137	154
Male	224	-	-	-	-	2	1	15	28	56	73	49
Female	199	-	-	-	-	-	1	6	7	16	64	105
<b>Other chr. ischemic heart dis.<sup>14</sup></b>	2,542	-	-	-	-	3	46	132	235	453	831	842
Male	1,500	-	-	-	-	3	32	107	188	320	517	333
Female	1,042	-	-	-	-	-	14	25	47	133	314	509

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2000 — Continued

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Heart failure (I50)	821	-	-	1	-	-	1	4	19	72	235	489
Male	316	-	-	1	-	-	1	2	13	36	114	149
Female	505	-	-	-	-	-	-	2	6	36	121	340
Congestive heart failure (I50.0)	774	-	-	1	-	-	-	4	14	69	223	463
Male	293	-	-	1	-	-	-	2	9	35	106	140
Female	481	-	-	-	-	-	-	2	5	34	117	323
Left ventricular heart failure (I50.1)	1	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Heart failure, unspecified (I50.9)	46	-	-	-	-	-	1	-	5	2	12	26
Male	22	-	-	-	-	-	1	-	4	-	8	9
Female	24	-	-	-	-	-	-	-	1	2	4	17
Hypertension & hyp. renal dis. (I10, I12)	225	-	-	-	-	-	-	3	17	29	84	92
Male	70	-	-	-	-	-	-	2	8	13	34	13
Female	155	-	-	-	-	-	-	1	9	16	50	79
Cerebrovascular diseases (I60-I69)	2,567	-	1	1	3	1	16	59	113	285	902	1,186
Male	975	-	1	-	3	1	7	29	57	132	406	339
Female	1,592	-	-	1	-	-	9	30	56	153	496	847
Subarachnoid hemorrhage (I60)	88	-	-	-	1	-	5	22	18	15	16	11
Male	31	-	-	-	1	-	2	8	7	7	5	1
Female	57	-	-	-	-	-	3	14	11	8	11	10
Intracerebral hemorrhage (I61-I62) <sup>15</sup>	334	-	-	1	1	-	8	24	26	64	114	96
Male	136	-	-	-	1	-	4	14	10	28	47	32
Female	198	-	-	1	-	-	4	10	16	36	67	64
Cerebral infarction (I63)	189	-	-	-	-	-	-	1	9	16	76	87
Male	74	-	-	-	-	-	-	1	7	8	39	19
Female	115	-	-	-	-	-	-	-	2	8	37	68
Stroke (type not specified) (I64)	1,347	-	-	-	-	-	2	7	46	140	481	671
Male	506	-	-	-	-	-	4	4	25	65	221	191
Female	841	-	-	-	-	-	2	3	21	75	260	480
Atherosclerosis (I70)	230	-	-	-	-	-	-	1	10	29	73	117
Male	97	-	-	-	-	-	-	1	5	17	27	47
Female	133	-	-	-	-	-	-	-	5	12	46	70
Aortic aneurysm & dissection (I71)	226	-	-	-	-	1	6	8	18	58	80	55
Male	150	-	-	-	-	1	3	7	14	40	50	35
Female	76	-	-	-	-	-	3	1	4	18	30	20

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2000 — Continued

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Diseases of arteries (I72-I78) <sup>16</sup>	152	-	-	-	-	-	-	5	14	21	58	54
Male	55	-	-	-	-	-	-	2	7	14	24	8
Female	97	-	-	-	-	-	-	3	7	7	34	46
<b>Respiratory System Diseases (J00-J99)</b>	<b>2,764</b>	<b>3</b>	<b>4</b>	<b>2</b>	<b>5</b>	<b>5</b>	<b>14</b>	<b>62</b>	<b>192</b>	<b>574</b>	<b>1,086</b>	<b>817</b>
Male	1,330	2	2	2	3	2	8	30	94	284	564	339
Female	1,434	1	2	-	2	3	6	32	98	290	522	478
Influenza & pneumonia (J10-J18)	637	1	1	-	-	1	4	14	22	66	198	330
Male	259	1	-	-	-	1	2	10	13	35	88	109
Female	378	-	1	-	-	-	2	4	9	31	110	221
Influenza (J10-J11)	22	-	-	-	-	-	-	1	2	3	8	8
Male	5	-	-	-	-	-	-	-	1	1	1	2
Female	17	-	-	-	-	-	-	1	1	2	7	6
Pneumonia (J12-J18)	615	1	1	-	-	1	4	13	20	63	190	322
Male	254	1	-	-	-	1	2	10	12	34	87	107
Female	361	-	1	-	-	-	2	3	8	29	103	215
Other acute lower resp. infect'ns (J20-J22)	4	-	1	-	-	-	-	-	-	1	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	-	-	-	-	-	1	1	1
Acute bronchitis (J20-J21) <sup>17</sup>	2	-	1	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	1	-	-
Chronic lower respiratory dis. (J40-J47) <sup>18</sup>	1,696	-	-	-	3	1	8	33	142	436	732	341
Male	838	-	-	-	1	1	5	13	60	202	394	162
Female	858	-	-	-	2	-	3	20	82	234	338	179
Bronchitis, chronic & unspec. (J40-J42)	22	-	-	-	-	-	-	-	2	3	6	11
Male	4	-	-	-	-	-	-	-	1	1	2	-
Female	18	-	-	-	-	-	-	-	1	2	4	11
Emphysema (J43)	295	-	-	-	-	-	1	8	29	87	119	51
Male	142	-	-	-	-	-	-	7	10	35	65	25
Female	153	-	-	-	-	-	1	1	19	52	54	26
Asthma (J45-J46)	60	-	-	-	2	1	4	3	7	10	16	17
Male	22	-	-	-	1	1	3	1	2	5	4	5
Female	38	-	-	-	1	-	1	2	5	5	12	12
Other CLRD (J44, J47)	1,319	-	-	-	1	-	3	22	104	336	591	262
Male	670	-	-	-	-	-	2	5	47	161	323	132
Female	649	-	-	-	1	-	1	17	57	175	268	130

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2000 — Continued

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups														
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+				
<b>Pneumoconioses (J60-J66, J68)<sup>19</sup></b>	10	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4
Male	8	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
<b>Pneumonitis due to solids &amp; liquids (J69)</b>	141	-	1	-	1	-	-	-	3	18	47	68	32	11	27	32
Male	74	-	1	-	1	-	-	-	-	11	27	32	11	7	20	36
Female	67	-	-	-	-	-	-	-	3	7	20	36	7	20	36	36
<b>Digestive System Diseases (K00-K92)</b>	968	4	-	-	1	8	35	122	110	187	262	239	83	92	106	156
Male	468	1	-	-	1	7	19	90	69	92	106	83	92	106	106	156
Female	500	3	-	-	-	1	16	32	41	95	156	156	156	92	106	156
<b>Peptic ulcer (K25-K28)</b>	53	-	-	-	-	-	2	3	2	7	20	19	12	2	7	12
Male	23	-	-	-	-	-	1	1	1	2	7	12	7	2	7	12
Female	30	-	-	-	-	-	1	2	2	5	13	7	13	5	13	7
<b>Diseases of the appendix (K35-K38)</b>	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Hernia (K40-K46)</b>	23	-	-	-	-	-	-	1	3	-	11	8	4	-	-	-
Male	11	-	-	-	-	-	-	-	2	-	5	4	4	-	-	-
Female	12	-	-	-	-	-	-	1	1	-	6	4	4	-	-	-
<b>Chronic liver disease (K70, K73-K74)<sup>20</sup></b>	308	-	-	-	-	3	26	94	69	65	44	7	4	65	44	7
Male	208	-	-	-	-	2	14	73	53	39	23	4	4	39	23	4
Female	100	-	-	-	-	1	12	21	16	26	21	3	3	26	21	3
<b>Alcoholic liver disease (K70)<sup>21</sup></b>	242	-	-	-	-	3	25	85	63	47	16	3	3	47	16	3
Male	181	-	-	-	-	2	13	67	49	33	14	3	3	33	14	3
Female	61	-	-	-	-	1	12	18	14	14	2	-	-	14	2	-
<b>Cholelithiasis (K80-K82)<sup>22</sup></b>	36	-	-	-	-	-	1	1	1	10	13	10	10	4	7	4
Male	15	-	-	-	-	-	-	-	-	-	-	-	-	4	7	4
Female	21	-	-	-	-	-	1	1	1	6	6	6	6	6	6	6
<b>Diseases of the Skin (L00-L98)<sup>23</sup></b>	38	-	-	-	-	1	2	2	1	7	11	14	14	7	11	14
Male	12	-	-	-	-	-	1	1	2	3	4	2	2	3	4	2
Female	26	-	-	-	-	1	1	1	1	4	7	12	12	4	7	12
<b>Musculoskeletal Disease (M00-M99)<sup>24</sup></b>	257	-	-	-	2	-	4	6	16	29	77	123	123	29	77	123
Male	60	-	-	-	1	-	2	3	10	12	16	16	16	12	16	16
Female	197	-	-	-	1	-	2	3	6	17	61	107	107	17	61	107
<b>Genitourinary System Dis. (N00-N99)</b>	488	-	-	-	1	2	8	9	21	50	181	216	216	50	181	216
Male	213	-	-	-	1	2	4	6	12	25	83	80	80	25	83	80
Female	275	-	-	-	-	-	4	3	9	25	98	136	136	25	98	136

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2000 — Continued

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Nephritis (N00-N07, N17-N19, N25-N27) <sup>25</sup>	298	-	-	-	1	1	6	7	17	39	115	112
Male	148	-	-	-	1	1	3	4	11	23	60	45
Female	150	-	-	-	-	-	3	3	6	16	55	67
Acute nephrotic syndr. (N00-N01, N04) <sup>26</sup>	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Chr. nephritis (N02-N03, N05-N07, N26) <sup>27</sup>	6	-	-	-	-	-	-	-	1	-	2	3
Male	3	-	-	-	-	-	-	-	1	-	2	-
Female	3	-	-	-	-	-	-	-	-	-	-	3
Renal failure (N17-N19)	292	-	-	-	1	1	6	7	16	39	113	109
Male	145	-	-	-	1	1	3	4	10	23	58	45
Female	147	-	-	-	-	-	3	3	6	16	55	64
Kidney infect'ns (N10-N12, N13.6, N15.1)	14	-	-	-	-	-	1	1	1	1	2	8
Male	7	-	-	-	-	-	1	1	-	-	1	4
Female	7	-	-	-	-	-	-	-	1	1	1	4
Urinary tract infection (N59.0)	132	-	-	-	-	1	1	-	2	7	41	80
Male	39	-	-	-	-	1	-	-	1	-	13	24
Female	93	-	-	-	-	-	1	-	1	7	28	56
Hyperplasia of prostate (N40)	10	-	-	-	-	-	-	-	-	1	5	4
Male	10	-	-	-	-	-	-	-	-	1	5	4
Female	-	-	-	-	-	-	-	-	-	-	-	-
Female pelvic inflam. dis. (N70-N76) <sup>28</sup>	4	-	-	-	-	-	-	-	-	-	2	2
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	2	2
Pregnancy & Childbirth (O00-O99) <sup>29</sup>	4	-	-	-	2	-	2	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	2	-	2	-	-	-	-	-
Perinatal Conditions (P00-P96)	105	102	2	1	-	-	-	-	-	-	-	-
Male	60	58	1	1	-	-	-	-	-	-	-	-
Female	45	44	1	-	-	-	-	-	-	-	-	-
Congenital Malformations (Q00-Q99) <sup>30</sup>	134	64	-	9	4	5	10	9	9	5	15	5
Male	78	40	-	6	3	4	7	5	4	4	3	1
Female	56	24	-	3	1	1	3	4	1	1	12	4
Malformation of the heart (Q20-Q24)	41	16	-	5	1	2	3	2	2	2	6	2
Male	19	8	-	2	1	-	1	1	2	2	1	-
Female	22	8	-	3	-	2	2	-	-	-	5	2

See footnotes at end of table.



Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2000 — Continued

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Falls (W00-W19)	267	1	1	-	-	2	12	13	10	22	79	127
Male	125	-	1	-	-	1	10	12	5	17	42	37
Female	142	1	-	-	-	1	2	1	5	5	37	90
Firearms (W32-W34)	4	-	-	1	1	1	-	-	-	-	1	-
Male	4	-	-	1	1	1	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Drowning & submersion (W65-W74)	66	-	8	7	16	9	5	16	1	3	1	-
Male	53	-	6	4	15	8	4	13	1	1	1	-
Female	13	-	2	3	1	1	1	3	-	2	-	-
Exposure to smoke & fire (X00-X09)	34	-	3	4	3	3	4	4	2	3	6	2
Male	20	-	2	2	2	2	3	2	-	3	3	1
Female	14	-	1	2	1	1	1	2	2	-	3	1
Poisoning (X40-X49) <sup>33</sup>	135	-	-	-	10	21	55	36	4	4	3	2
Male	96	-	-	-	10	17	37	26	1	2	1	2
Female	39	-	-	-	-	4	18	10	3	2	2	-
Suicide (X60-X84, Y87.0)	502	-	-	5	76	67	89	105	45	34	54	27
Male	388	-	-	2	66	56	59	76	32	27	47	23
Female	114	-	-	3	10	11	30	29	13	7	7	4
Homicide (X85-Y09, Y87.1)	93	2	6	2	14	20	24	17	3	-	4	1
Male	74	2	5	1	10	19	20	13	3	-	-	1
Female	19	-	1	1	4	1	4	4	-	-	4	-
Legal intervention (Y35, Y89.0)	7	-	-	-	3	1	1	-	1	1	-	-
Male	7	-	-	-	3	1	1	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	62	1	1	2	4	11	19	13	4	4	3	-
Male	35	1	1	1	2	6	10	6	3	3	2	-
Female	27	-	-	1	2	5	9	7	1	1	1	-
War and its sequelae (Y36, Y89.1)	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Medical care complications (Y40-Y84, Y88)	19	-	-	-	1	1	2	3	2	1	6	3
Male	11	-	-	-	-	-	1	2	2	-	4	2
Female	8	-	-	-	1	1	1	1	-	1	2	1

<sup>1</sup> International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.  
<sup>2</sup> Human immunodeficiency virus/Acquired immune deficiency syndrome.  
<sup>3</sup> Including uterus, part unspecified.  
<sup>4</sup> Including meninges and other parts of the central nervous system.

- 5 Including immunoproliferative neoplasms.
- 6 Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
- 7 Including diseases of the blood forming-organs and disorders involving the immune mechanism.
- 8 Including metabolic diseases.
- 9 Including behavioral disorders.
- 10 Including: alcoholic mental/behavioral disorders, degeneration of nervous sys., polyneuropathy, cardiomyopathy, gastritis, liver disease, maternal care for damage to fetus from alcohol, fetus/newborn affected by maternal alcohol use, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 11 The ICD-10 codes for the above categories are F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15. respectively.
- 12 Including acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 This includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 15 Including other intracranial hemorrhages.
- 16 Including diseases of the arterioles and capillaries.
- 17 Including acute bronchiolitis.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 All alcoholic disease deaths are combined into one category, 'Combined alcoholic dis.', located under Mental Disorders.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis.
- 26 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including exposure to noxious substances.  
— Quantity is 0.