

Table 6-38. Selected Causes of Death by County, Oregon Residents, 2000

| Selected Causes of Death (and their ICD-10 codes) | Baker | | Benton | | Clackamas | | Clatsop | |
|--|-------|-------------------|--------|-------------------|-----------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 186 | 1110.4 | 440 | 561.9 | 2,634 | 774.7 | 375 | 1050.4 |
| Infections & parasitic disease (A00-B99) | — | — | 3 | 3.8 | 30 | 8.8 | 4 | 11.2 |
| Septicemia (A40-A41) | — | — | 1 | 1.3 | 12 | 3.5 | 2 | 5.6 |
| Viral Hepatitis (B15-B19) | — | — | — | — | 4 | 1.2 | — | — |
| HIV disease (B20-B24) | — | — | 2 | 2.6 | 5 | 1.5 | — | — |
| Malignant neoplasms (C00-C97) | 47 | 280.6 | 116 | 148.1 | 679 | 199.7 | 100 | 280.1 |
| Colon (C18) | 5 | 29.9 | 9 | 11.5 | 48 | 14.1 | 6 | 16.8 |
| Pancreas (C25) | — | — | 4 | 5.1 | 26 | 7.6 | 2 | 5.6 |
| Bronchus & lung (C34) | 11 | 65.7 | 32 | 40.9 | 192 | 56.5 | 34 | 95.2 |
| Skin (C43-44) | — | — | — | — | 23 | 6.8 | 2 | 5.6 |
| Breast (C50) | 4 | 23.9 | 12 | 15.3 | 37 | 10.9 | 4 | 11.2 |
| Cervical (C53) | 1 | 6.0 | — | — | 5 | 1.5 | — | — |
| Uterine (C54) | — | — | 2 | 2.6 | 4 | 1.2 | — | — |
| Ovarian (C56) | 2 | 11.9 | 3 | 3.8 | 17 | 5.0 | 2 | 5.6 |
| Prostate (C61) | 3 | 17.9 | 7 | 8.9 | 41 | 12.1 | 7 | 19.6 |
| Kidney & renal pelvis (C64-C65) | 1 | 6.0 | 4 | 5.1 | 12 | 3.5 | 2 | 5.6 |
| Bladder (C67) | — | — | 3 | 3.8 | 14 | 4.1 | 4 | 11.2 |
| Brain (C70-C72) | 1 | 6.0 | 5 | 6.4 | 22 | 6.5 | 3 | 8.4 |
| Lymphatic (C81-C96) | 7 | 41.8 | 12 | 15.3 | 77 | 22.6 | 7 | 19.6 |
| Non-Hodgkin's lymphoma (C82-C85) | 5 | 29.9 | 5 | 6.4 | 29 | 8.5 | 4 | 11.2 |
| Leukemia (C91-C95) | 2 | 11.9 | 4 | 5.1 | 27 | 7.9 | 2 | 5.6 |
| Benign & uncertain neoplasms (D00-D48) | 2 | 11.9 | 1 | 1.3 | 19 | 5.6 | 1 | 2.8 |
| Diabetes mellitus (E10-E14) | 5 | 29.9 | 12 | 15.3 | 71 | 20.9 | 10 | 28.0 |
| Organic dementia (F01, F03) | 4 | 23.9 | 9 | 11.5 | 50 | 14.7 | 3 | 8.4 |
| Parkinson's disease (G20-G21) | 1 | 6.0 | 4 | 5.1 | 22 | 6.5 | 2 | 5.6 |
| Alzheimer's disease (G30) | 1 | 6.0 | 11 | 14.0 | 80 | 23.5 | 11 | 30.8 |
| Alcohol-induced deaths ² | 4 | 23.9 | 8 | 10.2 | 31 | 9.1 | 3 | 8.4 |
| Diseases of circulatory system (I00-I99) | 67 | 400.0 | 168 | 214.6 | 970 | 285.3 | 157 | 439.8 |
| Hypertension/hyperten. renal dis. (I10, I12) | 1 | 6.0 | 1 | 1.3 | 11 | 3.2 | 2 | 5.6 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 45 | 268.7 | 106 | 135.4 | 660 | 194.1 | 110 | 308.1 |
| Ischemic heart disease (I20-I25) | 24 | 143.3 | 81 | 103.4 | 449 | 132.1 | 88 | 246.5 |
| Myocardial infarction (I21-I22) | 5 | 29.9 | 34 | 43.4 | 156 | 45.9 | 26 | 72.8 |
| Cerebrovascular disease (I60-I69) | 13 | 77.6 | 53 | 67.7 | 241 | 70.9 | 35 | 98.0 |
| Subarachnoid hemorrhage (I60) | — | — | 1 | 1.3 | 8 | 2.4 | 2 | 5.6 |
| Intracerebral hemorrhage, etc. (I61-I62) | 2 | 11.9 | 6 | 7.7 | 37 | 10.9 | 8 | 22.4 |
| Cerebral infarction (I63) | — | — | 7 | 8.9 | 18 | 5.3 | — | — |
| Stroke of unspecified type (I64) | 5 | 29.9 | 19 | 24.3 | 131 | 38.5 | 17 | 47.6 |
| Aortic aneurysm (I71) | 2 | 11.9 | 4 | 5.1 | 27 | 7.9 | 2 | 5.6 |
| Influenza & pneumonia (J10-J18) | 5 | 29.9 | 6 | 7.7 | 77 | 22.6 | 7 | 19.6 |
| Chronic lower respiratory diseases (J40-J47) | 18 | 107.5 | 25 | 31.9 | 136 | 40.0 | 18 | 50.4 |
| Diseases of the digestive system (K00-K92) | 8 | 47.8 | 13 | 16.6 | 82 | 24.1 | 11 | 30.8 |
| Diseases of the genitourinary sys. (N00-N99) | — | — | 11 | 14.0 | 34 | 10.0 | 7 | 19.6 |
| Nephritis (N00-N07, N17-N19, N25-N27) | — | — | 5 | 6.4 | 23 | 6.8 | 5 | 14.0 |
| Perinatal conditions (P00-P96) | — | — | 1 | 1.3 | 8 | 2.4 | 2 | 5.6 |
| Congenital malformations (Q00-Q99) | — | — | 1 | 1.3 | 10 | 2.9 | 1 | 2.8 |
| Sudden infant death syndrome (R95) | — | — | — | — | 5 | 1.5 | 1 | 2.8 |
| Unintentional injuries (V01-X59, Y85-Y86) | 8 | 47.8 | 15 | 19.2 | 92 | 27.1 | 13 | 36.4 |
| Suicide (X60-X84, Y87.0) | 2 | 11.9 | 9 | 11.5 | 37 | 10.9 | 11 | 30.8 |
| Homicide (X85-Y09, Y87.1) | — | — | — | — | 6 | 1.8 | — | — |
| Undetermined intent (Y10-Y34, Y87.2) | — | — | — | — | 6 | 1.8 | — | — |

¹ Rate per 100,000 population.

² Includes ICD-10 codes F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15.

— Quantity is 0.

Table 6-38. Selected Causes of Death by County, Oregon Residents, 2000 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Columbia | | Coos | | Crook | | Curry | |
|--|----------|-------------------|------|-------------------|-------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 385 | 881.0 | 812 | 1293.0 | 205 | 1062.2 | 346 | 1632.1 |
| Infections & parasitic disease (A00-B99) | 8 | 18.3 | 9 | 14.3 | 2 | 10.4 | 3 | 14.2 |
| Septicemia (A40-A41) | 3 | 6.9 | 5 | 8.0 | 2 | 10.4 | 2 | 9.4 |
| Viral Hepatitis (B15-B19) | — | — | 2 | 3.2 | — | — | — | — |
| HIV disease (B20-B24) | — | — | 1 | 1.6 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 87 | 199.1 | 193 | 307.3 | 46 | 238.3 | 94 | 443.4 |
| Colon (C18) | 5 | 11.4 | 13 | 20.7 | 2 | 10.4 | 9 | 42.5 |
| Pancreas (C25) | — | — | 9 | 14.3 | 1 | 5.2 | 4 | 18.9 |
| Bronchus & lung (C34) | 26 | 59.5 | 73 | 116.2 | 18 | 93.3 | 30 | 141.5 |
| Skin (C43-44) | 1 | 2.3 | 2 | 3.2 | 2 | 10.4 | 3 | 14.2 |
| Breast (C50) | 5 | 11.4 | 12 | 19.1 | 7 | 36.3 | 5 | 23.6 |
| Cervical (C53) | — | — | 1 | 1.6 | — | — | — | — |
| Uterine (C54) | — | — | — | — | — | — | — | — |
| Ovarian (C56) | — | — | 2 | 3.2 | — | — | 2 | 9.4 |
| Prostate (C61) | 4 | 9.2 | 10 | 15.9 | 2 | 10.4 | 7 | 33.0 |
| Kidney & renal pelvis (C64-C65) | 1 | 2.3 | 3 | 4.8 | 2 | 10.4 | 1 | 4.7 |
| Bladder (C67) | 3 | 6.9 | 7 | 11.1 | 2 | 10.4 | 1 | 4.7 |
| Brain (C70-C72) | 4 | 9.2 | 6 | 9.6 | 3 | 15.5 | 1 | 4.7 |
| Lymphatic (C81-C96) | 14 | 32.0 | 24 | 38.2 | 3 | 15.5 | 8 | 37.7 |
| Non-Hodgkin's lymphoma (C82-C85) | 5 | 11.4 | 7 | 11.1 | 2 | 10.4 | 2 | 9.4 |
| Leukemia (C91-C95) | 6 | 13.7 | 14 | 22.3 | — | — | 4 | 18.9 |
| Benign & uncertain neoplasms (D00-D48) | 6 | 13.7 | 5 | 8.0 | — | — | 1 | 4.7 |
| Diabetes mellitus (E10-E14) | 12 | 27.5 | 26 | 41.4 | 4 | 20.7 | 12 | 56.6 |
| Organic dementia (F01, F03) | 15 | 34.3 | 14 | 22.3 | 6 | 31.1 | 2 | 9.4 |
| Parkinson's disease (G20-G21) | 1 | 2.3 | 11 | 17.5 | 3 | 15.5 | 1 | 4.7 |
| Alzheimer's disease (G30) | 8 | 18.3 | 30 | 47.8 | 5 | 25.9 | 14 | 66.0 |
| Alcohol-induced deaths ² | 2 | 4.6 | 15 | 23.9 | 2 | 10.4 | 4 | 18.9 |
| Diseases of circulatory system (I00-I99) | 135 | 308.9 | 308 | 490.4 | 85 | 440.4 | 128 | 603.8 |
| Hypertension/hyperten. renal dis. (I10, I12) | 4 | 9.2 | 12 | 19.1 | 1 | 5.2 | 1 | 4.7 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 92 | 210.5 | 209 | 332.8 | 50 | 259.1 | 87 | 410.4 |
| Ischemic heart disease (I20-I25) | 70 | 160.2 | 133 | 211.8 | 35 | 181.3 | 64 | 301.9 |
| Myocardial infarction (I21-I22) | 27 | 61.8 | 39 | 62.1 | 10 | 51.8 | 24 | 113.2 |
| Cerebrovascular disease (I60-I69) | 32 | 73.2 | 71 | 113.1 | 8 | 41.5 | 34 | 160.4 |
| Subarachnoid hemorrhage (I60) | 2 | 4.6 | 7 | 11.1 | — | — | 1 | 4.7 |
| Intracerebral hemorrhage, etc. (I61-I62) | 3 | 6.9 | 8 | 12.7 | 2 | 10.4 | 6 | 28.3 |
| Cerebral infarction (I63) | 5 | 11.4 | 6 | 9.6 | 1 | 5.2 | 3 | 14.2 |
| Stroke of unspecified type (I64) | 20 | 45.8 | 31 | 49.4 | 2 | 10.4 | 18 | 84.9 |
| Aortic aneurysm (I71) | 1 | 2.3 | 6 | 9.6 | 1 | 5.2 | 3 | 14.2 |
| Influenza & pneumonia (J10-J18) | 10 | 22.9 | 16 | 25.5 | 2 | 10.4 | 8 | 37.7 |
| Chronic lower respiratory diseases (J40-J47) | 24 | 54.9 | 53 | 84.4 | 12 | 62.2 | 23 | 108.5 |
| Diseases of the digestive system (K00-K92) | 12 | 27.5 | 30 | 47.8 | 7 | 36.3 | 14 | 66.0 |
| Diseases of the genitourinary sys. (N00-N99) | 5 | 11.4 | 15 | 23.9 | — | — | 5 | 23.6 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 3 | 6.9 | 8 | 12.7 | — | — | 3 | 14.2 |
| Perinatal conditions (P00-P96) | — | — | 2 | 3.2 | — | — | 1 | 4.7 |
| Congenital malformations (Q00-Q99) | 2 | 4.6 | 1 | 1.6 | 2 | 10.4 | — | — |
| Sudden infant death syndrome (R95) | — | — | — | — | 1 | 5.2 | 1 | 4.7 |
| Unintentional injuries (V01-X59, Y85-Y86) | 14 | 32.0 | 28 | 44.6 | 12 | 62.2 | 9 | 42.5 |
| Suicide (X60-X84, Y87.0) | 8 | 18.3 | 8 | 12.7 | 3 | 15.5 | 8 | 37.7 |
| Homicide (X85-Y09, Y87.1) | 2 | 4.6 | 1 | 1.6 | — | — | 1 | 4.7 |
| Undetermined intent (Y10-Y34, Y87.2) | — | — | 1 | 1.6 | 1 | 5.2 | 1 | 4.7 |

¹ Rate per 100,000 population.² Includes ICD-10 codes F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15.

— Quantity is 0.

Table 6-38. Selected Causes of Death by County, Oregon Residents, 2000 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Deschutes | | Douglas | | Gilliam | | Grant | |
|--|-----------|-------------------|---------|-------------------|---------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 916 | 785.6 | 1,155 | 1149.3 | 21 | 1105.3 | 101 | 1270.4 |
| Infections & parasitic disease (A00-B99) | 13 | 11.1 | 9 | 9.0 | — | — | 1 | 12.6 |
| Septicemia (A40-A41) | 9 | 7.7 | 4 | 4.0 | — | — | 1 | 12.6 |
| Viral Hepatitis (B15-B19) | 1 | 0.9 | 2 | 2.0 | — | — | — | — |
| HIV disease (B20-B24) | — | — | 1 | 1.0 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 230 | 197.3 | 266 | 264.7 | 8 | 421.1 | 23 | 289.3 |
| Colon (C18) | 20 | 17.2 | 13 | 12.9 | — | — | 3 | 37.7 |
| Pancreas (C25) | 7 | 6.0 | 15 | 14.9 | — | — | 1 | 12.6 |
| Bronchus & lung (C34) | 73 | 62.6 | 83 | 82.6 | 1 | 52.6 | 4 | 50.3 |
| Skin (C43-44) | 4 | 3.4 | 1 | 1.0 | — | — | 1 | 12.6 |
| Breast (C50) | 11 | 9.4 | 15 | 14.9 | 2 | 105.3 | 1 | 12.6 |
| Cervical (C53) | — | — | 2 | 2.0 | — | — | — | — |
| Uterine (C54) | 2 | 1.7 | 1 | 1.0 | — | — | — | — |
| Ovarian (C56) | 10 | 8.6 | 7 | 7.0 | — | — | — | — |
| Prostate (C61) | 11 | 9.4 | 27 | 26.9 | — | — | 1 | 12.6 |
| Kidney & renal pelvis (C64-C65) | 4 | 3.4 | 7 | 7.0 | — | — | 1 | 12.6 |
| Bladder (C67) | 2 | 1.7 | 3 | 3.0 | 1 | 52.6 | 1 | 12.6 |
| Brain (C70-C72) | 10 | 8.6 | 12 | 11.9 | — | — | — | — |
| Lymphatic (C81-C96) | 29 | 24.9 | 21 | 20.9 | 2 | 105.3 | 5 | 62.9 |
| Non-Hodgkin's lymphoma (C82-C85) | 11 | 9.4 | 6 | 6.0 | — | — | 1 | 12.6 |
| Leukemia (C91-C95) | 14 | 12.0 | 12 | 11.9 | 1 | 52.6 | 3 | 37.7 |
| Benign & uncertain neoplasms (D00-D48) | 3 | 2.6 | 6 | 6.0 | — | — | 2 | 25.2 |
| Diabetes mellitus (E10-E14) | 19 | 16.3 | 46 | 45.8 | — | — | — | — |
| Organic dementia (F01, F03) | 21 | 18.0 | 28 | 27.9 | — | — | 1 | 12.6 |
| Parkinson's disease (G20-G21) | 8 | 6.9 | 15 | 14.9 | — | — | 1 | 12.6 |
| Alzheimer's disease (G30) | 20 | 17.2 | 31 | 30.8 | — | — | 3 | 37.7 |
| Alcohol-induced deaths ² | 7 | 6.0 | 16 | 15.9 | — | — | — | — |
| Diseases of circulatory system (I00-I99) | 336 | 288.2 | 395 | 393.0 | 8 | 421.1 | 42 | 528.3 |
| Hypertension/hyperten. renal dis. (I10, I12) | 4 | 3.4 | 10 | 10.0 | — | — | — | — |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 235 | 201.5 | 280 | 278.6 | 7 | 368.4 | 29 | 364.8 |
| Ischemic heart disease (I20-I25) | 167 | 143.2 | 183 | 182.1 | 5 | 263.2 | 19 | 239.0 |
| Myocardial infarction (I21-I22) | 61 | 52.3 | 53 | 52.7 | 4 | 210.5 | 13 | 163.5 |
| Cerebrovascular disease (I60-I69) | 72 | 61.7 | 84 | 83.6 | 1 | 52.6 | 12 | 150.9 |
| Subarachnoid hemorrhage (I60) | — | — | 2 | 2.0 | — | — | — | — |
| Intracerebral hemorrhage, etc. (I61-I62) | 9 | 7.7 | 10 | 10.0 | — | — | 3 | 37.7 |
| Cerebral infarction (I63) | 1 | 0.9 | 9 | 9.0 | — | — | — | — |
| Stroke of unspecified type (I64) | 45 | 38.6 | 45 | 44.8 | — | — | 3 | 37.7 |
| Aortic aneurysm (I71) | 6 | 5.1 | 8 | 8.0 | — | — | — | — |
| Influenza & pneumonia (J10-J18) | 20 | 17.2 | 25 | 24.9 | — | — | 3 | 37.7 |
| Chronic lower respiratory diseases (J40-J47) | 64 | 54.9 | 87 | 86.6 | 1 | 52.6 | 8 | 100.6 |
| Diseases of the digestive system (K00-K92) | 22 | 18.9 | 46 | 45.8 | — | — | 3 | 37.7 |
| Diseases of the genitourinary sys. (N00-N99) | 17 | 14.6 | 16 | 15.9 | — | — | 3 | 37.7 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 13 | 11.1 | 10 | 10.0 | — | — | 2 | 25.2 |
| Perinatal conditions (P00-P96) | 2 | 1.7 | 3 | 3.0 | — | — | — | — |
| Congenital malformations (Q00-Q99) | 5 | 4.3 | 7 | 7.0 | — | — | — | — |
| Sudden infant death syndrome (R95) | 2 | 1.7 | — | — | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 45 | 38.6 | 50 | 49.8 | 1 | 52.6 | 5 | 62.9 |
| Suicide (X60-X84, Y87.0) | 13 | 11.1 | 21 | 20.9 | — | — | 2 | 25.2 |
| Homicide (X85-Y09, Y87.1) | 4 | 3.4 | 4 | 4.0 | — | — | — | — |
| Undetermined intent (Y10-Y34, Y87.2) | 2 | 1.7 | 1 | 1.0 | — | — | — | — |

¹ Rate per 100,000 population.

² Includes ICD-10 codes F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15.

— Quantity is 0.

Table 6-38. Selected Causes of Death by County, Oregon Residents, 2000 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Harney | | Hood River | | Jackson | | Jefferson | |
|--|--------|-------------------|------------|-------------------|---------|-------------------|-----------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 80 | 1052.6 | 177 | 863.4 | 1,877 | 1030.2 | 168 | 877.3 |
| Infections & parasitic disease (A00-B99) | — | — | 5 | 24.4 | 26 | 14.3 | 1 | 5.2 |
| Septicemia (A40-A41) | — | — | 4 | 19.5 | 9 | 4.9 | 1 | 5.2 |
| Viral Hepatitis (B15-B19) | — | — | 1 | 4.9 | 8 | 4.4 | — | — |
| HIV disease (B20-B24) | — | — | — | — | 1 | 0.5 | — | — |
| Malignant neoplasms (C00-C97) | 15 | 197.4 | 31 | 151.2 | 457 | 250.8 | 33 | 172.3 |
| Colon (C18) | 1 | 13.2 | 3 | 14.6 | 38 | 20.9 | — | — |
| Pancreas (C25) | 4 | 52.6 | 1 | 4.9 | 27 | 14.8 | 2 | 10.4 |
| Bronchus & lung (C34) | 2 | 26.3 | 8 | 39.0 | 133 | 73.0 | 10 | 52.2 |
| Skin (C43-44) | — | — | 1 | 4.9 | 6 | 3.3 | 2 | 10.4 |
| Breast (C50) | 1 | 13.2 | 1 | 4.9 | 30 | 16.5 | 2 | 10.4 |
| Cervical (C53) | — | — | — | — | 3 | 1.6 | 2 | 10.4 |
| Uterine (C54) | — | — | — | — | 2 | 1.1 | — | — |
| Ovarian (C56) | — | — | — | — | 11 | 6.0 | 1 | 5.2 |
| Prostate (C61) | 1 | 13.2 | 2 | 9.8 | 35 | 19.2 | 4 | 20.9 |
| Kidney & renal pelvis (C64-C65) | — | — | — | — | 7 | 3.8 | 1 | 5.2 |
| Bladder (C67) | — | — | — | — | 15 | 8.2 | — | — |
| Brain (C70-C72) | — | — | 2 | 9.8 | 14 | 7.7 | — | — |
| Lymphatic (C81-C96) | 3 | 39.5 | 2 | 9.8 | 47 | 25.8 | 3 | 15.7 |
| Non-Hodgkin's lymphoma (C82-C85) | — | — | 1 | 4.9 | 21 | 11.5 | — | — |
| Leukemia (C91-C95) | 1 | 13.2 | 1 | 4.9 | 18 | 9.9 | 3 | 15.7 |
| Benign & uncertain neoplasms (D00-D48) | — | — | — | — | 8 | 4.4 | 1 | 5.2 |
| Diabetes mellitus (E10-E14) | 2 | 26.3 | 5 | 24.4 | 49 | 26.9 | 9 | 47.0 |
| Organic dementia (F01, F03) | — | — | 6 | 29.3 | 33 | 18.1 | 5 | 26.1 |
| Parkinson's disease (G20-G21) | — | — | 3 | 14.6 | 10 | 5.5 | 1 | 5.2 |
| Alzheimer's disease (G30) | 2 | 26.3 | 6 | 29.3 | 89 | 48.8 | 6 | 31.3 |
| Alcohol-induced deaths ² | — | — | 2 | 9.8 | 21 | 11.5 | 6 | 31.3 |
| Diseases of circulatory system (I00-I99) | 31 | 407.9 | 58 | 282.9 | 697 | 382.5 | 61 | 318.5 |
| Hypertension/hyperten. renal dis. (I10, I12) | 2 | 26.3 | 2 | 9.8 | 8 | 4.4 | 3 | 15.7 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 22 | 289.5 | 35 | 170.7 | 471 | 258.5 | 43 | 224.5 |
| Ischemic heart disease (I20-I25) | 15 | 197.4 | 24 | 117.1 | 323 | 177.3 | 35 | 182.8 |
| Myocardial infarction (I21-I22) | 8 | 105.3 | 14 | 68.3 | 102 | 56.0 | 11 | 57.4 |
| Cerebrovascular disease (I60-I69) | 5 | 65.8 | 16 | 78.0 | 190 | 104.3 | 12 | 62.7 |
| Subarachnoid hemorrhage (I60) | — | — | 1 | 4.9 | 3 | 1.6 | — | — |
| Intracerebral hemorrhage, etc. (I61-I62) | 1 | 13.2 | 4 | 19.5 | 25 | 13.7 | 1 | 5.2 |
| Cerebral infarction (I63) | — | — | 2 | 9.8 | 10 | 5.5 | — | — |
| Stroke of unspecified type (I64) | 2 | 26.3 | 5 | 24.4 | 116 | 63.7 | 5 | 26.1 |
| Aortic aneurysm (I71) | — | — | 1 | 4.9 | 11 | 6.0 | 1 | 5.2 |
| Influenza & pneumonia (J10-J18) | 1 | 13.2 | 6 | 29.3 | 35 | 19.2 | 4 | 20.9 |
| Chronic lower respiratory diseases (J40-J47) | 7 | 92.1 | 10 | 48.8 | 109 | 59.8 | 14 | 73.1 |
| Diseases of the digestive system (K00-K92) | 6 | 78.9 | 8 | 39.0 | 50 | 27.4 | 6 | 31.3 |
| Diseases of the genitourinary sys. (N00-N99) | 2 | 26.3 | 4 | 19.5 | 19 | 10.4 | 2 | 10.4 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 2 | 26.3 | 1 | 4.9 | 14 | 7.7 | 2 | 10.4 |
| Perinatal conditions (P00-P96) | — | — | 2 | 9.8 | 4 | 2.2 | 1 | 5.2 |
| Congenital malformations (Q00-Q99) | — | — | — | — | 4 | 2.2 | — | — |
| Sudden infant death syndrome (R95) | 1 | 13.2 | 1 | 4.9 | — | — | 1 | 5.2 |
| Unintentional injuries (V01-X59, Y85-Y86) | 4 | 52.6 | 8 | 39.0 | 75 | 41.2 | 13 | 67.9 |
| Suicide (X60-X84, Y87.0) | 4 | 52.6 | 3 | 14.6 | 39 | 21.4 | 1 | 5.2 |
| Homicide (X85-Y09, Y87.1) | — | — | — | — | 6 | 3.3 | — | — |
| Undetermined intent (Y10-Y34, Y87.2) | — | — | — | — | 3 | 1.6 | — | — |

¹ Rate per 100,000 population.² Includes ICD-10 codes F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15.

— Quantity is 0.

Table 6-38. Selected Causes of Death by County, Oregon Residents, 2000 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Josephine | | Klamath | | Lake | | Lane | |
|--|-----------|-------------------|---------|-------------------|------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 964 | 1267.6 | 649 | 1015.6 | 89 | 1194.6 | 2,844 | 877.9 |
| Infections & parasitic disease (A00-B99) | 11 | 14.5 | 9 | 14.1 | 1 | 13.4 | 42 | 13.0 |
| Septicemia (A40-A41) | 3 | 3.9 | 6 | 9.4 | 1 | 13.4 | 18 | 5.6 |
| Viral Hepatitis (B15-B19) | 2 | 2.6 | — | — | — | — | 7 | 2.2 |
| HIV disease (B20-B24) | 3 | 3.9 | 1 | 1.6 | — | — | 4 | 1.2 |
| Malignant neoplasms (C00-C97) | 223 | 293.2 | 150 | 234.7 | 24 | 322.1 | 622 | 192.0 |
| Colon (C18) | 21 | 27.6 | 10 | 15.6 | — | — | 32 | 9.9 |
| Pancreas (C25) | 10 | 13.1 | 10 | 15.6 | 3 | 40.3 | 38 | 11.7 |
| Bronchus & lung (C34) | 66 | 86.8 | 43 | 67.3 | 7 | 94.0 | 202 | 62.4 |
| Skin (C43-44) | — | — | 1 | 1.6 | 1 | 13.4 | 20 | 6.2 |
| Breast (C50) | 19 | 25.0 | 12 | 18.8 | 1 | 13.4 | 54 | 16.7 |
| Cervical (C53) | 1 | 1.3 | — | — | 1 | 13.4 | 3 | 0.9 |
| Uterine (C54) | 1 | 1.3 | — | — | 1 | 13.4 | 4 | 1.2 |
| Ovarian (C56) | 9 | 11.8 | 4 | 6.3 | 1 | 13.4 | 16 | 4.9 |
| Prostate (C61) | 12 | 15.8 | 9 | 14.1 | 2 | 26.8 | 34 | 10.5 |
| Kidney & renal pelvis (C64-C65) | 4 | 5.3 | 3 | 4.7 | — | — | 15 | 4.6 |
| Bladder (C67) | 8 | 10.5 | 4 | 6.3 | — | — | 14 | 4.3 |
| Brain (C70-C72) | 6 | 7.9 | 1 | 1.6 | — | — | 13 | 4.0 |
| Lymphatic (C81-C96) | 17 | 22.4 | 15 | 23.5 | 3 | 40.3 | 67 | 20.7 |
| Non-Hodgkin's lymphoma (C82-C85) | 8 | 10.5 | 7 | 11.0 | 2 | 26.8 | 26 | 8.0 |
| Leukemia (C91-C95) | 4 | 5.3 | 5 | 7.8 | — | — | 25 | 7.7 |
| Benign & uncertain neoplasms (D00-D48) | 10 | 13.1 | 3 | 4.7 | — | — | 18 | 5.6 |
| Diabetes mellitus (E10-E14) | 27 | 35.5 | 18 | 28.2 | — | — | 102 | 31.5 |
| Organic dementia (F01, F03) | 20 | 26.3 | 6 | 9.4 | — | — | 75 | 23.2 |
| Parkinson's disease (G20-G21) | 10 | 13.1 | 5 | 7.8 | — | — | 26 | 8.0 |
| Alzheimer's disease (G30) | 25 | 32.9 | 19 | 29.7 | 3 | 40.3 | 86 | 26.5 |
| Alcohol-induced deaths ² | 13 | 17.1 | 14 | 21.9 | — | — | 32 | 9.9 |
| Diseases of circulatory system (I00-I99) | 389 | 511.5 | 213 | 333.3 | 38 | 510.1 | 934 | 288.3 |
| Hypertension/hyperten. renal dis. (I10, I12) | 8 | 10.5 | 7 | 11.0 | 1 | 13.4 | 21 | 6.5 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 278 | 365.5 | 149 | 233.2 | 25 | 335.6 | 647 | 199.7 |
| Ischemic heart disease (I20-I25) | 207 | 272.2 | 105 | 164.3 | 14 | 187.9 | 376 | 116.1 |
| Myocardial infarction (I21-I22) | 55 | 72.3 | 47 | 73.6 | 5 | 67.1 | 123 | 38.0 |
| Cerebrovascular disease (I60-I69) | 84 | 110.5 | 50 | 78.2 | 10 | 134.2 | 215 | 66.4 |
| Subarachnoid hemorrhage (I60) | 2 | 2.6 | 4 | 6.3 | — | — | 8 | 2.5 |
| Intracerebral hemorrhage, etc. (I61-I62) | 5 | 6.6 | 5 | 7.8 | 1 | 13.4 | 31 | 9.6 |
| Cerebral infarction (I63) | 1 | 1.3 | 2 | 3.1 | — | — | 13 | 4.0 |
| Stroke of unspecified type (I64) | 57 | 75.0 | 21 | 32.9 | 6 | 80.5 | 109 | 33.6 |
| Aortic aneurysm (I71) | 12 | 15.8 | 5 | 7.8 | 2 | 26.8 | 20 | 6.2 |
| Influenza & pneumonia (J10-J18) | 12 | 15.8 | 10 | 15.6 | — | — | 61 | 18.8 |
| Chronic lower respiratory diseases (J40-J47) | 58 | 76.3 | 48 | 75.1 | 4 | 53.7 | 151 | 46.6 |
| Diseases of the digestive system (K00-K92) | 37 | 48.7 | 26 | 40.7 | 2 | 26.8 | 88 | 27.2 |
| Diseases of the genitourinary sys. (N00-N99) | 19 | 25.0 | 5 | 7.8 | 1 | 13.4 | 52 | 16.1 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 8 | 10.5 | 1 | 1.6 | — | — | 31 | 9.6 |
| Perinatal conditions (P00-P96) | 2 | 2.6 | 4 | 6.3 | — | — | 9 | 2.8 |
| Congenital malformations (Q00-Q99) | 1 | 1.3 | 3 | 4.7 | — | — | 16 | 4.9 |
| Sudden infant death syndrome (R95) | 2 | 2.6 | — | — | — | — | 7 | 2.2 |
| Unintentional injuries (V01-X59, Y85-Y86) | 23 | 30.2 | 38 | 59.5 | 7 | 94.0 | 130 | 40.1 |
| Suicide (X60-X84, Y87.0) | 19 | 25.0 | 19 | 29.7 | 2 | 26.8 | 42 | 13.0 |
| Homicide (X85-Y09, Y87.1) | 1 | 1.3 | 1 | 1.6 | — | — | 10 | 3.1 |
| Undetermined intent (Y10-Y34, Y87.2) | — | — | — | — | 1 | 13.4 | 14 | 4.3 |

¹ Rate per 100,000 population.² Includes ICD-10 codes F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15.

— Quantity is 0.

Table 6-38. Selected Causes of Death by County, Oregon Residents, 2000 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Lincoln | | Linn | | Malheur | | Marion | |
|--|---------|-------------------|------|-------------------|---------|-------------------|--------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 541 | 1213.0 | 928 | 897.9 | 292 | 919.7 | 2,429 | 848.4 |
| Infections & parasitic disease (A00-B99) | 7 | 15.7 | 12 | 11.6 | 6 | 18.9 | 39 | 13.6 |
| Septicemia (A40-A41) | 2 | 4.5 | 4 | 3.9 | 2 | 6.3 | 18 | 6.3 |
| Viral Hepatitis (B15-B19) | 2 | 4.5 | 3 | 2.9 | 1 | 3.1 | 6 | 2.1 |
| HIV disease (B20-B24) | 1 | 2.2 | 1 | 1.0 | 1 | 3.1 | 5 | 1.7 |
| Malignant neoplasms (C00-C97) | 141 | 316.1 | 227 | 219.6 | 68 | 214.2 | 590 | 206.1 |
| Colon (C18) | 13 | 29.1 | 16 | 15.5 | 2 | 6.3 | 41 | 14.3 |
| Pancreas (C25) | 2 | 4.5 | 9 | 8.7 | 1 | 3.1 | 34 | 11.9 |
| Bronchus & lung (C34) | 47 | 105.4 | 70 | 67.7 | 26 | 81.9 | 171 | 59.7 |
| Skin (C43-44) | 4 | 9.0 | 6 | 5.8 | 1 | 3.1 | 23 | 8.0 |
| Breast (C50) | 11 | 24.7 | 14 | 13.5 | 3 | 9.4 | 39 | 13.6 |
| Cervical (C53) | 2 | 4.5 | 1 | 1.0 | — | — | 2 | 0.7 |
| Uterine (C54) | — | — | 2 | 1.9 | 2 | 6.3 | 3 | 1.0 |
| Ovarian (C56) | 2 | 4.5 | 8 | 7.7 | 4 | 12.6 | 18 | 6.3 |
| Prostate (C61) | 11 | 24.7 | 9 | 8.7 | 2 | 6.3 | 38 | 13.3 |
| Kidney & renal pelvis (C64-C65) | 2 | 4.5 | 9 | 8.7 | 1 | 3.1 | 12 | 4.2 |
| Bladder (C67) | 1 | 2.2 | 9 | 8.7 | 2 | 6.3 | 14 | 4.9 |
| Brain (C70-C72) | 3 | 6.7 | 6 | 5.8 | 2 | 6.3 | 17 | 5.9 |
| Lymphatic (C81-C96) | 14 | 31.4 | 21 | 20.3 | 5 | 15.7 | 61 | 21.3 |
| Non-Hodgkin's lymphoma (C82-C85) | 7 | 15.7 | 8 | 7.7 | 1 | 3.1 | 27 | 9.4 |
| Leukemia (C91-C95) | 4 | 9.0 | 7 | 6.8 | 3 | 9.4 | 19 | 6.6 |
| Benign & uncertain neoplasms (D00-D48) | 3 | 6.7 | 6 | 5.8 | 1 | 3.1 | 12 | 4.2 |
| Diabetes mellitus (E10-E14) | 20 | 44.8 | 19 | 18.4 | 5 | 15.7 | 70 | 24.4 |
| Organic dementia (F01, F03) | 3 | 6.7 | 20 | 19.4 | 2 | 6.3 | 44 | 15.4 |
| Parkinson's disease (G20-G21) | 6 | 13.5 | 7 | 6.8 | 1 | 3.1 | 24 | 8.4 |
| Alzheimer's disease (G30) | 15 | 33.6 | 25 | 24.2 | 8 | 25.2 | 65 | 22.7 |
| Alcohol-induced deaths ² | 10 | 22.4 | 11 | 10.6 | 4 | 12.6 | 20 | 7.0 |
| Diseases of circulatory system (I00-I99) | 184 | 412.6 | 340 | 329.0 | 111 | 349.6 | 918 | 320.6 |
| Hypertension/hyperten. renal dis. (I10, I12) | 3 | 6.7 | 8 | 7.7 | — | — | 11 | 3.8 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 111 | 248.9 | 237 | 229.3 | 74 | 233.1 | 636 | 222.1 |
| Ischemic heart disease (I20-I25) | 71 | 159.2 | 155 | 150.0 | 50 | 157.5 | 444 | 155.1 |
| Myocardial infarction (I21-I22) | 24 | 53.8 | 69 | 66.8 | 17 | 53.5 | 238 | 83.1 |
| Cerebrovascular disease (I60-I69) | 43 | 96.4 | 81 | 78.4 | 28 | 88.2 | 233 | 81.4 |
| Subarachnoid hemorrhage (I60) | 1 | 2.2 | 3 | 2.9 | 1 | 3.1 | 6 | 2.1 |
| Intracerebral hemorrhage, etc. (I61-I62) | 3 | 6.7 | 9 | 8.7 | 4 | 12.6 | 24 | 8.4 |
| Cerebral infarction (I63) | 2 | 4.5 | 8 | 7.7 | 1 | 3.1 | 19 | 6.6 |
| Stroke of unspecified type (I64) | 25 | 56.1 | 44 | 42.6 | 9 | 28.3 | 120 | 41.9 |
| Aortic aneurysm (I71) | 7 | 15.7 | 7 | 6.8 | 3 | 9.4 | 16 | 5.6 |
| Influenza & pneumonia (J10-J18) | 9 | 20.2 | 20 | 19.4 | 10 | 31.5 | 51 | 17.8 |
| Chronic lower respiratory diseases (J40-J47) | 37 | 83.0 | 65 | 62.9 | 20 | 63.0 | 127 | 44.4 |
| Diseases of the digestive system (K00-K92) | 27 | 60.5 | 36 | 34.8 | 7 | 22.0 | 63 | 22.0 |
| Diseases of the genitourinary sys. (N00-N99) | 5 | 11.2 | 19 | 18.4 | 4 | 12.6 | 31 | 10.8 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 5 | 11.2 | 14 | 13.5 | 3 | 9.4 | 16 | 5.6 |
| Perinatal conditions (P00-P96) | 3 | 6.7 | 5 | 4.8 | 1 | 3.1 | 11 | 3.8 |
| Congenital malformations (Q00-Q99) | 3 | 6.7 | 3 | 2.9 | 1 | 3.1 | 15 | 5.2 |
| Sudden infant death syndrome (R95) | 2 | 4.5 | 1 | 1.0 | — | — | 5 | 1.7 |
| Unintentional injuries (V01-X59, Y85-Y86) | 17 | 38.1 | 33 | 31.9 | 19 | 59.8 | 90 | 31.4 |
| Suicide (X60-X84, Y87.0) | 17 | 38.1 | 12 | 11.6 | 1 | 3.1 | 38 | 13.3 |
| Homicide (X85-Y09, Y87.1) | 1 | 2.2 | 1 | 1.0 | — | — | 12 | 4.2 |
| Undetermined intent (Y10-Y34, Y87.2) | 2 | 4.5 | 2 | 1.9 | — | — | 2 | 0.7 |

¹ Rate per 100,000 population.

² Includes ICD-10 codes F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15.

— Quantity is 0.

Table 6-38. Selected Causes of Death by County, Oregon Residents, 2000 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Morrow | | Multnomah | | Polk | | Sherman | |
|--|--------|-------------------|-----------|-------------------|------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 72 | 648.6 | 5,711 | 862.2 | 487 | 776.7 | 18 | 923.1 |
| Infections & parasitic disease (A00-B99) | 2 | 18.0 | 113 | 17.1 | 6 | 9.6 | — | — |
| Septicemia (A40-A41) | 1 | 9.0 | 44 | 6.6 | 3 | 4.8 | — | — |
| Viral Hepatitis (B15-B19) | — | — | 22 | 3.3 | 1 | 1.6 | — | — |
| HIV disease (B20-B24) | 1 | 9.0 | 26 | 3.9 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 24 | 216.2 | 1,268 | 191.4 | 99 | 157.9 | 4 | 205.1 |
| Colon (C18) | 1 | 9.0 | 87 | 13.1 | 10 | 15.9 | — | — |
| Pancreas (C25) | 1 | 9.0 | 71 | 10.7 | 4 | 6.4 | — | — |
| Bronchus & lung (C34) | 10 | 90.1 | 361 | 54.5 | 30 | 47.8 | 3 | 153.8 |
| Skin (C43-44) | 1 | 9.0 | 19 | 2.9 | — | — | — | — |
| Breast (C50) | 1 | 9.0 | 88 | 13.3 | 7 | 11.2 | — | — |
| Cervical (C53) | 2 | 18.0 | 6 | 0.9 | — | — | — | — |
| Uterine (C54) | — | — | 12 | 1.8 | — | — | — | — |
| Ovarian (C56) | — | — | 39 | 5.9 | 3 | 4.8 | — | — |
| Prostate (C61) | — | — | 74 | 11.2 | 5 | 8.0 | — | — |
| Kidney & renal pelvis (C64-C65) | 2 | 18.0 | 33 | 5.0 | 5 | 8.0 | — | — |
| Bladder (C67) | — | — | 28 | 4.2 | 1 | 1.6 | — | — |
| Brain (C70-C72) | 1 | 9.0 | 24 | 3.6 | 7 | 11.2 | — | — |
| Lymphatic (C81-C96) | 2 | 18.0 | 121 | 18.3 | 10 | 15.9 | 1 | 51.3 |
| Non-Hodgkin's lymphoma (C82-C85) | 2 | 18.0 | 48 | 7.2 | 5 | 8.0 | — | — |
| Leukemia (C91-C95) | — | — | 43 | 6.5 | 2 | 3.2 | 1 | 51.3 |
| Benign & uncertain neoplasms (D00-D48) | — | — | 37 | 5.6 | 2 | 3.2 | — | — |
| Diabetes mellitus (E10-E14) | 2 | 18.0 | 179 | 27.0 | 11 | 17.5 | 1 | 51.3 |
| Organic dementia (F01, F03) | 1 | 9.0 | 147 | 22.2 | 6 | 9.6 | 2 | 102.6 |
| Parkinson's disease (G20-G21) | — | — | 64 | 9.7 | 7 | 11.2 | — | — |
| Alzheimer's disease (G30) | — | — | 184 | 27.8 | 18 | 28.7 | — | — |
| Alcohol-induced deaths ² | 2 | 18.0 | 100 | 15.1 | 5 | 8.0 | — | — |
| Diseases of circulatory system (I00-I99) | 25 | 225.2 | 1,941 | 293.0 | 208 | 331.7 | 7 | 359.0 |
| Hypertension/hyperten. renal dis. (I10, I12) | 1 | 9.0 | 59 | 8.9 | 7 | 11.2 | — | — |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 18 | 162.2 | 1,248 | 188.4 | 145 | 231.3 | 5 | 256.4 |
| Ischemic heart disease (I20-I25) | 9 | 81.1 | 790 | 119.3 | 97 | 154.7 | 3 | 153.8 |
| Myocardial infarction (I21-I22) | 5 | 45.0 | 283 | 42.7 | 49 | 78.1 | 2 | 102.6 |
| Cerebrovascular disease (I60-I69) | 5 | 45.0 | 500 | 75.5 | 49 | 78.1 | 1 | 51.3 |
| Subarachnoid hemorrhage (I60) | — | — | 20 | 3.0 | — | — | — | — |
| Intracerebral hemorrhage, etc. (I61-I62) | 1 | 9.0 | 72 | 10.9 | 9 | 14.4 | — | — |
| Cerebral infarction (I63) | — | — | 46 | 6.9 | 2 | 3.2 | 1 | 51.3 |
| Stroke of unspecified type (I64) | 3 | 27.0 | 263 | 39.7 | 16 | 25.5 | — | — |
| Aortic aneurysm (I71) | 1 | 9.0 | 38 | 5.7 | 2 | 3.2 | — | — |
| Influenza & pneumonia (J10-J18) | 1 | 9.0 | 138 | 20.8 | 5 | 8.0 | — | — |
| Chronic lower respiratory diseases (J40-J47) | 2 | 18.0 | 275 | 41.5 | 26 | 41.5 | — | — |
| Diseases of the digestive system (K00-K92) | 1 | 9.0 | 203 | 30.6 | 17 | 27.1 | 1 | 51.3 |
| Diseases of the genitourinary sys. (N00-N99) | 3 | 27.0 | 112 | 16.9 | 9 | 14.4 | 1 | 51.3 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 3 | 27.0 | 66 | 10.0 | 4 | 6.4 | — | — |
| Perinatal conditions (P00-P96) | 1 | 9.0 | 25 | 3.8 | 1 | 1.6 | — | — |
| Congenital malformations (Q00-Q99) | — | — | 29 | 4.4 | 2 | 3.2 | — | — |
| Sudden infant death syndrome (R95) | — | — | 11 | 1.7 | 1 | 1.6 | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 3 | 27.0 | 225 | 34.0 | 22 | 35.1 | 2 | 102.6 |
| Suicide (X60-X84, Y87.0) | 1 | 9.0 | 91 | 13.7 | 9 | 14.4 | — | — |
| Homicide (X85-Y09, Y87.1) | — | — | 27 | 4.1 | — | — | — | — |
| Undetermined intent (Y10-Y34, Y87.2) | — | — | 19 | 2.9 | — | — | — | — |

¹ Rate per 100,000 population.

² Includes ICD-10 codes F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15.

— Quantity is 0.

Table 6-38. Selected Causes of Death by County, Oregon Residents, 2000 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Tillamook | | Umatilla | | Union | | Wallowa | |
|--|-----------|-------------------|----------|-------------------|-------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 262 | 1078.2 | 573 | 808.8 | 217 | 883.9 | 82 | 1131.0 |
| Infections & parasitic disease (A00-B99) | 3 | 12.3 | 5 | 7.1 | 5 | 20.4 | 1 | 13.8 |
| Septicemia (A40-A41) | 1 | 4.1 | 2 | 2.8 | 4 | 16.3 | — | — |
| Viral Hepatitis (B15-B19) | 1 | 4.1 | — | — | — | — | — | — |
| HIV disease (B20-B24) | — | — | — | — | 1 | 4.1 | 1 | 13.8 |
| Malignant neoplasms (C00-C97) | 69 | 284.0 | 150 | 211.7 | 52 | 211.8 | 17 | 234.5 |
| Colon (C18) | 5 | 20.6 | 14 | 19.8 | 6 | 24.4 | — | — |
| Pancreas (C25) | 2 | 8.2 | 7 | 9.9 | 4 | 16.3 | 3 | 41.4 |
| Bronchus & lung (C34) | 19 | 78.2 | 41 | 57.9 | 10 | 40.7 | 4 | 55.2 |
| Skin (C43-44) | 1 | 4.1 | 1 | 1.4 | — | — | — | — |
| Breast (C50) | 5 | 20.6 | 11 | 15.5 | 2 | 8.1 | — | — |
| Cervical (C53) | 1 | 4.1 | 1 | 1.4 | — | — | — | — |
| Uterine (C54) | 1 | 4.1 | 1 | 1.4 | — | — | — | — |
| Ovarian (C56) | 3 | 12.3 | 4 | 5.6 | 1 | 4.1 | — | — |
| Prostate (C61) | 2 | 8.2 | 13 | 18.3 | 3 | 12.2 | 2 | 27.6 |
| Kidney & renal pelvis (C64-C65) | 2 | 8.2 | 2 | 2.8 | 2 | 8.1 | — | — |
| Bladder (C67) | 1 | 4.1 | 5 | 7.1 | — | — | 1 | 13.8 |
| Brain (C70-C72) | 1 | 4.1 | 6 | 8.5 | — | — | — | — |
| Lymphatic (C81-C96) | 11 | 45.3 | 18 | 25.4 | 6 | 24.4 | 4 | 55.2 |
| Non-Hodgkin's lymphoma (C82-C85) | 3 | 12.3 | 12 | 16.9 | 3 | 12.2 | 1 | 13.8 |
| Leukemia (C91-C95) | 4 | 16.5 | 5 | 7.1 | 2 | 8.1 | 1 | 13.8 |
| Benign & uncertain neoplasms (D00-D48) | 1 | 4.1 | 3 | 4.2 | 2 | 8.1 | 1 | 13.8 |
| Diabetes mellitus (E10-E14) | 8 | 32.9 | 10 | 14.1 | 5 | 20.4 | — | — |
| Organic dementia (F01, F03) | 3 | 12.3 | 6 | 8.5 | 5 | 20.4 | 1 | 13.8 |
| Parkinson's disease (G20-G21) | 4 | 16.5 | 8 | 11.3 | 1 | 4.1 | 1 | 13.8 |
| Alzheimer's disease (G30) | 4 | 16.5 | 13 | 18.3 | 2 | 8.1 | 2 | 27.6 |
| Alcohol-induced deaths ² | 5 | 20.6 | 9 | 12.7 | 2 | 8.1 | 1 | 13.8 |
| Diseases of circulatory system (I00-I99) | 94 | 386.8 | 174 | 245.6 | 64 | 260.7 | 32 | 441.4 |
| Hypertension/hyperten. renal dis. (I10, I12) | 4 | 16.5 | 7 | 9.9 | — | — | 1 | 13.8 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 65 | 267.5 | 126 | 177.8 | 48 | 195.5 | 21 | 289.7 |
| Ischemic heart disease (I20-I25) | 49 | 201.6 | 84 | 118.6 | 29 | 118.1 | 20 | 275.9 |
| Myocardial infarction (I21-I22) | 14 | 57.6 | 31 | 43.8 | 10 | 40.7 | 3 | 41.4 |
| Cerebrovascular disease (I60-I69) | 17 | 70.0 | 33 | 46.6 | 12 | 48.9 | 9 | 124.1 |
| Subarachnoid hemorrhage (I60) | — | — | 1 | 1.4 | — | — | — | — |
| Intracerebral hemorrhage, etc. (I61-I62) | — | — | 3 | 4.2 | 2 | 8.1 | 2 | 27.6 |
| Cerebral infarction (I63) | — | — | 3 | 4.2 | 1 | 4.1 | 3 | 41.4 |
| Stroke of unspecified type (I64) | 12 | 49.4 | 22 | 31.1 | 7 | 28.5 | 3 | 41.4 |
| Aortic aneurysm (I71) | 1 | 4.1 | 5 | 7.1 | 2 | 8.1 | — | — |
| Influenza & pneumonia (J10-J18) | 5 | 20.6 | 8 | 11.3 | 7 | 28.5 | — | — |
| Chronic lower respiratory diseases (J40-J47) | 19 | 78.2 | 43 | 60.7 | 15 | 61.1 | 6 | 82.8 |
| Diseases of the digestive system (K00-K92) | 10 | 41.2 | 22 | 31.1 | 7 | 28.5 | 2 | 27.6 |
| Diseases of the genitourinary sys. (N00-N99) | 5 | 20.6 | 9 | 12.7 | 7 | 28.5 | 1 | 13.8 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 3 | 12.3 | 4 | 5.6 | 6 | 24.4 | — | — |
| Perinatal conditions (P00-P96) | 1 | 4.1 | 1 | 1.4 | — | — | 1 | 13.8 |
| Congenital malformations (Q00-Q99) | 1 | 4.1 | 3 | 4.2 | 1 | 4.1 | 1 | 13.8 |
| Sudden infant death syndrome (R95) | — | — | 1 | 1.4 | 3 | 12.2 | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 10 | 41.2 | 23 | 32.5 | 11 | 44.8 | 3 | 41.4 |
| Suicide (X60-X84, Y87.0) | 8 | 32.9 | 9 | 12.7 | 4 | 16.3 | 3 | 41.4 |
| Homicide (X85-Y09, Y87.1) | — | — | 4 | 5.6 | — | — | — | — |
| Undetermined intent (Y10-Y34, Y87.2) | 1 | 4.1 | — | — | — | — | — | — |

¹ Rate per 100,000 population.² Includes ICD-10 codes F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15.

— Quantity is 0.

Table 6-38. Selected Causes of Death by County, Oregon Residents, 2000 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Wasco | | Washington | | Wheeler | | Yamhill | |
|--|-------|-------------------|------------|-------------------|---------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 281 | 1178.2 | 2,577 | 573.6 | 23 | 1483.9 | 624 | 729.8 |
| Infections & parasitic disease (A00-B99) | 3 | 12.6 | 49 | 10.9 | — | — | 14 | 16.4 |
| Septicemia (A40-A41) | 3 | 12.6 | 18 | 4.0 | — | — | 6 | 7.0 |
| Viral Hepatitis (B15-B19) | — | — | 12 | 2.7 | — | — | 2 | 2.3 |
| HIV disease (B20-B24) | — | — | 5 | 1.1 | — | — | 2 | 2.3 |
| Malignant neoplasms (C00-C97) | 63 | 264.2 | 616 | 137.1 | 5 | 322.6 | 152 | 177.8 |
| Colon (C18) | 6 | 25.2 | 61 | 13.6 | — | — | 10 | 11.7 |
| Pancreas (C25) | 4 | 16.8 | 40 | 8.9 | — | — | 11 | 12.9 |
| Bronchus & lung (C34) | 19 | 79.7 | 170 | 37.8 | 1 | 64.5 | 48 | 56.1 |
| Skin (C43-44) | — | — | 18 | 4.0 | — | — | 2 | 2.3 |
| Breast (C50) | 5 | 21.0 | 49 | 10.9 | — | — | 14 | 16.4 |
| Cervical (C53) | — | — | 2 | 0.4 | — | — | — | — |
| Uterine (C54) | — | — | 1 | 0.2 | — | — | 2 | 2.3 |
| Ovarian (C56) | 2 | 8.4 | 23 | 5.1 | — | — | 8 | 9.4 |
| Prostate (C61) | 4 | 16.8 | 23 | 5.1 | 1 | 64.5 | 14 | 16.4 |
| Kidney & renal pelvis (C64-C65) | 3 | 12.6 | 14 | 3.1 | — | — | 1 | 1.2 |
| Bladder (C67) | 1 | 4.2 | 16 | 3.6 | — | — | 3 | 3.5 |
| Brain (C70-C72) | 3 | 12.6 | 18 | 4.0 | 1 | 64.5 | 3 | 3.5 |
| Lymphatic (C81-C96) | 5 | 21.0 | 62 | 13.8 | 1 | 64.5 | 13 | 15.2 |
| Non-Hodgkin's lymphoma (C82-C85) | 5 | 21.0 | 30 | 6.7 | — | — | 5 | 5.8 |
| Leukemia (C91-C95) | — | — | 26 | 5.8 | — | — | 5 | 5.8 |
| Benign & uncertain neoplasms (D00-D48) | 3 | 12.6 | 15 | 3.3 | — | — | 7 | 8.2 |
| Diabetes mellitus (E10-E14) | 9 | 37.7 | 62 | 13.8 | — | — | 17 | 19.9 |
| Organic dementia (F01, F03) | 5 | 21.0 | 48 | 10.7 | 3 | 193.5 | 13 | 15.2 |
| Parkinson's disease (G20-G21) | 3 | 12.6 | 26 | 5.8 | — | — | 2 | 2.3 |
| Alzheimer's disease (G30) | 14 | 58.7 | 89 | 19.8 | 1 | 64.5 | 15 | 17.5 |
| Alcohol-induced deaths ² | 4 | 16.8 | 24 | 5.3 | — | — | 6 | 7.0 |
| Diseases of circulatory system (I00-I99) | 92 | 385.7 | 901 | 200.6 | 8 | 516.1 | 228 | 266.7 |
| Hypertension/hyperten. renal dis. (I10, I12) | 2 | 8.4 | 21 | 4.7 | — | — | 2 | 2.3 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 64 | 268.3 | 556 | 123.8 | 6 | 387.1 | 164 | 191.8 |
| Ischemic heart disease (I20-I25) | 41 | 171.9 | 374 | 83.2 | 4 | 258.1 | 114 | 133.3 |
| Myocardial infarction (I21-I22) | 10 | 41.9 | 161 | 35.8 | 1 | 64.5 | 38 | 44.4 |
| Cerebrovascular disease (I60-I69) | 23 | 96.4 | 250 | 55.6 | 1 | 64.5 | 44 | 51.5 |
| Subarachnoid hemorrhage (I60) | 3 | 12.6 | 9 | 2.0 | — | — | 3 | 3.5 |
| Intracerebral hemorrhage, etc. (I61-I62) | 2 | 8.4 | 33 | 7.3 | — | — | 3 | 3.5 |
| Cerebral infarction (I63) | 3 | 12.6 | 18 | 4.0 | 1 | 64.5 | 3 | 3.5 |
| Stroke of unspecified type (I64) | 12 | 50.3 | 134 | 29.8 | — | — | 20 | 23.4 |
| Aortic aneurysm (I71) | 1 | 4.2 | 26 | 5.8 | — | — | 5 | 5.8 |
| Influenza & pneumonia (J10-J18) | 3 | 12.6 | 53 | 11.8 | — | — | 19 | 22.2 |
| Chronic lower respiratory diseases (J40-J47) | 23 | 96.4 | 128 | 28.5 | — | — | 40 | 46.8 |
| Diseases of the digestive system (K00-K92) | 9 | 37.7 | 80 | 17.8 | — | — | 12 | 14.0 |
| Diseases of the genitourinary sys. (N00-N99) | 5 | 21.0 | 51 | 11.4 | 1 | 64.5 | 8 | 9.4 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 4 | 16.8 | 32 | 7.1 | 1 | 64.5 | 6 | 7.0 |
| Perinatal conditions (P00-P96) | 1 | 4.2 | 11 | 2.4 | — | — | 2 | 2.3 |
| Congenital malformations (Q00-Q99) | — | — | 20 | 4.5 | — | — | 2 | 2.3 |
| Sudden infant death syndrome (R95) | 1 | 4.2 | 3 | 0.7 | — | — | 1 | 1.2 |
| Unintentional injuries (V01-X59, Y85-Y86) | 11 | 46.1 | 118 | 26.3 | 2 | 129.0 | 32 | 37.4 |
| Suicide (X60-X84, Y87.0) | 4 | 16.8 | 48 | 10.7 | — | — | 6 | 7.0 |
| Homicide (X85-Y09, Y87.1) | 3 | 12.6 | 8 | 1.8 | — | — | 1 | 1.2 |
| Undetermined intent (Y10-Y34, Y87.2) | — | — | 5 | 1.1 | — | — | 1 | 1.2 |

¹ Rate per 100,000 population.² Includes ICD-10 codes F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15.

— Quantity is 0.