

TABLE 6-31. Fatal Overdoses and Poisonings by Manner, Type, Sex, Age Groups, Race/ethnicity, and Selected Counties of Residence, Oregon Residents, 2002

Manner and Type of Substance ¹	Total	Sex		Age Groups					
		M	F	0-4	5-14	15-24	25-34	35-44	45-54
Total	610	398	212	–	1	19	74	162	206
Mental and behavioral disorders due to psychoactive substance use	248	174	74	–	–	2	23	47	76
Alcohol ²	149	109	40	–	–	–	4	17	51
Opioids	36	27	9	–	–	1	7	14	12
Cannabinoids	–	–	–	–	–	–	–	–	–
Sedatives and hypnotics	–	–	–	–	–	–	–	–	–
Cocaine	5	4	1	–	–	–	–	2	2
Other stimulants	6	4	2	–	–	–	3	2	1
Hallucinogens	–	–	–	–	–	–	–	–	–
Tobacco ³	14	5	9	–	–	–	–	–	1
Volatile solvents	–	–	–	–	–	–	–	–	–
Other (multiple) psychoactive substances	38	25	13	–	–	1	9	12	9
Unintentional overdoses/poisoning	199	123	76	–	1	11	29	66	68
Nonopioid analgesics, antipyretics, etc.	4	–	4	–	–	–	–	1	–
Psychotropic, sedative-hypnotic drugs	18	9	9	–	–	2	3	7	5
Narcotics and hallucinogens ⁴	121	82	39	–	–	7	20	44	42
Other and unspecified drugs ⁵	42	23	19	–	–	–	5	10	19
Alcohol	2	2	–	–	–	–	–	–	1
Organic solvents & halogenated HC ⁶	2	2	–	–	–	–	–	1	1
Carbon monoxide & other gases	8	4	4	–	1	2	1	2	–
Pesticides	1	–	1	–	–	–	–	–	–
Other chemicals & substances	1	1	–	–	–	–	–	1	–
Intentional self-poisoning	100	67	33	–	–	3	14	28	36
Nonopioid analgesics, antipyretics, etc.	1	–	1	–	–	–	1	–	–
Psychotropic, sedative-hypnotic drugs	22	12	10	–	–	–	5	6	7
Narcotics and hallucinogens ⁴	16	11	5	–	–	–	1	5	8
Other and unspecified drugs ⁵	31	15	16	–	–	2	3	10	10
Alcohol	1	1	–	–	–	–	–	–	–
Organic solvents & halogenated HC ⁶	–	–	–	–	–	–	–	–	–
Carbon monoxide & other gases	26	25	1	–	–	1	4	6	11
Pesticides	–	–	–	–	–	–	–	–	–
Other chemicals & substances	3	3	–	–	–	–	–	1	–
Assault by poisoning	–	–	–	–	–	–	–	–	–
Undetermined intent	63	34	29	–	–	3	8	21	26
Nonopioid analgesics, antipyretics, etc.	–	–	–	–	–	–	–	–	–
Psychotropic, sedative-hypnotic drugs	9	7	2	–	–	1	2	3	2
Narcotics and hallucinogens ⁴	28	14	14	–	–	2	4	7	12
Other and unspecified drugs ⁵	21	8	13	–	–	–	1	10	10
Alcohol	1	1	–	–	–	–	–	–	1
Organic solvents & halogenated HC ⁶	1	1	–	–	–	–	1	–	–
Carbon monoxide & other gases	2	2	–	–	–	–	–	1	–
Pesticides	–	–	–	–	–	–	–	–	–
Other chemicals & substances	1	1	–	–	–	–	–	–	1

¹ The distinction between deaths classified to mental and behavioral disorders due to psychoactive substance use versus injury deaths is somewhat factitious. For example, deaths attributed to drug toxicity are classified to the former category while deaths attributed to poisoning are classified as injury deaths. If the certifying physician notes that a death is due to chronic drug abuse, then the death is classified to mental/behavioral disorders, but this may not be done in all applicable cases.

² Most deaths involving abusive alcohol use are attributed to other organ systems (e.g., alcoholic cirrhosis of the liver). See "Alcohol-induced deaths" under "Mental Disorders (F01-F99)" in Table 6-6 for a more inclusive count. Note that this figure, too, is an undercount, as it does not include injury deaths in which alcohol played a critical role (e.g., motor vehicle crashes, homicides).

TABLE 6-31. Fatal Overdoses and Poisonings by Manner, Type, Sex, Age Groups, Race/ethnicity, and Selected Counties of Residence, Oregon Residents, 2002— Continued

Age Groups				Race/ethnicity					Residence County			
55-64	65-74	75-84	85+	White	Black	Indian	Other	Hisp ⁷	Clack	Lane	Mult	Wash
81	35	20	12	571	23	11	5	8	46	55	189	51
51	24	17	8	235	9	2	2	3	18	19	83	20
40	19	14	4	144	2	2	1	3	12	17	36	9
1	1	—	—	35	1	—	—	—	2	—	22	5
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	4	—	1	—	—	—	5	—
—	—	—	—	6	—	—	—	—	—	—	2	—
—	—	—	—	—	—	—	—	—	—	—	—	—
4	3	2	4	14	—	—	—	—	—	1	1	1
—	—	—	—	—	—	—	—	—	—	—	—	—
5	1	1	—	36	2	—	—	—	4	1	17	5
16	5	1	2	184	8	4	3	3	11	18	72	14
1	1	—	1	4	—	—	—	—	—	2	1	—
1	—	—	—	18	—	—	—	—	2	1	4	3
7	1	—	—	109	8	2	2	2	6	11	53	8
5	3	—	—	40	—	2	—	1	1	3	11	2
1	—	—	—	1	—	—	1	—	—	—	1	—
—	—	—	—	2	—	—	—	—	—	1	—	—
1	—	—	1	8	—	—	—	—	2	—	1	1
—	—	1	—	1	—	—	—	—	—	—	1	—
—	—	—	—	1	—	—	—	—	—	—	—	—
10	5	2	2	95	2	3	—	1	11	9	16	9
—	—	—	—	1	—	—	—	—	1	—	—	—
2	2	—	—	20	—	2	—	—	3	1	6	2
1	1	—	—	16	—	—	—	—	—	2	2	—
4	—	1	1	29	1	1	—	1	3	3	6	1
1	—	—	—	1	—	—	—	—	1	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	—	1	25	1	—	—	—	3	3	1	6
—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	1	—	3	—	—	—	—	—	—	1	—
—	—	—	—	—	—	—	—	—	—	—	—	—
4	1	—	—	57	4	2	—	1	6	9	18	8
—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	8	1	—	—	—	1	—	5	—
3	—	—	—	26	1	1	—	—	5	4	6	3
—	—	—	—	19	1	1	—	1	—	3	5	5
—	—	—	—	1	—	—	—	—	—	1	—	—
—	—	—	—	—	1	—	—	—	—	—	1	—
—	1	—	—	2	—	—	—	—	—	1	1	—
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	—

³ Most deaths resulting from tobacco use were attributed to other organ systems (e.g., lung cancer, emphysema, heart disease). See Tables 6-17 through 6-19 for a more complete account of tobacco-linked deaths.

⁴ Including other drugs acting on the autonomic nervous system.

⁵ Includes deaths resulting from poisoning from multiple substances in more than one category.

⁶ HC = hydrocarbons.

⁷ Hispanic decedents may be of any race; most were white.

— Quantity is zero.