

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2003

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	863.7	591.8	39.6	16.6	96.3	112.2	217.7	506.0	1,291.6	2,603.1	6,474.2	18,211.6
Infections & Parasitic Disease (A00-B99)	17.0	4.3	1.1	0.4	1.6	3.6	19.1	32.5	32.3	24.8	67.2	125.5
Tuberculosis (A16-A19)	0.2	-	-	-	-	-	-	0.4	1.3	-	1.5	-
Meningococcal infection (A39)	0.2	-	-	-	0.8	-	0.4	-	-	-	-	-
Septicemia (A40-A41)	4.3	-	1.1	0.4	-	-	1.8	3.4	5.2	14.3	35.1	65.5
Creutzfeldt-Jacob disease (A81.0)	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)	3.5	-	-	-	-	0.4	2.2	12.6	9.0	1.9	5.8	5.5
HIV/AIDS (B20-B24) ³	4.8	-	-	-	-	2.8	12.5	10.0	9.0	2.9	-	-
Malignant Neoplasms (C00-C97)	210.0	-	2.1	3.2	4.8	7.5	21.3	112.5	430.1	895.3	1,675.1	2,951.6
Lip, oral cavity & pharynx (C00-C14)	3.1	-	-	-	-	0.4	-	3.1	8.4	13.3	14.6	43.6
Digestive organs (C15-26)	50.3	-	-	-	1.2	0.8	4.4	32.5	124.0	219.1	382.6	529.2
Esophagus (C15)	8.1	-	-	-	-	-	1.1	4.2	23.2	42.9	57.0	49.1
Stomach (C16)	3.9	-	-	-	-	-	-	3.4	10.3	21.9	21.9	27.3
Colon, rectum & anus (C18-C21)	18.2	-	-	-	0.8	-	1.8	7.3	39.4	76.2	149.0	272.8
Colon (C18)	14.1	-	-	-	0.8	-	1.1	4.2	29.7	61.9	116.8	218.2
Rectosigmoid junction (C19)	1.0	-	-	-	-	-	-	0.8	2.6	6.7	4.4	5.5
Rectum (C20)	2.9	-	-	-	-	-	0.7	1.5	6.5	7.6	26.3	49.1
Liver & intrahepatic bile ducts (C22)	6.3	-	-	-	0.4	-	0.4	11.1	20.0	17.1	33.6	43.6
Pancreas (C25)	11.6	-	-	-	-	0.4	1.1	5.0	27.1	55.2	97.9	109.1
Respiratory, intrathoracic org'ns (C30-C39)	65.2	-	-	-	0.4	-	3.3	29.5	146.6	338.1	528.7	622.0
Larynx (C32)	1.7	-	-	-	-	-	-	0.8	4.5	9.5	13.1	5.5
Trachea, bronchus & lung (C33-C34)	63.0	-	-	-	0.4	-	3.3	27.9	141.4	324.8	514.1	605.6
Bronchus & lung (C34)	62.9	-	-	-	0.4	-	3.3	27.6	141.4	324.8	512.6	605.6
Skin (C43-C44)	6.2	-	-	-	-	0.4	2.9	7.3	18.1	21.9	29.2	49.1
Melanoma of skin (C43)	4.8	-	-	-	-	0.4	2.2	6.9	17.4	16.2	19.0	16.4
Mesothelioma (C45)	2.4	-	-	-	-	-	-	1.1	3.9	7.6	26.3	43.6
Breast (C50)	0.1	-	-	-	-	-	-	0.8	-	-	-	-
Female genital organs (C51-58)	-	-	-	-	-	-	-	-	-	-	-	-
Cervix uteri (C53)	-	-	-	-	-	-	-	-	-	-	-	-
Corpus uteri (C54-C55) ⁴	-	-	-	-	-	-	-	-	-	-	-	-
Ovary (C56)	-	-	-	-	-	-	-	-	-	-	-	-
Male genital organs (C60-C63)	24.0	-	-	-	0.4	0.8	0.7	2.7	20.0	66.7	239.5	791.1

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Prostate (C61)	23.6	-	-	-	-	-	-	2.3	20.0	66.7	238.1	791.1
Kidney & renal pelvis (C64-C65)	5.2	-	-	-	-	-	0.7	3.4	10.3	24.8	38.0	65.5
Bladder (C67)	7.6	-	-	-	-	-	-	1.9	13.6	25.7	78.9	147.3
Brain, etc. (C70-C72) ⁵	6.5	-	1.1	0.8	0.4	2.8	2.6	7.7	17.4	29.5	20.4	21.8
Thyroid/endocrine gland (C73-C75)	0.6	-	-	0.4	1.6	1.6	3.3	0.8	-	1.0	7.3	10.9
Lymphoid & hematopoietic (C81-C96)	24.5	-	-	1.2	1.6	0.4	0.4	12.6	46.5	94.3	198.6	381.9
Hodgkin's disease (C81)	0.3	-	-	-	-	0.4	0.4	-	0.6	-	2.9	5.5
Non-Hodgkin's lymphoma (C82-C85)	10.0	-	-	-	-	1.2	1.8	5.4	23.9	41.0	73.0	125.5
Leukemia (C91-C95)	8.5	-	-	1.2	1.6	0.7	0.7	5.0	10.3	24.8	75.9	180.0
Lymphoid leukemia (C91)	3.4	-	-	0.8	0.4	-	0.4	1.9	3.9	7.6	35.1	70.9
Myeloid leukemia (C92)	3.7	-	-	0.4	0.8	-	-	2.3	5.8	14.3	26.3	76.4
Multiple myeloma (C88, C90) ⁶	5.6	-	-	-	-	-	0.4	2.3	11.6	27.6	46.7	70.9
Neopla. Not Specif. As Malign. (D00-D48)⁷	4.9	-	-	-	-	-	-	0.8	6.5	12.4	55.5	125.5
Myelodysplastic syndromes (D46)	2.7	-	-	-	-	-	-	-	3.2	4.8	33.6	81.8
Diseases of the Blood (D50-89)⁸	2.4	4.3	-	-	-	0.4	0.7	1.5	3.2	5.7	19.0	54.6
Anemias (D50-D64)	1.0	-	-	-	-	0.4	-	-	3.2	3.8	10.2	32.7
Endocrine & Nutritional Dis. (E00-E88)⁹	37.6	8.5	5.3	0.8	2.0	5.9	7.3	27.6	72.3	129.5	265.8	594.7
Diabetes mellitus (E10-E14)	29.4	-	-	-	1.6	2.8	4.8	22.2	56.8	103.8	224.9	458.3
Nutritional deficiencies (E40-E64)	0.5	-	-	-	-	-	-	-	-	2.9	2.9	21.8
Malnutrition (E40-E46)	0.3	-	-	-	-	-	-	-	-	1.9	1.5	16.4
Mental Disorders (F01-F99)¹⁰	28.5	-	-	-	0.8	6.3	13.2	24.9	37.5	50.5	163.6	862.0
Organic dementia (F01, F03)	13.7	-	-	-	-	-	-	-	1.3	18.1	125.6	731.1
Due to alcohol (F10) ¹¹	8.0	-	-	-	-	0.8	6.2	17.2	27.8	20.0	17.5	5.5
Due to psychoactive substance (F11-F19)	4.6	-	-	-	0.8	5.6	6.6	7.3	7.1	6.7	4.4	32.7
Nervous System Dis. (G00-G99)	41.0	4.3	-	0.8	2.4	1.6	5.5	13.0	25.2	93.3	411.8	1,303.9
Meningitis (G00, G03)	0.2	-	-	-	-	0.4	1.1	0.4	0.6	1.0	1.5	-
Amyotrophic lateral sclerosis (G12.2)	3.5	-	-	-	-	0.4	-	2.7	7.1	10.5	32.1	38.2
Parkinson's disease (G20-G21)	9.7	-	-	-	-	-	-	0.4	3.9	24.8	122.7	289.2
Alzheimer's disease (G30)	19.8	-	-	-	-	-	-	-	2.6	27.6	213.2	916.6
Multiple sclerosis (G35)	0.9	-	-	-	-	0.4	-	1.5	1.9	5.7	2.9	-
Epilepsy (G40-G41)	0.6	-	-	-	0.8	0.4	1.5	0.4	0.6	-	-	5.5
Circulatory System Diseases (I00-I99)	286.5	17.0	4.3	1.2	3.6	7.5	34.4	116.4	384.9	850.6	2,401.0	7,965.5
Major cardiovascular disease (I00-I78)	285.4	17.0	4.3	1.2	3.6	7.5	34.4	116.0	382.3	845.8	2,392.2	7,943.7

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Heart disease (I00-I09, I11, I13, I20-I51)	208.1	12.8	4.3	1.2	3.2	5.6	27.8	92.2	311.3	640.1	1,654.7	5,548.6
Rheumatic heart disease (I00-I09) ¹² ..	1.1	—	—	—	—	—	—	0.4	1.3	3.8	13.1	16.4
Hypertensive heart disease (I11)	3.2	—	—	—	—	0.4	0.7	1.1	3.2	2.9	36.5	92.7
Hypertensive heart & renal dis. (I13) ..	1.0	—	—	—	—	—	—	—	0.6	2.9	5.8	49.1
Ischemic heart disease (I20-I25)	149.7	—	—	—	1.2	2.8	20.2	73.1	256.4	503.9	1,183.0	3,475.4
Myocardial infarction (I21-I22)	50.7	—	—	—	0.4	0.8	6.2	21.8	93.6	180.0	423.5	1,031.2
Other acute ischemic hrt. dis. (I24) ..	0.3	—	—	—	—	—	0.4	0.8	0.6	1.0	1.5	—
Chronic isch. heart dis. (I20, I25)	98.7	—	—	—	0.8	2.0	13.6	50.5	162.1	322.9	758.0	2,444.2
Atheroscler. cardiovascular dis. ¹³	9.9	—	—	—	—	—	1.8	3.4	13.6	26.7	78.9	305.5
Other chr. ischemic heart dis. ¹⁴ ...	88.9	—	—	—	0.8	2.0	11.7	47.1	148.5	296.2	679.1	2,138.7
Nonrheumatic mitral valve dis. (I34) ...	1.1	—	—	—	—	—	—	0.4	1.3	4.8	7.3	32.7
Nonrheumatic aortic valve dis. (I35) ...	7.1	—	—	—	—	—	0.4	2.3	5.8	9.5	59.9	311.0
Cardiomyopathy (I42)	9.9	—	3.2	—	—	1.6	3.3	6.5	18.1	36.2	62.8	169.1
Heart failure (I50)	16.4	—	—	—	—	—	0.4	0.8	8.4	19.0	138.7	856.6
Congestive heart failure (I50.0)	15.8	—	—	—	—	—	0.4	0.8	7.1	19.0	131.4	834.7
Left ventricular heart failure (I50.1)	0.1	—	—	—	—	—	—	—	0.6	—	—	—
Heart failure, unspecified (I50.9)	0.6	—	—	—	—	—	—	—	0.6	—	7.3	21.8
Hypertension & hyp. renal dis. (I10, I12)	7.1	—	—	—	—	—	0.4	3.4	14.9	18.1	54.0	191.0
Cerebrovascular disease (I60-I69)	55.2	4.3	—	—	0.4	1.2	4.8	15.3	40.0	145.7	546.2	1,756.8
Subarachnoid hemorrhage (I60)	1.7	—	—	—	—	0.4	0.7	3.1	3.9	8.6	4.4	—
Intracerebral hemorrhage (I61-I62) ¹⁵	8.9	—	—	—	0.4	0.8	1.8	5.7	9.0	23.8	102.2	130.9
Cerebral infarction (I63)	4.0	—	—	—	—	—	—	0.4	2.6	15.2	33.6	136.4
Stroke (type not specified) (I64)	28.6	—	—	—	—	—	2.2	5.7	18.7	71.4	284.8	998.4
Atherosclerosis (I70)	5.0	—	—	—	—	—	—	0.8	4.5	10.5	39.4	218.2
Aortic aneurysm & dissection (I71)	7.0	—	—	—	—	0.4	1.1	3.4	9.0	24.8	68.6	125.5
Diseases of arteries (I72-I78) ¹⁶	3.1	—	—	—	—	0.4	0.4	0.8	2.6	6.7	29.2	103.7
Respiratory System Diseases (J00-J99)	79.6	29.8	3.2	1.2	0.4	4.0	3.3	15.3	78.1	269.6	760.9	2,182.3
Influenza & pneumonia (J10-J18)	15.7	8.5	—	0.4	—	1.2	1.5	3.1	7.7	24.8	137.3	687.4
Influenza (J10-J11)	0.4	—	—	—	—	—	0.4	—	0.6	1.9	2.9	5.5
Pneumonia (J12-J18)	15.3	8.5	—	0.4	—	1.2	1.1	3.1	7.1	22.9	134.4	682.0
Other acute lower resp. infect'ns (J20-J22)	0.3	4.3	—	—	—	—	—	0.4	0.6	1.0	2.9	—
Acute bronchitis (J20-J21) ¹⁷	0.2	—	—	—	—	—	—	0.4	0.6	1.0	1.5	—
Chronic lower respiratory dis. (J40-J47) ¹⁸ ..	50.0	—	1.1	—	—	0.8	0.7	8.8	59.4	209.5	484.9	1,123.9

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bronchitis, chronic & unspec. (J40-J42)	0.4	—	1.1	—	—	—	—	0.4	0.6	1.0	4.4	—
Empysema (J43)	7.9	—	—	—	—	—	—	1.1	7.1	41.0	78.9	152.8
Asthma (J45-J46)	1.1	—	—	—	—	0.8	—	1.5	3.9	1.9	5.8	10.9
Other CLRD (J44, J47)	40.6	—	—	—	—	—	0.7	5.7	47.8	165.7	395.8	960.2
Bronchiectasis (J47)	0.4	—	—	—	—	—	0.4	—	0.6	—	5.8	5.5
Pneumoconioses (J60-J66, J68) ¹⁹	0.9	—	—	—	—	—	0.4	—	1.3	1.0	11.7	16.4
Pneumonitis due to solids & liquids (J69)	4.5	4.3	—	0.4	0.4	0.8	0.7	0.4	1.9	9.5	45.3	152.8
Digestive System Diseases (K00-K92)	31.7	4.3	1.1	0.4	0.4	3.2	15.4	40.6	69.7	81.9	184.0	420.1
Peptic ulcer (K25-K28)	1.2	—	—	—	—	—	0.4	—	0.6	5.7	7.3	43.6
Diseases of the appendix (K35-K38)	0.3	—	—	—	—	—	0.4	0.4	0.6	1.0	1.5	5.5
Appendicitis (K35-K37)	0.3	—	—	—	—	—	0.4	0.4	0.6	1.0	1.5	5.5
Hernia (K40-K46)	0.7	—	1.1	—	—	—	0.4	0.4	0.6	1.9	2.9	21.8
Vascular disorders of the intestine (K55)	2.2	4.3	—	0.4	—	—	0.4	0.4	1.9	6.7	29.2	21.8
Chronic liver disease (K70, K73-K74) ²⁰	13.7	—	—	—	—	1.6	11.4	29.9	45.2	31.4	30.7	16.4
Alcoholic liver disease (K70) ²¹	11.7	—	—	—	—	0.8	10.6	27.2	39.4	28.6	16.1	5.5
Cholelithiasis (K80-K82) ²²	1.3	—	—	—	—	—	0.4	—	2.6	4.8	11.7	27.3
Diseases of the Skin (L00-L98) ²³	1.0	—	—	—	—	—	—	1.5	0.6	1.9	5.8	32.7
Musculoskeletal Disease (M00-M99) ²⁴	4.7	—	—	—	—	—	1.1	2.7	9.0	17.1	30.7	103.7
Genitourinary System Dis. (N00-N99)	13.8	4.3	—	—	0.4	0.4	0.4	5.4	11.0	32.4	134.4	441.9
Nephritis (N00-N07, N17-N19, N25-N27) ²⁵	9.1	4.3	—	—	—	0.4	0.4	5.0	9.0	25.7	96.4	201.9
Acute nephrotic syndrome ²⁶	—	—	—	—	—	—	—	—	—	—	—	—
Chronic nephritis ²⁷	0.6	—	—	—	—	—	0.4	0.4	1.3	1.0	7.3	—
Renal failure (N17-N19)	8.5	4.3	—	—	0.4	—	—	4.6	7.7	24.8	89.1	201.9
Kidney infect'ns (N10-N12, N13.6, N15.1)	0.5	—	—	0.4	—	—	—	—	0.6	1.0	1.5	21.8
Urinary tract infection (N59.0)	3.0	—	—	—	—	—	—	0.4	0.6	3.8	20.4	174.6
Hyperplasia of prostate (N40)	0.4	—	—	—	—	—	—	—	—	—	2.9	27.3
Female pelvic inflam. dis. (N70-N76) ²⁸	—	—	—	—	—	—	—	—	—	—	—	—
Pregnancy & Childbirth (O00-O99) ²⁹	—	—	—	—	—	—	—	—	—	—	—	—
Perinatal Conditions (P00-P96)	3.8	268.2	2.1	0.4	0.4	0.4	—	—	—	—	—	—
Congenital Malformations (Q00-Q99) ³⁰	3.0	115.0	2.1	0.4	0.4	0.4	2.2	1.1	4.5	1.0	2.9	10.9
Malformation of the heart (Q20-Q24)	0.9	38.3	—	0.4	—	—	1.1	0.8	0.6	—	—	—
Other malf. of the circul. sys. (Q25-Q28)	0.2	4.3	—	—	—	—	—	—	0.6	—	—	10.9
Malf. of the respiratory system (Q30-Q34)	0.1	8.5	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2003 — Continued

Causes of Death (and their ICD-10 codes) ¹	Age Groups										
	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Rate²											
Symptoms & Signs (R00-R99)³¹	14.4	2.1	-	0.4	2.0	3.3	9.6	18.1	45.7	62.8	398.3
Senility (R54)	1.5	-	-	-	-	-	-	0.6	3.8	4.4	98.2
Sudden infant death syndrome (R95)	0.8	-	-	-	-	-	-	-	-	-	-
External Causes of Death (V01-Y89)	84.0	16.0	8.3	78.9	69.4	90.5	100.7	108.5	91.4	233.7	638.3
Accidents (V01-X59, Y85-Y86)	48.6	13.9	7.9	47.2	37.3	44.3	52.4	55.5	52.4	156.3	518.3
Transport accidents (V01-V99, Y85)	22.4	4.3	5.5	32.9	22.2	22.0	25.3	29.1	18.1	51.1	60.0
Motor vehicle acc. (Many codes) ³²	19.6	4.3	5.5	30.9	20.2	19.4	20.7	23.2	15.2	40.9	54.6
Water transport accidents (V90-V94)	0.9	-	-	1.2	0.4	1.1	0.8	1.9	1.9	1.5	-
Air transport accidents (V95-V97)	0.7	-	-	-	-	0.4	2.3	1.3	-	5.8	-
Nontransport accidents (W00-X59, Y86)	26.2	9.6	2.4	14.3	15.1	22.4	27.2	26.5	34.3	105.2	458.3
Falls (W00-W19)	9.2	-	-	1.6	0.8	2.6	1.5	9.7	13.3	78.9	332.8
Firearms (W32-W34)	0.2	-	-	0.4	0.8	0.4	-	-	-	-	-
Drowning & submersion (W65-W74) ..	2.0	3.2	0.4	4.8	1.2	1.8	1.5	1.9	1.9	-	5.5
Exposure to smoke & fire (X00-X09) ..	0.8	1.1	0.4	-	-	-	1.1	1.3	1.9	2.9	16.4
Poisoning (X40-X49) ³³	8.3	-	0.4	5.2	9.9	13.6	19.9	10.3	1.0	1.5	-
Suicide (X60-X84, Y87.0)	27.2	-	-	21.0	23.8	31.1	37.9	47.8	37.1	70.1	109.1
Poisoning (X60-X69)	3.9	-	-	1.2	2.0	7.3	7.7	9.7	2.9	1.5	5.5
Hanging/suffocation (X70)	4.6	-	-	7.5	8.3	6.2	4.2	4.5	1.9	1.5	16.4
Firearm discharge (X72-X74)	16.6	-	-	10.3	12.3	13.6	23.3	29.1	31.4	62.8	87.3
Homicide (X85-Y09, Y87.1)	3.6	4.3	2.1	7.1	4.8	4.8	4.2	2.6	-	2.9	-
Firearm discharge (X93-X95)	2.4	-	-	5.6	3.6	2.6	2.3	2.6	-	2.9	-
Legal intervention (Y35, Y89.0)	0.3	-	-	-	0.8	1.1	0.4	-	-	-	-
Undeterm. intent (Y10-Y34, Y87.2, Y89.9) ..	3.4	-	0.4	3.2	2.8	7.3	5.7	1.3	1.0	-	-
War and its sequelae (Y36, Y89.1) ³⁴	-	-	-	-	-	-	-	-	-	-	-
Medical care complications (Y40-Y84, Y88) ..	0.8	-	-	0.4	-	1.8	-	1.3	1.0	4.4	10.9
<i>Injury by firearms (Many codes)³⁵</i>	19.7	-	-	17.0	17.5	17.6	26.0	31.6	31.4	65.7	87.3
<i>Alcohol-induced deaths (Many codes)^{36,37}</i>	20.6	-	-	-	2.0	17.2	47.1	68.5	52.4	35.1	10.9
<i>Drug-induced deaths (Many codes)^{38,39}</i>	16.5	-	-	6.7	18.2	29.3	35.6	23.9	6.7	4.4	32.7
<i>Injury at work⁴⁰</i>	3.8	-	-	5.9	2.0	5.5	5.4	7.7	3.8	2.9	-

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Including uterus, part unspecified.

⁵ Including meninges and other parts of the central nervous system.

- 6 Including immunoproliferative neoplasms.
- 7 Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
- 8 Including diseases of the blood forming-organs and disorders involving the immune mechanism.
- 9 Including metabolic diseases.
- 10 Including behavioral disorders.
- 11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the bottom of the table.
- 12 Including acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 This includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 15 Including other intracranial hemorrhages.
- 16 Including diseases of the arterioles and capillaries.
- 17 Including acute bronchiolitis.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 For all deaths due to alcohol, see "Alcohol-induced deaths" at the bottom of the table.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis, etc.
- 26 The ICD-10 codes are N00-N01, and N04. This category also includes acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 The ICD-10 codes are N02-N03, N05-N07, and N26. This category also includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 Including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including exposure to noxious substances.
- 34 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to the Center for Health Statistics.)
- 35 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0).
- 36 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, maternal care for damage to fetus from alcohol, fetus/newborn affected by maternal alcohol use, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 37 The ICD-10 codes for the above categories are F10, G31.2, G62.1, I42.6, K29.2, K70, K86.0, O35.4, P04.3, R78.0, X45, X65, and Y15, respectively.
- 38 Including: mental and behavioral disorders (except amnesia) due to psychoactive substance use; accidental poisoning with drugs; intentional self-poisoning with drugs; assault with drugs; poisoning of undetermined intent with drugs.
- 39 The ICD 10 codes for the above categories are: F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14.
- 40 Recorded as a separate item on the death certificate by the Medical Examiner.
 - Quantity is 0.