

**TABLE 7-9. Late Neonatal Deaths by Weeks of Gestation and Weight,
Oregon Residents, Birth Cohort 2002**

Birthweight (In Grams)	Total	Weeks of Gestation								
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+
Total	33	-	-	8	5	4	-	11	3	2
001-349	1	-	-	-	1	-	-	-	-	-
350-499	2	-	-	1	1	-	-	-	-	-
<500	3	-	-	1	2	-	-	-	-	-
500-749	5	-	-	4	1	-	-	-	-	-
750-999	2	-	-	2	-	-	-	-	-	-
1000-1249	1	-	-	1	-	-	-	-	-	-
1250-1499	-	-	-	-	-	-	-	-	-	-
1500-1999	3	-	-	-	2	1	-	-	-	-
2000-2499	4	-	-	-	-	2	-	1	-	1
<2500	18	-	-	8	5	3	-	1	-	1
2500-2999	7	-	-	-	-	-	-	6	1	-
3000-3499	5	-	-	-	-	1	-	2	1	1
3500-3999	3	-	-	-	-	-	-	2	1	-
4000-4499	-	-	-	-	-	-	-	-	-	-
4500-4999	-	-	-	-	-	-	-	-	-	-

- Quantity is zero.

Late neonatal death is defined as death at 7 to 27 days old.

NOTE: Calculated gestation from reported date of last menses. If calculated gestation is unknown, the clinical estimate of gestation is used.