

**TABLE 7-8. Early Neonatal Deaths¹ by Weeks of Gestation and Weight
Oregon Residents, Birth Cohort 2003**

Birthweight (In Grams)	Total	Weeks of Gestation								
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+
Total	130	6	54	19	11	14	5	13	4	4
001-349	19	4	14	1	–	–	–	–	–	–
350-499	30	2	23	3	2	–	–	–	–	–
<500	49	6	37	4	2	–	–	–	–	–
500-749	25	–	15	7	3	–	–	–	–	–
750-999	9	–	1	6	–	2	–	–	–	–
1000-1249	5	–	–	1	1	2	–	–	–	1
1250-1499	3	–	–	1	1	1	–	–	–	–
1500-1999	10	–	–	–	2	7	1	–	–	–
2000-2499	7	–	–	–	1	1	2	3	–	–
<2500	108	6	53	19	10	13	3	3	–	1
2500-2999	11	–	–	–	1	1	1	5	2	1
3000-3499	3	–	–	–	–	–	–	3	–	–
3500-3999	6	–	–	–	–	–	1	2	2	1
4000-4499	1	–	–	–	–	–	–	–	–	1
4500+	–	–	–	–	–	–	–	–	–	–

– Quantity is zero.

¹ Early neonatal death is defined as less than 7 days old.

NOTE: Calculated gestation from reported date of last menses. If calculated gestation is unknown, the clinical estimate of gestation is used. Total includes reports with unknown birthweight and/or gestation.