

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2004

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	848.4	439.6	24.7	12.7	44.1	50.2	130.4	292.9	800.9	1,791.0	4,549.4	14,148.2
Infections & Parasitic Disease (A00-B99)	13.1	—	—	—	0.4	1.7	5.1	13.1	21.6	23.7	66.9	126.4
Tuberculosis (A16-A19)	0.2	—	—	—	—	—	—	—	—	0.8	2.0	—
Meningococcal infection (A39)	0.1	—	—	—	—	—	—	—	—	—	—	2.4
Septicemia (A40-A41)	5.5	—	—	—	0.4	0.8	1.4	2.6	8.0	12.3	32.4	60.8
Creutzfeldt-Jacob disease (A81.0)	0.1	—	—	—	—	—	—	—	0.6	—	1.0	—
Viral hepatitis (B15-B19)	2.2	—	—	—	—	—	1.1	4.5	6.8	5.7	6.1	2.4
HIV/AIDS (B20-B24) ³	0.4	—	—	—	—	0.4	1.4	0.7	0.6	—	—	—
Malignant Neoplasms (C00-C97)	194.5	—	4.5	1.2	3.7	6.3	28.9	105.3	358.5	671.6	1,120.9	1,485.1
Lip, oral cavity & pharynx (C00-C14)	2.0	—	—	—	—	—	—	0.7	2.5	7.4	13.2	19.4
Digestive organs (C15-26)	41.6	—	1.1	—	0.4	1.3	4.0	18.7	59.8	134.8	246.3	437.5
Esophagus (C15)	2.4	—	—	—	—	—	0.4	0.7	2.5	11.4	17.2	14.6
Stomach (C16)	3.2	—	—	—	—	0.4	1.1	2.6	4.9	9.8	14.2	29.2
Colon, rectum & anus (C18-C21)	17.6	—	—	—	—	0.4	1.1	7.5	27.1	52.3	98.3	216.3
Colon (C18)	13.6	—	—	—	—	0.4	0.7	3.4	22.2	41.7	78.0	170.1
Rectosigmoid junction (C19)	1.3	—	—	—	—	—	0.4	—	2.5	—	7.1	26.7
Rectum (C20)	2.1	—	—	—	—	—	—	2.6	2.5	7.4	10.1	19.4
Liver & intrahepatic bile ducts (C22)	3.1	—	1.1	—	0.4	0.4	0.4	3.0	3.7	10.6	23.3	4.9
Pancreas (C25)	13.0	—	—	—	—	—	0.7	4.1	20.3	43.3	77.0	143.4
Respiratory, intrathoracic org'ns (C30-C39)	55.2	—	—	—	—	—	4.7	20.5	116.4	253.3	323.3	272.2
Larynx (C32)	0.9	—	—	—	—	—	—	0.4	3.7	3.3	5.1	2.4
Trachea, bronchus & lung (C33-C34)	54.0	—	—	—	—	—	4.3	20.2	112.1	248.4	317.2	267.4
Bronchus & lung (C34)	54.0	—	—	—	—	—	4.3	20.2	112.1	248.4	317.2	267.4
Skin (C43-C44)	3.2	—	—	—	0.4	—	1.1	3.4	7.4	6.5	17.2	19.4
Melanoma of skin (C43)	2.5	—	—	—	0.4	—	1.1	3.4	6.8	4.9	13.2	7.3
Mesothelioma (C45)	0.3	—	—	—	—	—	—	—	—	0.8	3.0	2.4
Breast (C50)	28.3	—	—	—	—	1.7	8.3	29.1	67.8	73.5	124.7	204.2
Female genital organs (C51-58)	20.8	—	—	—	0.4	—	4.0	14.6	43.7	62.9	116.5	150.7
Cervix uteri (C53)	1.6	—	—	—	—	—	1.4	1.9	6.2	5.7	3.0	—
Corpus uteri (C54-C55) ⁴	4.3	—	—	—	—	—	0.7	1.1	10.5	11.4	26.3	38.9
Ovary (C56)	13.5	—	—	—	0.4	—	1.4	10.5	25.3	39.2	82.1	99.7
Male genital organs (C60-C63)	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Kidney & renal pelvis (C64-C65)	3.2	—	—	—	—	—	—	1.9	5.5	9.8	21.3	24.3
Bladder (C67)	2.9	—	—	—	—	—	0.4	0.7	3.1	11.4	20.3	26.7
Brain, etc. (C70-C72) ⁵	5.0	—	—	—	0.4	0.8	1.4	3.0	14.8	18.0	19.3	26.7
Thyroid/endocrine gland (C73-C75)	0.7	—	—	0.4	—	0.4	—	—	2.5	3.3	—	4.9
Lymphoid & hematopoietic (C81-C96)	17.8	—	3.4	0.4	0.8	1.7	2.2	8.2	17.9	48.2	114.5	199.3
Hodgkin's disease (C81)	0.2	—	—	—	—	0.4	—	0.4	—	—	1.0	—
Non-Hodgkin's lymphoma (C82-C85)	7.5	—	—	—	—	—	1.1	3.7	9.9	19.6	44.6	94.8
Leukemia (C91-C95)	6.2	—	3.4	0.4	0.8	1.3	1.1	3.4	3.1	16.3	37.5	70.5
Lymphoid leukemia (C91)	1.3	—	—	—	—	—	—	0.4	0.6	5.7	5.1	24.3
Myeloid leukemia (C92)	3.3	—	1.1	—	—	1.3	1.1	2.6	2.5	7.4	21.3	26.7
Multiple myeloma (C88, C90) ⁶	3.9	—	—	—	—	—	—	0.7	4.9	12.3	31.4	34.0
Neopla. Not Specif. As Malign. (D00-D48)⁷	5.5	—	—	0.4	0.4	0.4	0.7	0.7	3.1	16.3	33.4	85.1
Myelodysplastic syndromes (D46)	1.5	—	—	—	0.4	—	—	—	0.6	5.7	9.1	21.9
Diseases of the Blood (D50-89)⁸	3.8	4.5	—	0.4	0.4	0.4	0.7	1.9	4.3	5.7	21.3	55.9
Anemias (D50-D64)	1.9	—	—	—	0.4	—	—	0.4	1.8	1.6	8.1	46.2
Endocrine & Nutritional Dis. (E00-E88)⁹	37.9	—	1.1	—	0.4	2.1	8.7	14.9	47.4	105.4	218.9	464.2
Diabetes mellitus (E10-E14)	29.3	—	—	—	0.4	1.7	5.4	10.8	35.7	92.3	166.2	354.9
Nutritional deficiencies (E40-E64)	0.6	—	—	—	—	—	—	0.4	—	1.6	2.0	14.6
Malnutrition (E40-E46)	0.5	—	—	—	—	—	—	—	—	1.6	2.0	12.2
Mental Disorders (F01-F99)¹⁰	35.8	—	—	—	1.2	1.7	3.3	9.7	6.8	31.0	170.3	940.6
Organic dementia (F01, F03)	29.7	—	—	—	—	—	—	—	1.2	16.3	148.0	896.9
Due to alcohol (F10) ¹¹	2.3	—	—	—	0.4	—	1.4	6.0	4.9	6.5	3.0	2.4
Due to psychoactive substance (F11-F19)	1.7	—	—	—	0.4	1.3	1.4	3.0	—	4.1	7.1	7.3
Nervous System Dis. (G00-G99)	67.1	—	2.2	1.2	3.7	2.1	5.4	9.0	28.3	72.7	378.0	1,570.1
Meningitis (G00, G03)	0.3	—	—	—	0.8	—	0.4	—	0.6	—	2.0	—
Amyotrophic lateral sclerosis (G12.2)	3.0	—	—	—	—	—	0.4	1.1	7.4	13.1	20.3	7.3
Parkinson's disease (G20-G21)	7.3	—	—	—	—	—	—	0.4	0.6	11.4	61.8	133.7
Alzheimer's disease (G30)	47.2	—	—	—	—	—	—	0.4	0.6	29.4	254.4	1,370.8
Multiple sclerosis (G35)	2.4	—	—	—	—	—	1.8	3.0	9.2	6.5	6.1	2.4
Epilepsy (G40-G41)	0.4	—	—	—	0.8	0.8	0.4	—	—	—	2.0	2.4
Circulatory System Diseases (I00-I99)	288.8	13.5	1.1	1.6	2.1	5.9	17.7	40.7	155.9	456.7	1,584.0	6,458.0
Major cardiovascular disease (I00-I78)	286.8	9.0	1.1	1.6	2.1	5.4	17.7	40.7	152.8	454.3	1,574.9	6,414.2
Heart disease (I00-I09, I11, I13, I20-I51)	182.9	9.0	1.1	0.8	0.8	2.5	13.4	27.3	110.9	297.4	995.2	4,020.1
Rheumatic heart disease (I00-I09) ¹² ..	2.2	—	—	—	—	—	—	0.7	3.1	3.3	18.2	26.7

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Hypertensive heart disease (I11)	7.0	—	—	—	—	—	1.1	0.7	3.1	5.7	28.4	199.3
Hypertensive heart & renal dis. (I13) ..	1.2	—	—	—	—	—	—	—	0.6	3.3	4.1	29.2
Ischemic heart disease (I20-I25)	102.7	—	—	—	—	1.3	4.7	16.4	73.3	180.6	602.0	2,092.7
Myocardial infarction (I21-I22)	37.5	—	—	—	—	0.4	1.4	8.2	28.3	71.9	228.0	707.3
Other acute ischemic hrt. dis. (I24) ..	0.3	—	—	—	—	—	—	—	—	0.8	1.0	7.3
Chronic isch. heart dis. (I20, I25)	64.9	—	—	—	—	0.8	3.3	8.2	45.0	107.9	372.9	1,378.1
Atheroscler. cardiovascular dis. ¹³	9.1	—	—	—	—	—	0.4	0.4	4.9	8.2	60.8	204.2
Other chr. ischemic heart dis. ¹⁴ ...	55.9	—	—	—	—	0.8	2.9	7.8	40.0	99.7	312.1	1,174.0
Nonrheumatic mitral valve dis. (I34) ...	2.0	—	—	—	—	0.4	0.4	—	1.2	1.6	13.2	43.7
Nonrheumatic aortic valve dis. (I35) ...	9.9	—	—	—	—	—	—	0.4	1.2	7.4	49.7	286.8
Cardiomyopathy (I42)	5.1	—	1.1	0.4	—	0.4	2.5	1.5	7.4	12.3	27.4	60.8
Heart failure (I50)	24.7	4.5	—	—	—	—	0.4	0.4	4.9	29.4	119.6	683.0
Congestive heart failure (I50.0)	24.1	4.5	—	—	—	—	0.4	0.4	4.9	29.4	116.5	666.0
Left ventricular heart failure (I50.1)	—	—	—	—	—	—	—	—	—	—	—	—
Heart failure, unspecified (I50.9)	0.6	—	—	—	—	—	—	—	—	—	3.0	17.0
Hypertension & hyp. renal dis. (I10, I12)	12.2	—	—	—	—	0.4	—	1.5	4.9	15.5	59.8	313.5
Cerebrovascular disease (I60-I69)	76.9	—	—	0.8	1.2	2.5	2.9	9.7	30.8	105.4	428.7	1,803.5
Subarachnoid hemorrhage (I60)	2.3	—	—	—	0.8	0.8	0.7	4.5	5.5	6.5	4.1	7.3
Intracerebral hemorrhage (I61-I62) ¹⁵	11.3	—	—	—	0.4	0.4	0.7	4.1	9.2	25.3	78.0	160.4
Cerebral infarction (I63)	5.7	—	—	—	—	—	—	—	0.6	4.1	31.4	160.4
Stroke (type not specified) (I64)	40.2	—	—	0.4	—	0.4	1.1	1.1	10.5	49.8	212.8	1,047.6
Atherosclerosis (I70)	5.6	—	—	—	—	—	—	0.7	1.8	5.7	28.4	150.7
Aortic aneurysm & dissection (I71)	5.1	—	—	—	—	—	1.1	0.7	2.5	16.3	40.5	58.3
Diseases of arteries (I72-I78) ¹⁶	4.0	—	—	—	—	—	0.4	0.7	1.8	13.9	22.3	68.1
Respiratory System Diseases (J00-J99)	79.2	—	1.1	—	0.4	0.8	3.3	10.8	66.5	226.3	530.0	1,169.1
Influenza & pneumonia (J10-J18)	16.8	—	—	—	0.4	0.8	1.8	2.6	6.8	16.3	87.2	415.6
Influenza (J10-J11)	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (J12-J18)	16.8	—	—	—	0.4	0.8	1.8	2.6	6.8	16.3	87.2	415.6
Other acute lower resp. infect'ns (J20-J22)	—	—	—	—	—	—	—	—	—	—	—	—
Acute bronchitis (J20-J21) ¹⁷	—	—	—	—	—	—	—	—	—	—	—	—
Chronic lower respiratory dis. (J40-J47) ¹⁸ ..	49.4	—	—	—	—	—	0.7	6.0	46.8	188.7	357.7	522.6
Bronchitis, chronic & unspec. (J40-J42)	0.3	—	—	—	—	—	—	—	0.6	1.6	1.0	4.9
Emphysema (J43)	6.4	—	—	—	—	—	—	0.7	9.9	29.4	43.6	46.2
Asthma (J45-J46)	1.6	—	—	—	—	—	0.7	0.7	3.7	1.6	9.1	17.0

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other CLRD (J44, J47)	41.1	—	—	—	—	—	—	4.5	32.7	156.1	304.0	454.5
Bronchiectasis (J47)	0.8	—	—	—	—	—	—	0.4	0.6	2.5	6.1	7.3
Pneumoconioses (J60-J66, J68) ¹⁹	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonitis due to solids & liquids (J69) ...	4.3	—	—	—	—	—	—	—	1.8	5.7	27.4	97.2
Digestive System Diseases (K00-K92)	33.2	—	—	—	0.8	1.3	11.6	25.8	39.4	58.8	142.9	527.4
Peptic ulcer (K25-K28)	2.1	—	—	—	—	—	—	0.4	1.8	5.7	12.2	36.5
Diseases of the appendix (K35-K38)	0.1	—	—	—	—	—	—	—	—	—	—	4.9
Appendicitis (K35-K37)	0.1	—	—	—	—	—	—	—	—	—	—	4.9
Hernia (K40-K46)	0.7	—	—	—	0.4	—	0.7	—	—	1.6	3.0	12.2
Vascular disorders of the intestine (K55)	3.4	—	—	—	—	—	—	—	3.7	6.5	19.3	70.5
Chronic liver disease (K70, K73-K74) ²⁰	8.6	—	—	—	—	0.8	7.9	17.9	23.4	18.0	18.2	12.2
Alcoholic liver disease (K70) ²¹	6.3	—	—	—	—	0.4	7.6	16.4	18.5	9.0	6.1	—
Cholelithiasis (K80-K82) ²²	1.7	—	—	—	—	—	0.7	1.1	—	1.6	7.1	38.9
Diseases of the Skin (L00-L98)²³	0.8	—	—	—	—	—	0.4	0.4	0.6	2.5	1.0	19.4
Musculoskeletal Disease (M00-M99)²⁴	8.1	—	—	—	0.8	—	0.7	2.2	4.9	17.2	37.5	172.6
Genitourinary System Dis. (N00-N99)	17.0	4.5	—	—	0.4	0.8	1.4	3.0	8.0	40.9	86.1	347.6
Nephritis (N00-N07, N17-N19, N25-N27) ²⁵	8.6	—	—	—	0.4	0.4	1.4	1.9	6.2	26.1	47.6	133.7
Acute nephrotic syndrome ²⁶	0.1	—	—	—	—	—	—	—	—	—	1.0	—
Chronic nephritis ²⁷	0.2	—	—	—	—	—	—	—	1.2	0.8	1.0	—
Renal failure (N17-N19)	8.3	—	—	—	0.4	0.4	1.4	1.9	4.9	25.3	45.6	133.7
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.7	—	—	—	—	—	—	0.4	—	0.8	4.1	17.0
Urinary tract infection (N59.0)	6.6	—	—	—	—	—	—	0.4	0.6	11.4	31.4	175.0
Hyperplasia of prostate (N40)	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) ²⁸	0.1	—	—	—	—	—	—	—	—	—	—	2.4
Pregnancy & Childbirth (O00-O99)²⁹	0.3	—	—	—	0.4	0.8	1.1	—	—	—	—	—
Perinatal Conditions (P00-P96)	2.5	206.3	—	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)³⁰ ..	3.0	107.7	2.2	—	0.4	0.4	2.2	2.2	2.5	2.5	2.0	14.6
Malformation of the heart (Q20-Q24)	0.6	13.5	—	—	0.4	—	0.4	0.7	0.6	—	—	7.3
Other malf. of the circul. sys. (Q25-Q28)	0.2	4.5	—	—	—	—	0.4	—	—	—	—	2.4
Malf. of the respiratory system (Q30-Q34)	0.1	9.0	—	—	—	—	—	—	—	—	—	—
Symptoms & Signs (R00-R99)³¹	12.9	35.9	—	0.4	0.4	—	2.2	5.2	5.5	13.1	49.7	313.5
Senility (R54)	1.7	—	—	—	—	—	—	—	—	—	1.0	72.9
Sudden infant death syndrome (R95)	0.4	35.9	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	44.7	67.3	12.3	7.4	28.0	25.5	37.2	47.8	47.4	46.6	106.4	398.6

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Accidents (V01-X59, Y85-Y86)	32.4	40.4	10.1	6.6	20.6	13.4	20.6	24.3	33.3	39.2	89.2	381.6
Transport accidents (V01-V99, Y85)	9.8	4.5	5.6	4.5	16.1	6.3	8.3	9.0	13.6	14.7	12.2	17.0
Motor vehicle acc. (Many codes) ³²	9.2	4.5	5.6	4.5	14.8	5.9	7.6	8.6	12.3	13.9	12.2	14.6
Water transport accidents (V90-V94)	0.2	—	—	—	0.4	0.4	0.4	—	0.6	—	—	—
Air transport accidents (V95-V97)	0.1	—	—	—	0.8	—	—	—	—	—	—	—
Nontransport accidents (W00-X59, Y86)	22.6	35.9	4.5	2.0	4.5	7.1	12.3	15.3	19.7	24.5	77.0	364.6
Falls (W00-W19)	12.2	—	—	0.4	—	0.4	1.1	3.0	4.9	13.1	62.8	294.1
Firearms (W32-W34)	—	—	—	—	—	—	—	—	—	—	—	—
Drowning & submersion (W65-W74) ..	0.9	—	3.4	1.2	0.4	1.7	0.7	0.4	1.2	0.8	—	—
Exposure to smoke & fire (X00-X09) ..	0.8	—	—	0.4	0.4	—	0.4	0.7	1.2	4.1	1.0	2.4
Poisoning (X40-X49) ³³	5.0	—	—	—	2.1	4.2	9.4	9.7	9.9	1.6	3.0	4.9
Suicide (X60-X84, Y87.0)	7.8	—	—	0.4	4.9	8.8	11.6	15.3	11.7	4.1	6.1	7.3
Poisoning (X60-X69)	3.7	—	—	—	2.5	2.9	6.1	9.3	4.9	0.8	3.0	—
Hanging/suffocation (X70)	1.2	—	—	0.4	0.8	2.1	1.8	1.9	0.6	—	1.0	4.9
Firearm discharge (X72-X74)	2.2	—	—	—	1.2	3.8	2.2	3.4	5.5	2.5	1.0	—
Homicide (X85-Y09, Y87.1)	1.4	4.5	2.2	0.4	1.2	1.7	1.8	1.9	—	0.8	3.0	—
Firearm discharge (X93-X95)	0.6	—	—	—	0.8	1.3	0.4	1.1	—	—	2.0	—
Legal intervention (Y35, Y89.0)	0.1	—	—	—	—	—	—	0.4	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	2.0	22.4	—	—	0.8	1.7	2.5	4.9	2.5	0.8	1.0	—
War and its sequelae (Y36, Y89.1) ³⁴	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88) ..	1.1	—	—	—	0.4	—	0.7	1.1	—	1.6	7.1	9.7
<i>Injury by firearms (Many codes)³⁵</i>	2.9	—	—	—	2.1	5.0	2.5	4.9	5.5	2.5	3.0	—
<i>Alcohol-induced deaths (Many codes)^{36,37}</i>	8.6	—	—	—	0.4	0.4	9.0	22.4	23.4	16.3	9.1	2.4
<i>Drug-induced deaths (Many codes)^{38,39}</i>	11.3	—	—	—	5.4	10.0	18.4	24.7	16.6	6.5	11.1	12.2
<i>Injury at work⁴⁰</i>	0.4	—	—	—	—	0.4	0.7	1.1	0.6	0.8	—	—

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Including uterus, part unspecified.

⁵ Including meninges and other parts of the central nervous system.

⁶ Including immunoproliferative neoplasms.

⁷ Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁸ Including diseases of the blood forming-organs and disorders involving the immune mechanism.

⁹ Including metabolic diseases.

¹⁰ Including behavioral disorders.

- 11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 12 Including acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 15 Including other intracranial hemorrhages.
- 16 Including diseases of the arterioles and capillaries.
- 17 Including acute bronchiolitis.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis.
- 26 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including exposure to noxious substances.
- 34 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 35 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0).
- 36 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 37 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively. (Note: The ICD10 codes were changed for 2004 data causing minor differences in category totals.)
- 38 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Drug-induced hypoglycemia and drug-induced Parkinsonism are also included here.
- 39 The ICD 10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Note: The ICD10 codes were changed for 2004 data causing minor differences in category totals.)
- 40 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.