

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2004

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	837.5	659.1	31.0	17.5	95.1	104.8	208.3	505.9	1,173.5	2,433.3	6,244.1	18,990.6
Infections & Parasitic Disease (A00-B99)	17.4	8.6	–	–	0.8	2.3	14.5	32.5	32.5	32.1	76.9	189.7
Tuberculosis (A16-A19)	0.3	–	–	–	–	–	0.4	–	–	2.8	2.9	–
Meningococcal infection (A39)	0.2	–	–	–	0.8	–	0.4	–	–	–	–	–
Septicemia (A40-A41)	5.2	–	–	–	–	0.4	1.1	4.9	7.7	14.2	31.9	141.0
Creutzfeldt-Jacob disease (A81.0)	0.2	–	–	–	–	–	–	–	0.6	–	2.9	–
Viral hepatitis (B15-B19)	3.8	–	–	–	–	–	2.5	14.0	10.8	4.7	1.5	–
HIV/AIDS (B20-B24) ³	3.2	–	–	–	–	2.0	9.0	7.6	3.2	0.9	1.5	–
Malignant Neoplasms (C00-C97)	209.0	4.3	2.1	2.7	7.0	7.4	23.9	119.0	388.4	909.4	1,688.3	2,981.7
Lip, oral cavity & pharynx (C00-C14)	3.3	–	–	–	–	0.4	0.7	2.3	8.9	17.0	20.3	16.3
Digestive organs (C15-26)	50.7	–	–	–	0.4	0.8	7.2	36.6	105.2	228.8	362.6	672.2
Esophagus (C15)	9.1	–	–	–	–	0.8	1.1	7.2	18.5	42.5	69.6	81.3
Stomach (C16)	3.7	–	–	–	–	–	1.4	3.0	8.9	13.2	21.8	54.2
Colon, rectum & anus (C18-C21)	18.5	–	–	–	–	–	2.5	10.6	31.3	74.7	142.1	363.2
Colon (C18)	14.9	–	–	–	–	–	1.4	7.6	18.5	59.6	124.7	336.1
Rectosigmoid junction (C19)	1.0	–	–	–	–	–	–	0.4	3.2	4.7	5.8	10.8
Rectum (C20)	2.5	–	–	–	–	–	1.1	2.6	8.3	10.4	11.6	16.3
Liver & intrahepatic bile ducts (C22)	6.5	–	–	–	0.4	–	1.1	7.9	15.9	30.3	45.0	10.8
Pancreas (C25)	11.0	–	–	–	–	–	1.1	7.6	28.1	57.7	68.2	113.8
Respiratory, intrathoracic org'ns (C30-C39)	63.9	–	–	–	0.4	–	3.3	35.5	136.5	344.1	509.1	553.0
Larynx (C32)	1.5	–	–	–	–	–	–	1.1	3.8	5.7	14.5	5.4
Trachea, bronchus & lung (C33-C34)	61.9	–	–	–	0.4	–	3.3	33.2	130.7	336.5	493.1	547.5
Bronchus & lung (C34)	61.9	–	–	–	0.4	–	3.3	32.9	130.7	336.5	493.1	547.5
Skin (C43-C44)	5.3	–	–	–	0.4	–	1.4	3.4	11.5	18.9	40.6	75.9
Melanoma of skin (C43)	4.2	–	–	–	–	–	1.4	3.4	10.8	15.1	27.6	48.8
Mesothelioma (C45)	1.9	–	–	–	–	–	–	–	1.9	8.5	23.2	27.1
Breast (C50)	0.2	–	–	–	–	–	–	0.4	–	–	1.5	5.4
Female genital organs (C51-58)	–	–	–	–	–	–	–	–	–	–	–	–
Cervix uteri (C53)	–	–	–	–	–	–	–	–	–	–	–	–
Corpus uteri (C54-C55) ⁴	–	–	–	–	–	–	–	–	–	–	–	–
Ovary (C56)	–	–	–	–	–	–	–	–	–	–	–	–
Male genital organs (C60-C63)	23.4	–	–	–	0.8	0.4	1.1	3.4	19.8	60.5	266.9	656.0
Prostate (C61)	22.9	–	–	–	–	–	–	3.0	19.8	58.6	266.9	656.0

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Kidney & renal pelvis (C64-C65)	5.7	—	—	—	0.4	—	—	4.5	14.0	23.6	36.3	86.7
Bladder (C67)	7.8	—	—	—	—	—	—	3.0	13.4	26.5	68.2	184.3
Brain, etc. (C70-C72) ⁵	6.5	4.3	1.1	0.4	—	2.0	1.1	11.0	19.8	22.7	21.8	32.5
Thyroid/endocrine gland (C73-C75)	0.8	—	—	0.4	—	—	0.4	0.4	—	4.7	5.8	16.3
Lymphoid & hematopoietic (C81-C96)	23.6	—	1.1	1.2	2.7	2.3	6.1	12.1	31.3	87.9	204.5	379.5
Hodgkin's disease (C81)	0.5	—	—	—	—	0.4	1.1	0.4	—	0.9	2.9	—
Non-Hodgkin's lymphoma (C82-C85)	10.1	—	—	—	0.4	0.8	2.5	5.7	12.1	41.6	84.1	184.3
Leukemia (C91-C95)	8.7	—	1.1	1.2	2.3	1.2	2.2	3.4	13.4	26.5	76.9	135.5
Lymphoid leukemia (C91)	2.9	—	1.1	0.8	—	0.8	0.7	1.5	3.8	8.5	23.2	48.8
Myeloid leukemia (C92)	4.2	—	—	—	1.6	0.4	1.4	1.1	8.9	12.3	36.3	59.6
Multiple myeloma (C88, C90) ⁶	4.3	—	—	—	—	—	0.4	2.6	5.7	18.9	40.6	59.6
Neopla. Not Specif. As Malign. (D00-D48)⁷	4.7	—	—	0.4	—	—	0.4	1.9	7.0	6.6	42.1	162.6
Myelodysplastic syndromes (D46)	2.0	—	—	0.4	—	—	—	—	3.2	1.9	17.4	81.3
Diseases of the Blood (D50-89)⁸	3.0	4.3	—	0.4	—	0.4	1.1	3.4	3.2	3.8	17.4	92.2
Anemias (D50-D64)	1.5	—	—	—	—	—	—	1.1	1.3	0.9	14.5	54.2
Endocrine & Nutritional Dis. (E00-E88)⁹	39.1	—	1.1	1.2	0.8	2.3	9.0	32.9	75.3	112.5	304.6	672.2
Diabetes mellitus (E10-E14)	30.5	—	—	0.4	0.8	1.6	6.9	25.3	59.3	87.0	253.8	482.5
Nutritional deficiencies (E40-E64)	0.7	—	—	—	—	—	—	0.4	1.3	—	5.8	27.1
Malnutrition (E40-E46)	0.6	—	—	—	—	—	—	0.4	1.3	—	5.8	16.3
Mental Disorders (F01-F99)¹⁰	26.5	—	—	—	—	4.7	16.6	26.1	42.7	47.3	126.2	753.6
Organic dementia (F01, F03)	12.3	—	—	—	—	—	—	0.4	3.2	15.1	97.2	699.3
Due to alcohol (F10) ¹¹	8.7	—	—	—	—	1.2	7.6	17.4	29.3	22.7	16.0	16.3
Due to psychoactive substance (F11-F19)	4.2	—	—	—	—	3.5	8.0	6.4	7.7	6.6	10.2	5.4
Nervous System Dis. (G00-G99)	44.1	4.3	1.1	1.9	2.0	3.5	4.3	9.8	24.9	86.0	427.9	1,620.9
Meningitis (G00, G03)	—	—	—	—	—	—	—	—	—	—	—	—
Amyotrophic lateral sclerosis (G12.2)	2.9	—	—	—	0.4	—	0.7	2.6	4.5	16.1	21.8	16.3
Parkinson's disease (G20-G21)	10.6	—	—	—	—	—	—	0.8	2.6	28.4	134.9	325.3
Alzheimer's disease (G30)	23.1	—	—	—	—	—	—	—	3.8	21.7	229.2	1,208.9
Multiple sclerosis (G35)	1.1	—	—	—	—	—	0.4	0.8	5.1	3.8	5.8	—
Epilepsy (G40-G41)	0.7	—	—	0.8	—	0.8	1.1	0.8	1.3	—	—	10.8
Circulatory System Diseases (I00-I99)	266.2	38.5	—	0.8	1.6	7.8	30.4	112.6	325.9	725.1	2,268.5	7,963.8
Major cardiovascular disease (I00-I78)	264.6	34.2	—	0.8	1.6	7.8	30.0	111.5	322.1	718.4	2,256.9	7,952.9
Heart disease (I00-I09, I11, I13, I20-I51)	190.5	34.2	—	0.8	1.2	5.1	21.3	86.9	255.8	543.6	1,562.1	5,508.0
Rheumatic heart disease (I00-I09) ¹² ..	1.3	—	—	—	—	—	0.4	0.4	2.6	2.8	17.4	10.8

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Hypertensive heart disease (I11)	3.4	—	—	—	—	—	1.8	1.5	5.7	7.6	20.3	113.8
Hypertensive heart & renal dis. (I13) ..	0.8	—	—	—	—	—	—	0.4	—	2.8	7.3	32.5
Ischemic heart disease (I20-I25)	136.0	—	—	—	0.4	4.7	10.8	66.5	197.1	420.7	1,147.3	3,534.6
Myocardial infarction (I21-I22)	44.5	—	—	—	0.4	1.2	2.9	19.3	58.7	156.0	411.9	1,013.8
Other acute ischemic hrt. dis. (I24) ..	0.2	—	—	—	—	—	—	—	—	1.9	1.5	—
Chronic isch. heart dis. (I20, I25)	91.3	—	—	—	—	3.5	8.0	47.2	138.4	262.8	733.9	2,520.9
Atheroscler. cardiovascular dis. ¹³	9.0	—	—	—	—	—	0.7	4.9	14.0	24.6	59.5	298.2
Other chr. ischemic heart dis. ¹⁴ ...	82.4	—	—	—	—	3.5	7.2	42.3	124.4	238.2	674.5	2,222.7
Nonrheumatic mitral valve dis. (I34) ...	1.1	—	—	—	—	—	—	0.4	0.6	—	11.6	54.2
Nonrheumatic aortic valve dis. (I35) ...	7.2	—	—	—	—	—	0.4	0.8	5.1	11.3	62.4	336.1
Cardiomyopathy (I42)	6.5	8.6	—	0.4	0.4	—	3.3	5.3	11.5	27.4	31.9	108.4
Heart failure (I50)	16.2	4.3	—	—	—	—	0.4	0.8	8.3	27.4	133.4	807.8
Congestive heart failure (I50.0)	15.6	4.3	—	—	—	—	0.4	0.8	5.7	26.5	130.5	791.5
Left ventricular heart failure (I50.1)	—	—	—	—	—	—	—	—	—	—	—	—
Heart failure, unspecified (I50.9)	0.6	—	—	—	—	—	—	—	2.6	0.9	2.9	16.3
Hypertension & hyp. renal dis. (I10, I12)	7.8	—	—	—	—	—	0.4	6.0	8.3	9.5	56.6	319.9
Cerebrovascular disease (I60-I69)	52.5	—	—	—	0.4	2.0	6.5	14.4	42.7	109.7	514.9	1,805.3
Subarachnoid hemorrhage (I60)	1.5	—	—	—	0.4	0.8	0.7	2.3	3.8	2.8	7.3	10.8
Intracerebral hemorrhage (I61-I62) ¹⁵	9.6	—	—	—	—	0.8	3.6	4.9	12.1	28.4	82.7	216.8
Cerebral infarction (I63)	3.3	—	—	—	—	0.4	0.4	1.1	3.8	7.6	31.9	97.6
Stroke (type not specified) (I64)	26.3	—	—	—	—	—	0.7	4.9	17.9	58.6	271.2	948.7
Atherosclerosis (I70)	4.1	—	—	—	—	—	—	0.4	2.6	11.3	36.3	162.6
Aortic aneurysm & dissection (I71)	6.0	—	—	—	—	0.4	1.8	2.3	7.0	25.5	63.8	65.1
Diseases of arteries (I72-I78) ¹⁶	3.8	—	—	—	—	0.4	—	1.5	5.7	18.9	23.2	92.2
Respiratory System Diseases (J00-J99)	79.6	12.8	3.2	—	—	0.8	4.0	18.9	79.7	284.5	709.3	2,331.1
Influenza & pneumonia (J10-J18)	14.1	4.3	—	—	—	0.4	0.7	5.7	10.8	20.8	100.1	672.2
Influenza (J10-J11)	0.1	—	—	—	—	—	—	—	0.6	—	—	5.4
Pneumonia (J12-J18)	14.0	4.3	—	—	—	0.4	0.7	5.7	10.2	20.8	100.1	666.8
Other acute lower resp. infect'ns (J20-J22)	—	—	—	—	—	—	—	—	—	—	—	—
Acute bronchitis (J20-J21) ¹⁷	—	—	—	—	—	—	—	—	—	—	—	—
Chronic lower respiratory dis. (J40-J47) ¹⁸ ..	49.4	4.3	1.1	—	—	—	1.8	7.9	52.9	215.5	491.7	1,078.8
Bronchitis, chronic & unspec. (J40-J42)	0.2	—	—	—	—	—	—	—	0.6	—	2.9	5.4
Emphysema (J43)	6.6	—	—	—	—	—	0.4	0.4	10.2	31.2	66.7	113.8
Asthma (J45-J46)	1.2	—	1.1	—	—	—	0.7	0.8	1.3	5.7	8.7	10.8

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other CLRD (J44, J47)	41.3	4.3	—	—	—	—	0.7	6.8	40.8	178.7	413.4	948.7
Bronchiectasis (J47)	0.2	—	—	—	—	—	—	—	—	1.9	1.5	—
Pneumoconioses (J60-J66, J68) ¹⁹	0.6	—	—	—	—	—	—	—	1.3	3.8	5.8	5.4
Pneumonitis due to solids & liquids (J69) ...	5.3	—	—	—	—	—	0.4	1.5	2.6	10.4	30.5	287.3
Digestive System Diseases (K00-K92)	30.9	—	—	—	0.4	1.6	13.0	41.6	60.6	83.2	169.7	525.9
Peptic ulcer (K25-K28)	1.4	—	—	—	0.4	—	0.4	0.8	0.6	6.6	8.7	37.9
Diseases of the appendix (K35-K38)	0.1	—	—	—	—	—	—	0.4	—	—	—	—
Appendicitis (K35-K37)	0.1	—	—	—	—	—	—	0.4	—	—	—	—
Hernia (K40-K46)	0.6	—	—	—	—	—	0.4	0.4	0.6	0.9	5.8	10.8
Vascular disorders of the intestine (K55)	2.0	—	—	—	—	—	0.7	1.9	2.6	3.8	14.5	59.6
Chronic liver disease (K70, K73-K74) ²⁰	13.1	—	—	—	—	1.6	8.0	28.0	40.8	40.6	27.6	32.5
Alcoholic liver disease (K70) ²¹	10.6	—	—	—	—	1.2	6.1	25.3	35.7	29.3	18.9	10.8
Cholelithiasis (K80-K82) ²²	1.6	—	—	—	—	—	0.4	0.8	0.6	1.9	17.4	54.2
Diseases of the Skin (L00-L98)²³	1.1	—	—	—	—	0.4	0.4	—	3.8	1.9	5.8	27.1
Musculoskeletal Disease (M00-M99)²⁴	4.2	—	—	—	—	0.4	0.7	2.6	4.5	12.3	31.9	124.7
Genitourinary System Dis. (N00-N99)	13.7	—	—	—	0.4	0.8	1.4	4.5	8.3	22.7	117.5	574.7
Nephritis (N00-N07, N17-N19, N25-N27) ²⁵	8.5	—	—	—	—	0.4	1.4	3.8	4.5	13.2	78.3	330.7
Acute nephrotic syndrome ²⁶	0.1	—	—	—	—	—	—	0.4	—	—	—	—
Chronic nephritis ²⁷	0.3	—	—	—	—	—	—	—	—	0.9	5.8	—
Renal failure (N17-N19)	8.2	—	—	—	—	0.4	1.4	3.4	4.5	12.3	72.5	330.7
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.1	—	—	—	—	—	—	—	—	—	—	10.8
Urinary tract infection (N59.0)	2.7	—	—	—	—	—	—	—	1.3	5.7	21.8	135.5
Hyperplasia of prostate (N40)	0.7	—	—	—	—	—	—	—	—	0.9	4.4	43.4
Female pelvic inflam. dis. (N70-N76) ²⁸	—	—	—	—	—	—	—	—	—	—	—	—
Pregnancy & Childbirth (O00-O99)²⁹	—	—	—	—	—	—	—	—	—	—	—	—
Perinatal Conditions (P00-P96)	3.7	282.5	—	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)³⁰ ..	4.6	171.2	3.2	1.2	1.6	2.0	2.2	1.5	1.3	7.6	2.9	21.7
Malformation of the heart (Q20-Q24)	1.6	59.9	1.1	0.4	0.8	1.2	1.1	0.8	—	—	—	10.8
Other malf. of the circul. sys. (Q25-Q28)	0.5	8.6	—	0.4	—	—	0.4	—	—	2.8	2.9	—
Malf. of the respiratory system (Q30-Q34)	0.4	30.0	—	—	—	—	—	—	—	—	—	—
Symptoms & Signs (R00-R99)³¹	10.3	51.4	1.1	0.4	0.4	0.8	5.8	6.4	15.9	21.7	43.5	298.2
Senility (R54)	0.8	—	—	—	—	—	—	—	—	—	1.5	70.5
Sudden infant death syndrome (R95)	0.6	47.1	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	79.5	81.3	19.3	8.6	80.2	69.6	80.6	92.2	99.5	76.6	211.8	650.5

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Accidents (V01-X59, Y85-Y86)	47.2	47.1	16.1	7.4	45.8	41.9	42.3	49.9	50.4	40.6	143.6	536.7
Transport accidents (V01-V99, Y85)	20.1	4.3	7.5	4.7	33.6	23.5	15.5	21.5	24.2	21.7	31.9	43.4
Motor vehicle acc. (Many codes) ³²	18.2	4.3	6.4	4.7	30.5	21.9	14.8	18.1	21.7	16.1	31.9	43.4
Water transport accidents (V90-V94)	0.6	—	—	—	0.8	—	—	1.9	—	2.8	—	—
Air transport accidents (V95-V97)	0.5	—	—	—	0.8	0.8	—	0.4	1.9	—	—	—
Nontransport accidents (W00-X59, Y86)	27.1	42.8	8.6	2.7	12.1	18.4	26.8	28.3	26.1	18.9	111.7	493.3
Falls (W00-W19)	9.1	4.3	—	0.4	0.8	1.2	1.8	4.2	8.9	9.5	72.5	347.0
Firearms (W32-W34)	0.4	—	—	—	0.8	—	0.7	0.4	0.6	—	1.5	—
Drowning & submersion (W65-W74) ..	2.4	—	3.2	0.8	5.1	2.7	2.9	1.1	1.9	1.9	1.5	—
Exposure to smoke & fire (X00-X09) ..	1.1	—	2.1	—	0.4	0.4	1.1	1.9	1.9	1.9	2.9	5.4
Poisoning (X40-X49) ³³	7.5	—	—	—	2.7	11.0	14.8	16.2	7.7	0.9	1.5	5.4
Suicide (X60-X84, Y87.0)	23.4	—	—	0.4	21.9	17.2	27.5	30.2	42.1	27.4	63.8	103.0
Poisoning (X60-X69)	2.8	—	—	—	0.8	1.2	5.1	5.7	5.1	0.9	4.4	16.3
Hanging/suffocation (X70)	4.4	—	—	—	5.5	7.0	8.7	4.9	3.2	0.9	4.4	5.4
Firearm discharge (X72-X74)	14.6	—	—	0.4	12.9	8.6	12.3	17.0	30.6	23.6	53.7	81.3
Homicide (X85-Y09, Y87.1)	4.9	8.6	3.2	0.8	9.0	7.0	5.1	5.7	2.6	4.7	1.5	—
Firearm discharge (X93-X95)	3.0	—	—	0.8	5.9	5.9	3.6	2.3	1.3	2.8	—	—
Legal intervention (Y35, Y89.0)	0.5	—	—	—	0.4	1.6	1.1	0.4	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	3.0	25.7	—	—	3.1	2.0	4.3	5.3	3.8	1.9	1.5	—
War and its sequelae (Y36, Y89.1) ³⁴	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88) ..	0.5	—	—	—	—	—	0.4	0.8	0.6	1.9	1.5	10.8
<i>Injury by firearms (Many codes)³⁵</i>	18.6	—	—	1.2	20.3	16.4	17.7	20.0	32.5	26.5	55.1	81.3
<i>Alcohol-induced deaths (Many codes)^{36,37}</i>	20.0	—	—	—	0.4	2.3	14.5	44.6	66.3	52.9	36.3	27.1
<i>Drug-induced deaths (Many codes)^{38,39}</i>	15.0	—	—	—	5.1	15.3	28.9	29.5	20.4	9.5	16.0	16.3
<i>Injury at work⁴⁰</i>	2.4	—	—	—	1.6	2.0	2.2	4.2	5.7	5.7	1.5	5.4

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Including uterus, part unspecified.

⁵ Including meninges and other parts of the central nervous system.

⁶ Including immunoproliferative neoplasms.

⁷ Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁸ Including diseases of the blood forming-organs and disorders involving the immune mechanism.

⁹ Including metabolic diseases.

¹⁰ Including behavioral disorders.

- 11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 12 Including acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 15 Including other intracranial hemorrhages.
- 16 Including diseases of the arterioles and capillaries.
- 17 Including acute bronchiolitis.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis.
- 26 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including exposure to noxious substances.
- 34 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 35 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0).
- 36 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 37 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively. (Note: The ICD10 codes were changed for 2004 data causing minor differences in category totals.)
- 38 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Drug-induced hypoglycemia and drug-induced Parkinsonism are also included here.
- 39 The ICD 10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Note: The ICD10 codes were changed for 2004 data causing minor differences in category totals.)
- 40 Recorded as a separate item on the death certificate by the Medical Examiner.
 - Quantity is 0.