

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2004

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	843.0	551.9	27.9	15.2	70.2	78.4	169.3	398.8	984.0	2,088.8	5,246.5	15,647.2
Infections & Parasitic Disease (A00-B99)	15.2	4.4	–	–	0.6	2.0	9.8	22.7	26.9	27.6	71.0	146.0
Tuberculosis (A16-A19)	0.3	–	–	–	–	–	0.2	–	–	1.8	2.4	–
Meningococcal infection (A39)	0.1	–	–	–	0.4	–	0.2	–	–	–	–	1.7
Septicemia (A40-A41)	5.3	–	–	–	0.2	0.6	1.3	3.8	7.8	13.1	32.2	85.6
Creutzfeldt-Jacob disease (A81.0)	0.1	–	–	–	–	–	–	–	0.6	–	1.8	–
Viral hepatitis (B15-B19)	3.0	–	–	–	–	–	1.8	9.2	8.8	5.3	4.2	1.7
HIV/AIDS (B20-B24) ³	1.8	–	–	–	–	1.2	5.2	4.1	1.9	0.4	0.6	–
Malignant Neoplasms (C00-C97)	201.7	2.2	3.3	2.0	5.4	6.9	26.4	112.1	373.2	781.9	1,354.3	1,948.3
Lip, oral cavity & pharynx (C00-C14)	2.6	–	–	–	–	0.2	0.4	1.5	5.6	11.8	16.1	18.5
Digestive organs (C15-26)	46.1	–	0.5	–	0.4	1.0	5.6	27.6	82.1	178.4	294.1	510.2
Esophagus (C15)	5.7	–	–	–	–	0.4	0.7	3.9	10.3	25.9	38.8	35.2
Stomach (C16)	3.4	–	–	–	–	0.2	1.3	2.8	6.9	11.4	17.3	36.9
Colon, rectum & anus (C18-C21)	18.0	–	–	–	–	0.2	1.8	9.0	29.1	62.7	116.3	261.8
Colon (C18)	14.2	–	–	–	–	0.2	1.1	5.4	20.4	50.0	97.2	221.5
Rectosigmoid junction (C19)	1.1	–	–	–	–	–	0.2	0.2	2.8	2.2	6.6	21.8
Rectum (C20)	2.3	–	–	–	–	–	0.5	2.6	5.3	8.8	10.7	18.5
Liver & intrahepatic bile ducts (C22)	4.8	–	0.5	–	0.4	0.2	0.7	5.4	9.7	19.7	32.2	6.7
Pancreas (C25)	12.0	–	–	–	–	–	0.9	5.8	24.1	50.0	73.4	134.3
Respiratory, intrathoracic org'ns (C30-C39)	59.5	–	–	–	0.2	–	4.0	28.0	126.3	295.4	399.7	359.1
Larynx (C32)	1.2	–	–	–	–	–	–	0.8	3.8	4.4	8.9	3.4
Trachea, bronchus & lung (C33-C34)	57.9	–	–	–	0.2	–	3.8	26.7	121.3	289.3	389.6	354.1
Bronchus & lung (C34)	57.9	–	–	–	0.2	–	3.8	26.5	121.3	289.3	389.6	354.1
Skin (C43-C44)	4.2	–	–	–	0.4	–	1.3	3.4	9.4	12.3	26.8	36.9
Melanoma of skin (C43)	3.3	–	–	–	0.2	–	1.3	3.4	8.8	9.6	19.1	20.1
Mesothelioma (C45)	1.1	–	–	–	–	–	–	–	0.9	4.4	11.3	10.1
Breast (C50)	14.4	–	–	–	–	0.8	4.2	14.8	34.5	39.4	74.0	142.6
Female genital organs (C51-58)	10.5	–	–	–	0.2	–	2.0	7.3	22.2	33.7	68.6	104.0
Cervix uteri (C53)	0.8	–	–	–	–	–	0.7	0.9	3.1	3.1	1.8	–
Corpus uteri (C54-C55) ⁴	2.2	–	–	–	–	–	0.4	0.6	5.3	6.1	15.5	26.9
Ovary (C56)	6.8	–	–	–	0.2	–	0.7	5.3	12.8	21.0	48.3	68.8
Male genital organs (C60-C63)	11.6	–	–	–	0.4	0.2	0.5	1.7	9.7	28.0	109.8	203.1
Prostate (C61)	11.3	–	–	–	–	–	–	1.5	9.7	27.2	109.8	203.1

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Kidney & renal pelvis (C64-C65)	4.4	—	—	—	0.2	—	—	3.2	9.7	16.2	27.4	43.6
Bladder (C67)	5.3	—	—	—	—	—	0.2	1.9	8.1	18.4	40.0	75.5
Brain, etc. (C70-C72) ⁵	5.8	2.2	0.5	0.2	0.2	1.4	1.3	6.9	17.2	20.2	20.3	28.5
Thyroid/endocrine gland (C73-C75)	0.8	—	—	0.4	—	0.2	0.2	0.2	1.3	3.9	2.4	8.4
Lymphoid & hematopoietic (C81-C96)	20.7	—	2.2	0.8	1.8	2.0	4.2	10.1	24.4	66.6	151.5	255.1
Hodgkin's disease (C81)	0.3	—	—	—	—	0.4	0.5	0.4	—	0.4	1.8	—
Non-Hodgkin's lymphoma (C82-C85)	8.8	—	—	—	0.2	0.4	1.8	4.7	11.0	29.8	60.9	122.5
Leukemia (C91-C95)	7.5	—	2.2	0.8	1.6	1.2	1.6	3.4	8.1	21.0	53.7	90.6
Lymphoid leukemia (C91)	2.1	—	0.5	0.4	—	0.4	0.4	0.9	2.2	7.0	12.5	31.9
Myeloid leukemia (C92)	3.7	—	0.5	—	0.8	0.8	1.3	1.9	5.6	9.6	27.4	36.9
Multiple myeloma (C88, C90) ⁶	4.1	—	—	—	—	—	0.2	1.7	5.3	15.3	35.2	42.0
Neopla. Not Specif. As Malign. (D00-D48)⁷	5.1	—	—	0.4	0.2	0.2	0.5	1.3	5.0	11.8	37.0	109.1
Myelodysplastic syndromes (D46)	1.7	—	—	0.2	0.2	—	—	—	1.9	3.9	12.5	40.3
Diseases of the Blood (D50-89)⁸	3.4	4.4	—	0.4	0.2	0.4	0.9	2.6	3.8	4.8	19.7	67.1
Anemias (D50-D64)	1.7	—	—	—	0.2	—	—	0.8	1.6	1.3	10.7	48.7
Endocrine & Nutritional Dis. (E00-E88)⁹	38.5	—	1.1	0.6	0.6	2.2	8.9	23.9	61.1	108.7	254.1	528.6
Diabetes mellitus (E10-E14)	29.9	—	—	0.2	0.6	1.6	6.1	18.0	47.3	89.8	202.2	394.4
Nutritional deficiencies (E40-E64)	0.6	—	—	—	—	—	—	0.4	0.6	0.9	3.6	18.5
Malnutrition (E40-E46)	0.5	—	—	—	—	—	—	0.2	0.6	0.9	3.6	13.4
Mental Disorders (F01-F99)¹⁰	31.2	—	—	—	0.6	3.2	9.9	17.8	24.4	38.6	152.1	882.7
Organic dementia (F01, F03)	21.1	—	—	—	—	—	—	0.2	2.2	15.8	127.1	835.7
Due to alcohol (F10) ¹¹	5.4	—	—	—	0.2	0.6	4.5	11.6	16.9	14.0	8.4	6.7
Due to psychoactive substance (F11-F19)	3.0	—	—	—	0.2	2.4	4.7	4.7	3.8	5.3	8.4	6.7
Nervous System Dis. (G00-G99)	55.7	2.2	1.6	1.6	2.8	2.8	4.9	9.4	26.6	78.9	398.5	1,585.9
Meningitis (G00, G03)	0.2	—	—	—	0.4	—	0.2	—	0.3	—	1.2	—
Amyotrophic lateral sclerosis (G12.2)	3.0	—	—	—	0.2	—	0.5	1.9	6.0	14.5	20.9	10.1
Parkinson's disease (G20-G21)	9.0	—	—	—	—	—	—	0.6	1.6	19.3	91.9	193.0
Alzheimer's disease (G30)	35.3	—	—	—	—	—	—	0.2	2.2	25.9	244.0	1,320.7
Multiple sclerosis (G35)	1.7	—	—	—	—	—	1.1	1.9	7.2	5.3	6.0	1.7
Epilepsy (G40-G41)	0.6	—	—	0.4	0.4	0.8	0.7	0.4	0.6	—	1.2	5.0
Circulatory System Diseases (I00-I99)	277.6	26.3	0.5	1.2	1.8	6.9	24.0	76.4	239.4	581.1	1,865.6	6,924.1
Major cardiovascular disease (I00-I78)	275.8	21.9	0.5	1.2	1.8	6.7	23.9	75.9	236.0	576.8	1,855.4	6,890.5
Heart disease (I00-I09, I11, I13, I20-I51)	186.7	21.9	0.5	0.8	1.0	3.8	17.3	56.9	182.1	411.5	1,228.4	4,480.7
Rheumatic heart disease (I00-I09) ¹² ..	1.8	—	—	—	—	—	0.2	0.6	2.8	3.1	17.9	21.8

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Hypertensive heart disease (I11)	5.2	—	—	—	—	—	1.4	1.1	4.4	6.6	25.1	172.9
Hypertensive heart & renal dis. (I13) ..	1.0	—	—	—	—	—	—	0.2	0.3	3.1	5.4	30.2
Ischemic heart disease (I20-I25)	119.2	—	—	—	0.2	3.0	7.8	41.3	134.1	291.9	826.3	2,539.1
Myocardial infarction (I21-I22)	41.0	—	—	—	0.2	0.8	2.2	13.7	43.2	110.9	303.7	802.2
Other acute ischemic hrt. dis. (I24) ..	0.2	—	—	—	—	—	—	—	—	1.3	1.2	5.0
Chronic isch. heart dis. (I20, I25)	78.0	—	—	—	—	2.2	5.6	27.6	90.9	179.7	521.4	1,731.9
Atheroscler. cardiovascular dis. ¹³	9.0	—	—	—	—	—	0.5	2.6	9.4	15.8	60.3	233.3
Other chr. ischemic heart dis. ¹⁴ ...	69.0	—	—	—	—	2.2	5.1	25.0	81.5	163.9	461.2	1,498.6
Nonrheumatic mitral valve dis. (I34) ...	1.6	—	—	—	—	0.2	0.2	0.2	0.9	0.9	12.5	47.0
Nonrheumatic aortic valve dis. (I35) ...	8.6	—	—	—	—	—	0.2	0.6	3.1	9.2	54.9	302.1
Cardiomyopathy (I42)	5.8	4.4	0.5	0.4	0.2	0.2	2.9	3.4	9.4	19.3	29.2	75.5
Heart failure (I50)	20.5	4.4	—	—	—	—	0.4	0.6	6.6	28.5	125.3	721.6
Congestive heart failure (I50.0)	19.9	4.4	—	—	—	—	0.4	0.6	5.3	28.0	122.3	704.8
Left ventricular heart failure (I50.1)	—	—	—	—	—	—	—	—	—	—	—	—
Heart failure, unspecified (I50.9)	0.6	—	—	—	—	—	—	—	1.3	0.4	3.0	16.8
Hypertension & hyp. renal dis. (I10, I12)	10.0	—	—	—	—	0.2	0.2	3.8	6.6	12.7	58.5	315.5
Cerebrovascular disease (I60-I69)	64.8	—	—	0.4	0.8	2.2	4.7	12.0	36.7	107.4	464.2	1,804.0
Subarachnoid hemorrhage (I60)	1.9	—	—	—	0.6	0.8	0.7	3.4	4.7	4.8	5.4	8.4
Intracerebral hemorrhage (I61-I62) ¹⁵	10.5	—	—	—	0.2	0.6	2.2	4.5	10.7	26.7	79.9	177.9
Cerebral infarction (I63)	4.5	—	—	—	—	0.2	0.2	0.6	2.2	5.7	31.6	141.0
Stroke (type not specified) (I64)	33.3	—	—	0.2	—	0.2	0.9	3.0	14.1	53.9	236.8	1,017.0
Atherosclerosis (I70)	4.9	—	—	—	—	—	—	0.6	2.2	8.3	31.6	154.4
Aortic aneurysm & dissection (I71)	5.6	—	—	—	—	0.2	1.4	1.5	4.7	20.6	50.1	60.4
Diseases of arteries (I72-I78) ¹⁶	3.9	—	—	—	—	0.2	0.2	1.1	3.8	16.2	22.7	75.5
Respiratory System Diseases (J00-J99)	79.4	6.6	2.2	—	0.2	0.8	3.6	14.8	73.0	253.3	603.8	1,528.8
Influenza & pneumonia (J10-J18)	15.5	2.2	—	—	0.2	0.6	1.3	4.1	8.8	18.4	92.5	495.1
Influenza (J10-J11)	0.1	—	—	—	—	—	—	—	0.3	—	—	1.7
Pneumonia (J12-J18)	15.4	2.2	—	—	0.2	0.6	1.3	4.1	8.5	18.4	92.5	493.4
Other acute lower resp. infect'ns (J20-J22)	—	—	—	—	—	—	—	—	—	—	—	—
Acute bronchitis (J20-J21) ¹⁷	—	—	—	—	—	—	—	—	—	—	—	—
Chronic lower respiratory dis. (J40-J47) ¹⁸ ..	49.4	2.2	0.5	—	—	—	1.3	6.9	49.8	201.2	412.8	694.8
Bronchitis, chronic & unspec. (J40-J42)	0.3	—	—	—	—	—	—	—	0.6	0.9	1.8	5.0
Emphysema (J43)	6.5	—	—	—	—	—	0.2	0.6	10.0	30.2	53.1	67.1
Asthma (J45-J46)	1.4	—	0.5	—	—	—	0.7	0.8	2.5	3.5	8.9	15.1

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other CLRD (J44, J47)	41.2	2.2	—	—	—	—	0.4	5.6	36.7	166.5	349.0	607.5
Bronchiectasis (J47)	0.5	—	—	—	—	—	—	0.2	0.3	2.2	4.2	5.0
Pneumoconioses (J60-J66, J68) ¹⁹	0.3	—	—	—	—	—	—	—	0.6	1.8	2.4	1.7
Pneumonitis due to solids & liquids (J69) ...	4.8	—	—	—	—	—	0.2	0.8	2.2	7.9	28.6	156.1
Digestive System Diseases (K00-K92)	32.0	—	—	—	0.6	1.4	12.3	33.6	49.8	70.1	153.9	526.9
Peptic ulcer (K25-K28)	1.8	—	—	—	0.2	—	0.2	0.6	1.3	6.1	10.7	36.9
Diseases of the appendix (K35-K38)	0.1	—	—	—	—	—	—	0.2	—	—	—	3.4
Appendicitis (K35-K37)	0.1	—	—	—	—	—	—	0.2	—	—	—	3.4
Hernia (K40-K46)	0.6	—	—	—	0.2	—	0.5	0.2	0.3	1.3	4.2	11.7
Vascular disorders of the intestine (K55)	2.7	—	—	—	—	—	0.4	0.9	3.1	5.3	17.3	67.1
Chronic liver disease (K70, K73-K74) ²⁰	10.8	—	—	—	—	1.2	8.0	22.9	32.0	28.5	22.1	18.5
Alcoholic liver disease (K70) ²¹	8.4	—	—	—	—	0.8	6.9	20.8	26.9	18.4	11.3	3.4
Cholelithiasis (K80-K82) ²²	1.6	—	—	—	—	—	0.5	0.9	0.3	1.8	11.3	43.6
Diseases of the Skin (L00-L98)²³	0.9	—	—	—	—	0.2	0.4	0.2	2.2	2.2	3.0	21.8
Musculoskeletal Disease (M00-M99)²⁴	6.2	—	—	—	0.4	0.2	0.7	2.4	4.7	14.9	35.2	157.7
Genitourinary System Dis. (N00-N99)	15.4	2.2	—	—	0.4	0.8	1.4	3.8	8.1	32.4	99.0	417.9
Nephritis (N00-N07, N17-N19, N25-N27) ²⁵	8.5	—	—	—	0.2	0.4	1.4	2.8	5.3	20.2	60.3	194.7
Acute nephrotic syndrome ²⁶	0.1	—	—	—	—	—	—	0.2	—	—	0.6	—
Chronic nephritis ²⁷	0.3	—	—	—	—	—	—	—	0.6	0.9	3.0	—
Renal failure (N17-N19)	8.2	—	—	—	0.2	0.4	1.4	2.6	4.7	19.3	56.7	194.7
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.4	—	—	—	—	—	—	0.2	—	0.4	2.4	15.1
Urinary tract infection (N59.0)	4.7	—	—	—	—	—	—	0.2	0.9	8.8	27.4	162.8
Hyperplasia of prostate (N40)	0.3	—	—	—	—	—	—	—	—	0.4	1.8	13.4
Female pelvic inflam. dis. (N70-N76) ²⁸	<0.05	—	—	—	—	—	—	—	—	—	—	1.7
Pregnancy & Childbirth (O00-O99)²⁹	0.2	—	—	—	0.2	0.4	0.5	—	—	—	—	—
Perinatal Conditions (P00-P96)	3.1	245.3	—	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)³⁰ ..	3.8	140.2	2.7	0.6	1.0	1.2	2.2	1.9	1.9	4.8	2.4	16.8
Malformation of the heart (Q20-Q24)	1.1	37.2	0.5	0.2	0.6	0.6	0.7	0.8	0.3	—	—	8.4
Other malf. of the circul. sys. (Q25-Q28)	0.3	6.6	—	0.2	—	—	0.4	—	—	1.3	1.2	1.7
Malf. of the respiratory system (Q30-Q34)	0.3	19.7	—	—	—	—	—	—	—	—	—	—
Symptoms & Signs (R00-R99)³¹	11.6	43.8	0.5	0.4	0.4	0.4	4.0	5.8	10.7	17.1	47.1	308.8
Senility (R54)	1.3	—	—	—	—	—	—	—	—	—	1.2	72.2
Sudden infant death syndrome (R95)	0.5	41.6	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	61.9	74.5	15.9	8.0	54.8	48.3	58.9	69.9	73.0	60.5	149.7	476.6

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Accidents (V01-X59, Y85-Y86)	39.7	43.8	13.1	7.0	33.5	28.1	31.4	37.0	41.7	39.9	111.6	429.6
Transport accidents (V01-V99, Y85)	14.9	4.4	6.6	4.6	25.1	15.2	11.9	15.2	18.8	18.0	20.3	25.2
Motor vehicle acc. (Many codes) ³²	13.6	4.4	6.0	4.6	22.9	14.1	11.2	13.3	16.9	14.9	20.3	23.5
Water transport accidents (V90-V94)	0.4	—	—	—	0.6	0.2	0.2	0.9	0.3	1.3	—	—
Air transport accidents (V95-V97)	0.3	—	—	—	0.8	0.4	—	0.2	0.9	—	—	—
Nontransport accidents (W00-X59, Y86)	24.8	39.4	6.6	2.4	8.4	12.9	19.5	21.8	22.9	21.9	91.3	404.4
Falls (W00-W19)	10.6	2.2	—	0.4	0.4	0.8	1.4	3.6	6.9	11.4	66.8	310.5
Firearms (W32-W34)	0.2	—	—	—	0.4	—	0.4	0.2	0.3	—	0.6	—
Drowning & submersion (W65-W74) ..	1.6	—	3.3	1.0	2.8	2.2	1.8	0.8	1.6	1.3	0.6	—
Exposure to smoke & fire (X00-X09) ..	0.9	—	1.1	0.2	0.4	0.2	0.7	1.3	1.6	3.1	1.8	3.4
Poisoning (X40-X49) ³³	6.3	—	—	—	2.4	7.7	12.1	13.0	8.8	1.3	2.4	5.0
Suicide (X60-X84, Y87.0)	15.5	—	—	0.4	13.6	13.1	19.5	22.7	26.6	14.9	29.8	36.9
Poisoning (X60-X69)	3.2	—	—	—	1.6	2.0	5.6	7.5	5.0	0.9	3.6	5.0
Hanging/suffocation (X70)	2.8	—	—	0.2	3.2	4.6	5.2	3.4	1.9	0.4	2.4	5.0
Firearm discharge (X72-X74)	8.4	—	—	0.2	7.2	6.3	7.2	10.1	17.9	12.3	22.7	25.2
Homicide (X85-Y09, Y87.1)	3.1	6.6	2.7	0.6	5.2	4.4	3.4	3.8	1.3	2.6	2.4	—
Firearm discharge (X93-X95)	1.8	—	—	0.4	3.4	3.6	2.0	1.7	0.6	1.3	1.2	—
Legal intervention (Y35, Y89.0)	0.3	—	—	—	0.2	0.8	0.5	0.4	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	2.5	24.1	—	—	2.0	1.8	3.4	5.1	3.1	1.3	1.2	—
War and its sequelae (Y36, Y89.1) ³⁴	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88) ..	0.8	—	—	—	0.2	—	0.5	0.9	0.3	1.8	4.8	10.1
<i>Injury by firearms (Many codes)³⁵</i>	10.7	—	—	0.6	11.4	10.9	10.1	12.4	18.8	13.6	24.5	25.2
<i>Alcohol-induced deaths (Many codes)^{36,37}</i>	14.2	—	—	—	0.4	1.4	11.7	33.4	44.5	33.3	20.3	10.1
<i>Drug-induced deaths (Many codes)^{38,39}</i>	13.1	—	—	—	5.2	12.7	23.7	27.0	18.5	7.9	13.1	13.4
<i>Injury at work⁴⁰</i>	1.4	—	—	—	0.8	1.2	1.4	2.6	3.1	3.1	0.6	1.7

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Including uterus, part unspecified.

⁵ Including meninges and other parts of the central nervous system.

⁶ Including immunoproliferative neoplasms.

⁷ Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁸ Including diseases of the blood forming-organs and disorders involving the immune mechanism.

⁹ Including metabolic diseases.

¹⁰ Including behavioral disorders.

- 11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 12 Including acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 15 Including other intracranial hemorrhages.
- 16 Including diseases of the arterioles and capillaries.
- 17 Including acute bronchiolitis.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis.
- 26 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including exposure to noxious substances.
- 34 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 35 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0).
- 36 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 37 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively. (Note: The ICD10 codes were changed for 2004 data causing minor differences in category totals.)
- 38 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Drug-induced hypoglycemia and drug-induced Parkinsonism are also included here.
- 39 The ICD 10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Note: The ICD10 codes were changed for 2004 data causing minor differences in category totals.)
- 40 Recorded as a separate item on the death certificate by the Medical Examiner.
 - Quantity is 0.