

TABLE 5-3. Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths, by County of Residence, Oregon, 2005

County of Residence	Deaths		Infant Deaths		Neonatal Deaths		Fetal deaths	
	Number	Rate ¹	Number	Rate ²	Number	Rate ²	Number	Ratio ³
Total	30,854	8.6	270	5.9	177	3.9	170	3.7
Baker	255	§ 15.5	3	18.2	1	6.1	2	12.1
Benton	495	§ 6.0	3	3.8	3	3.8	2	2.5
Clackamas	2,821	§ 7.8	14	3.7	6	1.6	9	2.4
Clatsop	360	§ 9.8	1	2.4	—	—	—	—
Columbia	387	8.4	—	—	—	—	1	1.9
Coos	872	§ 13.9	5	8.0	5	8.0	1	1.6
Crook	202	8.9	3	13.6	2	9.0	1	4.5
Curry	281	§ 13.3	—	—	—	—	2	14.0
Deschutes	1,062	§ 7.4	4	2.2	4	2.2	9	5.0
Douglas	1,203	§ 11.7	8	7.3	4	3.7	6	5.5
Gilliam	22	11.6	—	—	—	—	—	—
Grant	76	9.9	—	—	—	—	2	35.1
Harney	73	9.5	1	15.2	1	15.2	—	—
Hood River	166	7.8	1	3.4	1	3.4	4	13.8
Jackson	1,909	§ 9.8	9	4.1	6	2.7	8	3.6
Jefferson	183	8.9	4	12.6	3	9.5	—	—
Josephine	1,005	§ 12.6	9	11.3	6	7.6	5	6.3
Klamath	728	§ 11.2	10	12.3	8	9.9	3	3.7
Lake	93	§ 12.4	2	28.2	2	28.2	1	14.1
Lane	3,050	§ 9.1	22	6.3	12	3.4	14	4.0
Lincoln	524	§ 11.8	1	2.4	1	2.4	3	7.2
Linn	1,089	§ 10.2	10	7.3	6	4.4	2	1.5
Malheur	286	9.0	6	13.5	4	9.0	4	9.0
Marion	2,411	§ 8.0	30	6.4	18	3.8	25	5.3
Morrow	67	§ 5.6	—	—	—	—	3	19.2
Multnomah	5,631	§ 8.1	58	6.0	41	4.3	27	2.8
Polk	531	8.1	2	2.4	1	1.2	2	2.4
Sherman	14	7.4	1	76.9	1	76.9	—	—
Tillamook	322	§ 12.8	1	3.7	1	3.7	—	—
Umatilla	580	8.0	9	8.4	3	2.8	4	3.7
Union	272	§ 10.9	3	9.2	3	9.2	2	6.1
Wallowa	76	10.7	—	—	—	—	—	—
Wasco	247	§ 10.3	1	3.4	—	—	—	—
Washington	2,763	§ 5.6	40	5.3	26	3.5	22	2.9
Wheeler	16	10.3	—	—	—	—	—	—
Yamhill	782	8.7	9	7.8	8	7.0	6	5.2

— Quantity is zero.

§ Indicates rate is statistically significantly different from the state.

WARNING: Rates or ratios based on less than 5 events are unreliable.

NOTE: Infant deaths occur in the first year of life. Neonatal deaths occur within the first 27 days of life. Fetal deaths include fetuses whose birthweight was 350 grams or more or if birthweight was unknown, gestational age was 20 weeks or more.

1 Rates per 1,000 population for deaths.

2 Rates per 1,000 live births for infant and neonatal deaths.

3 Ratios per 1,000 live births for fetal deaths.