

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	30,854	270	42	64	330	447	866	2,173	3,333	4,780	8,625	9,924
Male	15,139	148	21	35	253	327	555	1,368	2,026	2,591	4,224	3,591
Female	15,715	122	21	29	77	120	311	805	1,307	2,189	4,401	6,333
Infections & Parasitic Disease (A00-B99)	513	5	3	–	3	13	41	121	83	61	100	83
Male	292	2	2	–	1	9	29	92	50	34	43	30
Female	221	3	1	–	2	4	12	29	33	27	57	53
Tuberculosis (A16-A19)	4	–	–	–	–	–	–	–	–	–	2	2
Male	2	–	–	–	–	–	–	–	–	–	1	1
Female	2	–	–	–	–	–	–	–	–	–	1	1
Meningococcal infection (A39)	3	1	–	–	–	–	1	–	–	–	–	1
Male	2	1	–	–	–	–	–	–	–	–	–	1
Female	1	–	–	–	–	–	1	–	–	–	–	–
Septicemia (A40-A41)	176	2	3	–	2	3	5	18	23	20	57	43
Male	78	–	2	–	1	3	1	9	5	10	30	17
Female	98	2	1	–	1	–	4	9	18	10	27	26
Creutzfeldt-Jacob disease (A81.0)	4	–	–	–	–	–	1	–	2	1	–	–
Male	2	–	–	–	–	–	1	–	1	–	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–
Viral hepatitis (B15-B19)	93	–	–	–	–	1	4	45	25	10	6	2
Male	68	–	–	–	–	1	2	35	22	6	1	1
Female	25	–	–	–	–	–	2	10	3	4	5	1
HIV/AIDS (B20-B24) ²	55	–	–	–	1	9	23	14	7	1	–	–
Male	49	–	–	–	–	5	22	14	7	1	–	–
Female	6	–	–	–	1	4	1	–	–	–	–	–
Malignant Neoplasms (C00-C97)	7,277	–	6	17	20	49	145	600	1,286	1,791	2,157	1,206
Male	3,793	–	1	9	13	32	66	303	701	962	1,146	560
Female	3,484	–	5	8	7	17	79	297	585	829	1,011	646
Lip, oral cavity & pharynx (C00-C14)	110	–	–	–	–	–	2	17	32	25	27	7
Male	73	–	–	–	–	–	2	11	23	19	16	2
Female	37	–	–	–	–	–	–	6	9	6	11	5
Digestive Organs (C15-C26)	1,655	–	–	–	1	7	31	152	299	399	462	304
Male	894	–	–	–	–	4	16	101	192	223	243	115
Female	761	–	–	–	1	3	15	51	107	176	219	189
Esophagus (C15)	197	–	–	–	–	–	3	14	42	59	57	22
Male	150	–	–	–	–	–	2	11	33	50	42	12
Female	47	–	–	–	–	–	1	3	9	9	15	10

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	116	—	—	—	—	1	6	10	22	31	29	17
Male	72	—	—	—	—	1	4	9	17	14	20	7
Female	44	—	—	—	—	—	2	1	5	17	9	10
Colon, rectum & anus (C18-C21)	663	—	—	—	—	3	12	48	107	141	198	154
Male	317	—	—	—	—	1	7	26	58	75	96	54
Female	346	—	—	—	—	2	5	22	49	66	102	100
Colon (C18)	524	—	—	—	—	2	11	33	78	105	165	130
Male	237	—	—	—	—	—	7	18	38	50	77	47
Female	287	—	—	—	—	2	4	15	40	55	88	83
Rectosigmoid junction (C19)	35	—	—	—	—	1	—	3	7	10	10	4
Male	22	—	—	—	—	1	—	1	4	7	8	1
Female	13	—	—	—	—	—	—	2	3	3	2	3
Rectum (C20)	92	—	—	—	—	—	1	12	19	21	20	19
Male	54	—	—	—	—	—	—	7	15	15	11	6
Female	38	—	—	—	—	—	1	5	4	6	9	13
Liver & intrahepatic bile ducts (C22)	182	—	—	—	1	2	4	43	38	32	45	17
Male	118	—	—	—	—	1	1	32	32	21	24	7
Female	64	—	—	—	1	1	3	11	6	11	21	10
Pancreas (C25)	424	—	—	—	—	1	6	34	76	122	108	77
Male	209	—	—	—	—	1	2	20	46	58	54	28
Female	215	—	—	—	—	—	4	14	30	64	54	49
Respiratory, intrathoracic organs (C30-C39)	2,146	—	—	—	—	1	24	157	396	655	667	246
Male	1,164	—	—	—	—	—	12	78	234	354	364	122
Female	982	—	—	—	—	1	12	79	162	301	303	124
Larynx (C32)	28	—	—	—	—	—	—	1	8	10	5	4
Male	19	—	—	—	—	—	—	1	6	6	3	3
Female	9	—	—	—	—	—	—	—	2	4	2	1
Trachea, bronchus & lung (C33-C34)	2,099	—	—	—	—	—	23	150	385	644	657	240
Male	1,133	—	—	—	—	—	12	72	226	348	356	119
Female	966	—	—	—	—	—	11	78	159	296	301	121
Bronchus & lung (C34)	2,097	—	—	—	—	—	23	149	385	643	657	240
Male	1,131	—	—	—	—	—	12	71	226	347	356	119
Female	966	—	—	—	—	—	11	78	159	296	301	121
Skin (C43-C44)	145	—	—	—	—	4	9	19	25	33	39	16
Male	100	—	—	—	—	3	3	14	21	23	27	9
Female	45	—	—	—	—	1	6	5	4	10	12	7

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Melanoma of skin (C43)	117	—	—	—	—	4	9	17	20	27	30	10
Male	83	—	—	—	—	3	3	12	16	19	24	6
Female	34	—	—	—	—	1	6	5	4	8	6	4
Mesothelioma (C45)	36	—	—	—	—	—	—	2	4	8	13	9
Male	30	—	—	—	—	—	—	—	3	8	12	7
Female	6	—	—	—	—	—	—	2	1	—	1	2
Breast (C50)	477	—	—	—	—	1	21	58	103	103	112	79
Male	6	—	—	—	—	—	—	2	1	1	2	—
Female	471	—	—	—	—	1	21	56	102	102	110	79
Female genital organs (C51-C58)	355	—	—	—	—	2	12	39	77	87	91	47
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	355	—	—	—	—	2	12	39	77	87	91	47
Cervix uteri (C53)	41	—	—	—	—	2	7	9	10	7	3	3
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	41	—	—	—	—	2	7	9	10	7	3	3
Corpus uteri (C54-C55) ³	83	—	—	—	—	—	1	2	19	27	26	8
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	83	—	—	—	—	—	1	2	19	27	26	8
Ovary (C56)	214	—	—	—	—	—	4	26	46	49	55	34
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	214	—	—	—	—	—	4	26	46	49	55	34
Male genital organs (C60-C63)	426	—	—	—	1	3	1	4	33	85	168	131
Male	426	—	—	—	1	3	1	4	33	85	168	131
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	420	—	—	—	—	—	—	4	33	85	168	130
Male	420	—	—	—	—	—	—	4	33	85	168	130
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	142	—	—	1	—	—	4	10	30	34	44	19
Male	92	—	—	1	—	—	4	7	23	26	24	7
Female	50	—	—	—	—	—	—	3	7	8	20	12
Bladder (C67)	205	—	—	—	—	—	1	4	21	42	69	68
Male	152	—	—	—	—	—	1	3	15	32	55	46
Female	53	—	—	—	—	—	—	1	6	10	14	22
Brain, etc. (C70-C72) ⁴	231	—	5	8	3	9	12	33	56	48	44	13
Male	139	—	1	2	2	5	9	23	34	29	27	7
Female	92	—	4	6	1	4	3	10	22	19	17	6

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Thyroid/endocrine gland (C73-C75)	21	–	–	2	–	1	1	7	4	3	3	–
Male	12	–	–	2	–	1	1	3	3	1	1	–
Female	9	–	–	–	–	–	–	4	1	2	2	–
Lymphoid & hematopoietic (C81-C96)	779	–	1	5	11	12	16	54	113	152	256	159
Male	425	–	–	3	7	10	10	30	70	96	128	71
Female	354	–	1	2	4	2	6	24	43	56	128	88
Hodgkin's disease (C81)	23	–	–	–	2	2	2	8	3	1	3	2
Male	13	–	–	–	1	1	–	4	2	1	2	2
Female	10	–	–	–	1	1	2	4	1	–	1	–
Non-Hodgkin's lymphoma (C82-C85)	313	–	–	1	1	5	4	21	41	62	104	74
Male	154	–	–	1	–	5	4	12	21	37	41	33
Female	159	–	–	–	1	–	–	9	20	25	63	41
Leukemia (C91-C95)	298	–	1	4	8	5	9	21	43	56	97	54
Male	171	–	–	2	6	4	5	11	28	38	54	23
Female	127	–	1	2	2	1	4	10	15	18	43	31
Lymphoid leukemia (C91)	95	–	–	3	3	–	1	4	10	14	37	23
Male	60	–	–	1	3	–	–	3	8	10	20	15
Female	35	–	–	2	–	–	1	1	2	4	17	8
Myeloid leukemia (C92)	154	–	–	1	4	3	7	14	25	35	43	22
Male	86	–	–	1	2	2	4	7	14	22	27	7
Female	68	–	–	–	2	1	3	7	11	13	16	15
Multiple myeloma (C88, C90) ⁵	144	–	–	–	–	–	1	4	26	32	52	29
Male	86	–	–	–	–	–	1	3	19	19	31	13
Female	58	–	–	–	–	–	–	1	7	13	21	16
Neoplas. Not Specif. as Malig. (D00-D48) ⁶	214	–	–	1	2	2	4	5	9	25	91	75
Male	108	–	–	1	2	–	1	4	8	16	46	30
Female	106	–	–	–	–	2	3	1	1	9	45	45
Myelodysplastic syndromes (D46)	96	–	–	1	–	–	–	1	3	10	44	37
Male	51	–	–	1	–	–	–	1	3	7	19	20
Female	45	–	–	–	–	–	–	–	–	3	25	17
Diseases of the Blood (D50-89) ⁷	117	2	1	–	1	3	5	9	13	12	28	43
Male	47	1	–	–	1	2	3	4	8	3	14	11
Female	70	1	1	–	–	1	2	5	5	9	14	32
Anemias (D50-D64)	56	–	–	–	–	1	–	1	–	6	18	30
Male	16	–	–	–	–	–	–	–	–	2	7	7
Female	40	–	–	–	–	1	–	1	–	4	11	23

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Endocrine & Nutritional Dis. (E00-E88)⁸	1,544	5	1	1	10	20	62	118	217	303	427	380
Male	742	3	—	—	7	14	42	78	136	148	189	125
Female	802	2	1	1	3	6	20	40	81	155	238	255
Diabetes mellitus (E10-E14)	1,131	—	—	—	2	15	37	77	158	237	335	270
Male	548	—	—	—	2	10	27	52	99	114	151	93
Female	583	—	—	—	—	5	10	25	59	123	184	177
Nutritional deficiencies (E40-E64)	25	—	—	—	—	—	1	3	1	3	6	11
Male	7	—	—	—	—	—	1	1	—	2	1	2
Female	18	—	—	—	—	—	—	2	1	1	5	9
Malnutrition (E40-E46)	22	—	—	—	—	—	1	1	1	2	6	11
Male	7	—	—	—	—	—	1	1	—	2	1	2
Female	15	—	—	—	—	—	—	—	1	—	5	9
Mental Disorders (F01-F99)⁹	1,367	—	—	—	6	20	39	93	73	108	300	728
Male	543	—	—	—	6	16	23	67	53	63	126	189
Female	824	—	—	—	—	4	16	26	20	45	174	539
Organic dementia (F01, F03)¹⁰	978	—	—	—	—	—	1	4	8	52	245	668
Male	306	—	—	—	—	—	—	3	7	26	97	173
Female	672	—	—	—	—	—	1	1	1	26	148	495
Due to alcohol (F10)¹¹	187	—	—	—	1	3	17	49	43	28	20	26
Male	132	—	—	—	1	2	14	37	35	22	12	9
Female	55	—	—	—	—	1	3	12	8	6	8	17
Due to psychoactive substance (F11-F19)	131	—	—	—	4	16	20	33	17	15	12	14
Male	78	—	—	—	4	13	9	22	8	10	8	4
Female	53	—	—	—	—	3	11	11	9	5	4	10
Nervous System Disease (G00-G99)	1,963	7	3	5	13	7	18	69	89	179	623	950
Male	784	5	—	3	9	5	11	36	50	98	263	304
Female	1,179	2	3	2	4	2	7	33	39	81	360	646
Meningitis (G00, G03)	6	1	1	—	—	—	1	1	—	1	1	—
Male	2	1	—	—	—	—	1	—	—	—	—	—
Female	4	—	1	—	—	—	—	1	—	1	1	—
Amyotrophic lateral sclerosis (G12.2)	105	—	—	—	—	—	5	13	17	32	26	12
Male	64	—	—	—	—	—	5	8	10	21	14	6
Female	41	—	—	—	—	—	—	5	7	11	12	6
Parkinson's disease (G20-G21)	298	—	—	—	—	—	—	2	3	33	132	128
Male	183	—	—	—	—	—	—	2	3	22	82	74
Female	115	—	—	—	—	—	—	—	—	11	50	54

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Alzheimer's disease (G30)	1,231	—	—	—	—	—	1	2	15	52	391	770
Male	365	—	—	—	—	—	—	1	5	24	126	209
Female	866	—	—	—	—	—	1	1	10	28	265	561
Multiple sclerosis (G35)	71	—	—	—	—	1	1	20	17	19	11	2
Male	29	—	—	—	—	1	1	8	8	6	5	—
Female	42	—	—	—	—	—	—	12	9	13	6	2
Epilepsy (G40-G41)	24	—	—	—	4	3	1	5	2	1	2	6
Male	16	—	—	—	3	3	—	4	1	1	2	2
Female	8	—	—	—	1	—	1	1	1	—	—	4
Circulatory System Diseases (I00-I99)	9,981	2	—	6	14	29	136	430	777	1,231	2,993	4,363
Male	4,778	—	—	1	11	20	91	308	555	714	1,508	1,570
Female	5,203	2	—	5	3	9	45	122	222	517	1,485	2,793
Major cardiovascular disease (I00-I78)	9,918	1	—	6	14	27	131	427	769	1,217	2,982	4,344
Male	4,752	—	—	1	11	18	91	306	549	706	1,505	1,565
Female	5,166	1	—	5	3	9	40	121	220	511	1,477	2,779
Heart disease (I00-I09, I11, I13, I20-I51)	6,721	—	—	5	12	21	104	326	572	886	1,907	2,888
Male	3,460	—	—	—	10	14	77	246	429	535	1,035	1,114
Female	3,261	—	—	5	2	7	27	80	143	351	872	1,774
Rheumatic heart disease (I00-I09) ¹²	88	—	—	—	—	—	2	3	5	15	26	37
Male	28	—	—	—	—	—	—	2	3	3	11	9
Female	60	—	—	—	—	—	2	1	2	12	15	28
Hypertensive heart disease (I11)	215	—	—	—	—	—	6	9	13	16	41	130
Male	71	—	—	—	—	—	5	9	8	5	14	30
Female	144	—	—	—	—	—	1	—	5	11	27	100
Hypertensive heart & renal dis. (I13)	36	—	—	—	—	—	—	—	1	1	12	22
Male	12	—	—	—	—	—	—	—	—	1	6	5
Female	24	—	—	—	—	—	—	—	1	—	6	17
Ischemic heart disease (I20-I25)	4,126	—	—	—	1	5	59	239	425	650	1,225	1,522
Male	2,401	—	—	—	1	5	49	188	330	427	717	684
Female	1,725	—	—	—	—	—	10	51	95	223	508	838
Myocardial infarction (I21-I22)	1,409	—	—	—	—	1	12	88	137	266	430	475
Male	797	—	—	—	—	1	10	69	99	173	237	208
Female	612	—	—	—	—	—	2	19	38	93	193	267
Other acute ischemic hrt. dis. (I24)	29	—	—	—	—	—	1	4	2	9	7	6
Male	16	—	—	—	—	—	1	2	1	7	4	1
Female	13	—	—	—	—	—	—	2	1	2	3	5

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Chronic isch. heart dis. (I20, I25)	2,688	—	—	—	1	4	46	147	286	375	788	1,041
Male	1,588	—	—	—	1	4	38	117	230	247	476	475
Female	1,100	—	—	—	—	—	8	30	56	128	312	566
Atheroscler. cardiovascular dis. ¹³	292	—	—	—	1	—	8	16	26	29	79	133
Male	161	—	—	—	1	—	8	13	22	18	50	49
Female	131	—	—	—	—	—	—	3	4	11	29	84
Other chr. ischemic heart dis. ¹⁴	2,396	—	—	—	—	4	38	131	260	346	709	908
Male	1,427	—	—	—	—	4	30	104	208	229	426	426
Female	969	—	—	—	—	—	8	27	52	117	283	482
Nonrheumatic mitral valve dis. (I34)	64	—	—	—	—	2	—	3	3	3	19	34
Male	25	—	—	—	—	1	—	1	1	—	10	12
Female	39	—	—	—	—	1	—	2	2	3	9	22
Nonrheumatic aortic valve dis. (I35)	340	—	—	—	—	1	—	2	4	15	86	232
Male	137	—	—	—	—	1	—	1	3	6	44	82
Female	203	—	—	—	—	—	—	1	1	9	42	150
Cardiomyopathy (I42)	252	—	—	1	6	3	14	22	37	48	62	59
Male	148	—	—	—	6	3	9	14	29	24	36	27
Female	104	—	—	1	—	—	5	8	8	24	26	32
Heart failure (I50)	794	—	—	—	1	2	1	6	20	62	189	513
Male	309	—	—	—	1	1	1	4	11	32	88	171
Female	485	—	—	—	—	1	—	2	9	30	101	342
Congestive heart failure (I50.0)	776	—	—	—	1	1	1	6	20	57	185	505
Male	299	—	—	—	1	—	1	4	11	28	85	169
Female	477	—	—	—	—	1	—	2	9	29	100	336
Left ventricular heart failure (I50.1)	1	—	—	—	—	—	—	—	—	1	—	—
Male	1	—	—	—	—	—	—	—	—	1	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Heart failure, unspecified (I50.9)	17	—	—	—	—	1	—	—	—	4	4	8
Male	9	—	—	—	—	1	—	—	—	3	3	2
Female	8	—	—	—	—	—	—	—	—	1	1	6
Hypertension & hyp. renal dis. (I10, I12)	429	—	—	—	1	—	1	15	25	35	120	232
Male	165	—	—	—	1	—	1	11	18	19	53	62
Female	264	—	—	—	—	—	—	4	7	16	67	170
Cerebrovascular disease (I60-I69) ¹⁰	2,268	1	—	1	1	6	24	78	132	225	771	1,029
Male	874	—	—	1	—	4	12	41	76	107	321	312
Female	1,394	1	—	—	1	2	12	37	56	118	450	717

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Subarachnoid hemorrhage (I60)	83	—	—	—	1	—	8	16	19	8	19	12
Male	28	—	—	—	—	—	3	7	9	4	2	3
Female	55	—	—	—	1	—	5	9	10	4	17	9
Intracerebral hemorrhage (I61-I62) ¹⁵	354	—	—	1	—	3	9	26	46	51	125	93
Male	177	—	—	1	—	3	6	18	26	29	61	33
Female	177	—	—	—	—	—	3	8	20	22	64	60
Cerebral infarction (I63)	105	—	—	—	—	1	3	1	8	11	32	49
Male	35	—	—	—	—	1	—	1	5	5	7	16
Female	70	—	—	—	—	—	3	—	3	6	25	33
Stroke (type not specified) (I64)	1,221	—	—	—	—	1	3	26	42	115	428	606
Male	445	—	—	—	—	—	2	11	28	49	169	186
Female	776	—	—	—	—	1	1	15	14	66	259	420
Atherosclerosis (I70)	191	—	—	—	—	—	—	1	9	23	56	102
Male	87	—	—	—	—	—	—	1	4	14	28	40
Female	104	—	—	—	—	—	—	—	5	9	28	62
Aortic aneurysm & dissection (I71)	175	—	—	—	—	—	—	6	22	30	72	45
Male	112	—	—	—	—	—	—	6	17	21	42	26
Female	63	—	—	—	—	—	—	—	5	9	30	19
Diseases of arteries (I72-I78) ¹⁶	134	—	—	—	—	—	2	1	9	18	56	48
Male	54	—	—	—	—	—	1	1	5	10	26	11
Female	80	—	—	—	—	—	1	—	4	8	30	37
Respiratory System Diseases (J00-J99)	2,931	4	3	—	5	13	26	100	273	555	1,036	916
Male	1,335	3	3	—	1	5	14	51	134	281	472	371
Female	1,596	1	—	—	4	8	12	49	139	274	564	545
Influenza & pneumonia (J10-J18)	606	2	—	—	3	5	11	28	37	51	151	318
Male	253	2	—	—	1	3	6	16	20	25	69	111
Female	353	—	—	—	2	2	5	12	17	26	82	207
Influenza (J10-J11)	16	—	—	—	—	—	1	—	2	—	5	8
Male	7	—	—	—	—	—	1	—	2	—	2	2
Female	9	—	—	—	—	—	—	—	—	—	3	6
Pneumonia (J12-J18)	590	2	—	—	3	5	10	28	35	51	146	310
Male	246	2	—	—	1	3	5	16	18	25	67	109
Female	344	—	—	—	2	2	5	12	17	26	79	201
Other acute lower resp. infect'ns (J20-J22)	4	1	—	—	—	—	—	1	—	—	1	1
Male	1	—	—	—	—	—	—	—	—	—	1	—
Female	3	1	—	—	—	—	—	1	—	—	—	1

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Acute bronchitis (J20-J21) ¹⁷	3	1	—	—	—	—	—	1	—	—	1	—
Male	1	—	—	—	—	—	—	—	—	—	1	—
Female	2	1	—	—	—	—	—	1	—	—	—	—
Chronic lower respiratory dis. (J40-J47) ¹⁸	1,822	—	—	—	—	6	7	50	191	421	720	427
Male	839	—	—	—	—	2	4	23	92	207	318	193
Female	983	—	—	—	—	4	3	27	99	214	402	234
Bronchitis, chronic & unspec. (J40-J42)	4	—	—	—	—	—	—	—	—	1	2	1
Male	2	—	—	—	—	—	—	—	—	1	1	—
Female	2	—	—	—	—	—	—	—	—	—	1	1
Emphysema (J43)	245	—	—	—	—	—	—	9	25	63	101	47
Male	117	—	—	—	—	—	—	5	16	30	47	19
Female	128	—	—	—	—	—	—	4	9	33	54	28
Asthma (J45-J46)	47	—	—	—	—	6	2	7	9	4	7	12
Male	17	—	—	—	—	2	—	5	1	1	3	5
Female	30	—	—	—	—	4	2	2	8	3	4	7
Other CLRD (J44, J47)	1,526	—	—	—	—	—	5	34	157	353	610	367
Male	703	—	—	—	—	—	4	13	75	175	267	169
Female	823	—	—	—	—	—	1	21	82	178	343	198
Bronchiectasis (J47)	23	—	—	—	—	—	—	—	1	4	14	4
Male	6	—	—	—	—	—	—	—	1	3	1	1
Female	17	—	—	—	—	—	—	—	—	1	13	3
Pneumoconioses (J60-J66, J68) ¹⁹	14	—	—	—	—	—	—	—	1	4	6	3
Male	14	—	—	—	—	—	—	—	1	4	6	3
Female	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonitis due to solids & liquids (J69)	174	—	—	—	1	—	2	3	15	13	50	90
Male	87	—	—	—	—	—	2	2	9	9	22	43
Female	87	—	—	—	1	—	—	1	6	4	28	47
Digestive System Diseases (K00-K92)	1,168	8	1	1	3	12	54	173	196	167	263	290
Male	580	4	1	1	1	6	33	113	129	78	117	97
Female	588	4	—	—	2	6	21	60	67	89	146	193
Peptic ulcer (K25-K28)	48	—	—	—	—	—	2	3	8	5	12	18
Male	28	—	—	—	—	—	1	1	4	4	8	10
Female	20	—	—	—	—	—	1	2	4	1	4	8
Diseases of the appendix (K35-K38)	8	—	—	—	—	—	1	—	—	1	2	4
Male	5	—	—	—	—	—	1	—	—	1	1	2
Female	3	—	—	—	—	—	—	—	—	—	1	2

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Appendicitis (K35-K37)	7	—	—	—	—	—	1	—	—	1	2	3
Male	5	—	—	—	—	—	1	—	—	1	1	2
Female	2	—	—	—	—	—	—	—	—	—	1	1
Hernia (K40-K46)	28	—	—	—	—	—	—	—	1	4	8	15
Male	6	—	—	—	—	—	—	—	1	1	3	1
Female	22	—	—	—	—	—	—	—	—	3	5	14
Vascular disorders of the intestine (K55)	126	3	—	—	1	—	1	6	8	25	42	40
Male	52	2	—	—	—	—	—	1	7	8	18	16
Female	74	1	—	—	1	—	1	5	1	17	24	24
Chronic liver disease (K70, K73-K74) ²⁰	392	—	—	—	—	5	39	126	102	66	47	7
Male	252	—	—	—	—	2	23	89	71	34	29	4
Female	140	—	—	—	—	3	16	37	31	32	18	3
Alcoholic liver disease (K70) ²¹	312	—	—	—	—	5	32	113	90	51	20	1
Male	217	—	—	—	—	2	16	84	65	33	16	1
Female	95	—	—	—	—	3	16	29	25	18	4	—
Cholelithiasis (K80-K82) ²²	39	—	—	—	—	—	—	1	1	4	10	23
Male	15	—	—	—	—	—	—	1	—	2	5	7
Female	24	—	—	—	—	—	—	—	1	2	5	16
Diseases of the Skin (L00-L98) ²³	53	—	—	—	1	2	2	2	—	8	17	21
Male	18	—	—	—	1	1	1	—	—	2	7	6
Female	35	—	—	—	—	1	1	2	—	6	10	15
Musculoskeletal Disease (M00-M99) ²⁴	269	—	—	—	2	1	3	11	25	39	81	107
Male	82	—	—	—	1	—	3	7	12	15	27	17
Female	187	—	—	—	1	1	—	4	13	24	54	90
Genitourinary System Dis. (N00-N99)	549	—	—	2	—	3	8	9	28	80	154	265
Male	238	—	—	—	—	2	6	3	15	37	76	99
Female	311	—	—	2	—	1	2	6	13	43	78	166
Nephritis (N00-N07, N17-N19, N25-N27) ²⁵	302	—	—	—	—	2	5	5	19	54	88	129
Male	145	—	—	—	—	1	4	3	12	24	48	53
Female	157	—	—	—	—	1	1	2	7	30	40	76
Acute nephrotic syndr. (N00-N01, N04) ²⁶	4	—	—	—	—	—	—	—	—	1	—	3
Male	1	—	—	—	—	—	—	—	—	1	—	—
Female	3	—	—	—	—	—	—	—	—	—	—	3
Chr. nephritis (N02-N03, N05-N07, N26) ²⁷	6	—	—	—	—	—	1	—	—	—	2	3
Male	2	—	—	—	—	—	1	—	—	—	1	—
Female	4	—	—	—	—	—	—	—	—	—	1	3

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Renal failure (N17-N19)	292	–	–	–	–	2	4	5	19	53	86	123
Male	142	–	–	–	–	1	3	3	12	23	47	53
Female	150	–	–	–	–	1	1	2	7	30	39	70
Kidney infect'ns (N10-N12, N13.6, N15.1)	11	–	–	2	–	–	–	1	–	1	–	7
Male	1	–	–	–	–	–	–	–	–	–	–	1
Female	10	–	–	2	–	–	–	1	–	1	–	6
Urinary tract infection (N39.0)	176	–	–	–	–	–	1	1	3	15	51	105
Male	56	–	–	–	–	–	1	–	1	7	17	30
Female	120	–	–	–	–	–	–	1	2	8	34	75
Hyperplasia of prostate (N40)	9	–	–	–	–	–	–	–	–	–	5	4
Male	9	–	–	–	–	–	–	–	–	–	5	4
Female	–	–	–	–	–	–	–	–	–	–	–	–
Female pelvic inflam. dis. (N70-N76)²⁸	3	–	–	–	–	–	1	–	1	–	1	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	3	–	–	–	–	–	1	–	1	–	1	–
Pregnancy & Childbirth (O00-O99)²⁹	3	–	–	–	–	1	1	–	–	1	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	3	–	–	–	–	1	1	–	–	1	–	–
Perinatal Conditions (P00-P96)	136	132	2	–	1	–	–	1	–	–	–	–
Male	78	75	2	–	–	–	–	1	–	–	–	–
Female	58	57	–	–	1	–	–	–	–	–	–	–
Congenital Malformations (Q00-Q99)³⁰	121	53	2	2	4	9	15	8	4	12	4	8
Male	56	23	2	2	3	5	8	2	1	5	2	3
Female	65	30	–	–	1	4	7	6	3	7	2	5
Malformation of the heart (Q20-Q24)	33	12	1	2	1	4	7	2	–	1	–	3
Male	19	6	1	2	1	3	5	–	–	–	–	1
Female	14	6	–	–	–	1	2	2	–	1	–	2
Other malf. of the circul. sys. (Q25-Q28)	9	2	–	–	1	–	–	–	–	2	2	2
Male	4	–	–	–	1	–	–	–	–	1	1	1
Female	5	2	–	–	–	–	–	–	–	1	1	1
Malf. of the respiratory system (Q30-Q34)	9	7	1	–	–	–	–	–	–	1	–	–
Male	5	4	1	–	–	–	–	–	–	–	–	–
Female	4	3	–	–	–	–	–	–	–	1	–	–
Symptoms & Signs (R00-R99)³¹	427	23	2	1	7	8	13	16	36	42	83	196
Male	175	17	–	–	4	4	8	14	21	19	35	53
Female	252	6	2	1	3	4	5	2	15	23	48	143

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups											
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Senility (R54)	55	—	—	—	—	—	—	—	—	—	1	9	45
Male	6	—	—	—	—	—	—	—	—	—	—	2	4
Female	49	—	—	—	—	—	—	—	—	—	1	7	41
Sudden infant death syndrome (R95)	20	20	—	—	—	—	—	—	—	—	—	—	—
Male	15	15	—	—	—	—	—	—	—	—	—	—	—
Female	5	5	—	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	2,218	29	18	28	238	255	294	408	222	166	268	292	
Male	1,489	15	10	18	192	206	216	285	152	116	153	126	
Female	729	14	8	10	46	49	78	123	70	50	115	166	
Accidents (V01-X59, Y85-Y86)	1,427	8	13	23	147	144	161	224	130	107	204	266	
Male	900	6	7	15	111	116	120	165	82	66	104	108	
Female	527	2	6	8	36	28	41	59	48	41	100	158	
Transport accidents (V01-V99, Y85)	533	2	8	16	101	73	65	92	62	51	43	20	
Male	377	2	5	9	72	58	49	71	39	31	30	11	
Female	156	—	3	7	29	15	16	21	23	20	13	9	
Motor vehicle acc. (Many codes) ³²	482	2	8	16	97	65	59	85	50	44	38	18	
Male	340	2	5	9	68	51	44	65	34	26	26	10	
Female	142	—	3	7	29	14	15	20	16	18	12	8	
Motor veh. traf. acc. (Many codes) ³³	464	2	5	14	96	64	56	84	49	40	37	17	
Male	325	2	3	7	67	50	41	64	33	23	25	10	
Female	139	—	2	7	29	14	15	20	16	17	12	7	
Water transport accidents (V90-V94)	13	—	—	—	1	1	2	3	2	2	1	1	
Male	11	—	—	—	1	—	2	3	1	2	1	1	
Female	2	—	—	—	—	1	—	—	1	—	—	—	
Air transport accidents (V95-V97)	17	—	—	—	1	4	2	—	6	3	1	—	
Male	13	—	—	—	1	4	2	—	3	2	1	—	
Female	4	—	—	—	—	—	—	—	3	1	—	—	
Nontransport accidents (W00-X59, Y86)	894	6	5	7	46	71	96	132	68	56	161	246	
Male	523	4	2	6	39	58	71	94	43	35	74	97	
Female	371	2	3	1	7	13	25	38	25	21	87	149	
Falls (W00-W19)	381	—	—	1	4	4	6	17	19	25	119	186	
Male	181	—	—	1	2	3	6	10	11	16	55	77	
Female	200	—	—	—	2	1	—	7	8	9	64	109	
Firearms (W32-W34)	3	—	—	1	1	—	1	—	—	—	—	—	
Male	3	—	—	1	1	—	1	—	—	—	—	—	
Female	—	—	—	—	—	—	—	—	—	—	—	—	

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Drowning & submersion (W65-W74)	55	–	3	4	10	9	9	11	3	1	4	1
Male	45	–	1	4	10	8	8	10	2	1	1	–
Female	10	–	2	–	–	1	1	1	1	–	3	1
Exposure to smoke & fire (X00-X09)	23	–	–	–	–	1	2	4	5	5	2	4
Male	12	–	–	–	–	–	1	3	2	3	1	2
Female	11	–	–	–	–	1	1	1	3	2	1	2
Poisoning (X40-X49) ³⁴	262	–	–	–	23	49	71	79	25	9	4	2
Male	187	–	–	–	18	39	48	56	17	6	2	1
Female	75	–	–	–	5	10	23	23	8	3	2	1
Suicide (X60-X84, Y87.0)	559	–	–	3	58	72	89	141	75	49	51	21
Male	443	–	–	3	54	58	67	97	58	46	43	17
Female	116	–	–	–	4	14	22	44	17	3	8	4
Poisoning (X60-X69)	115	–	–	–	1	14	22	45	22	2	7	2
Male	58	–	–	–	1	10	12	22	9	1	3	–
Female	57	–	–	–	–	4	10	23	13	1	4	2
Hanging/suffocation (X70)	86	–	–	2	13	18	21	18	4	3	4	3
Male	70	–	–	2	12	15	16	13	4	3	3	2
Female	16	–	–	–	1	3	5	5	–	–	1	1
Firearm discharge (X72-X74)	320	–	–	1	41	32	36	70	47	40	39	14
Male	287	–	–	1	38	28	32	57	43	38	36	14
Female	33	–	–	–	3	4	4	13	4	2	3	–
Homicide (X85-Y09, Y87.1)	103	4	4	1	23	21	20	16	6	3	2	3
Male	68	–	2	–	18	17	14	11	4	–	1	1
Female	35	4	2	1	5	4	6	5	2	3	1	2
Firearm discharge (X93-X95)	55	–	–	–	14	14	10	9	4	1	1	2
Male	38	–	–	–	12	11	5	7	2	–	–	1
Female	17	–	–	–	2	3	5	2	2	1	1	1
Legal intervention (Y35, Y89.0) ³⁵	19	–	–	–	4	5	8	2	–	–	–	–
Male	19	–	–	–	4	5	8	2	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	84	16	1	–	5	12	16	25	7	1	1	–
Male	44	8	1	–	4	9	7	10	4	–	1	–
Female	40	8	–	–	1	3	9	15	3	1	–	–
War and its sequelae (Y36, Y89.1) ³⁶	1	–	–	–	–	–	–	–	1	–	–	–
Male	1	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Medical care complications (Y40-Y84, Y88)	25	1	–	1	1	1	–	–	3	6	10	2
Male	14	1	–	–	1	1	–	–	3	4	4	–
Female	11	–	–	1	–	–	–	–	–	2	6	2
Injury by firearms (Many codes) ³⁷	400	–	–	2	61	50	55	82	52	42	40	16
Male	348	–	–	2	56	43	46	67	45	38	36	15
Female	52	–	–	–	5	7	9	15	7	4	4	1
Alcohol-induced deaths (Many codes) ^{38,39}	536	–	–	–	4	13	52	169	141	86	43	28
Male	372	–	–	–	3	9	31	125	105	58	30	11
Female	164	–	–	–	1	4	21	44	36	28	13	17
Drug-induced deaths (Many codes) ^{40,41}	511	–	1	–	27	78	112	171	64	23	18	17
Male	317	–	1	–	23	59	66	103	36	14	10	5
Female	194	–	–	–	4	19	46	68	28	9	8	12
Injury at work ⁴²	62	–	–	1	6	6	13	15	12	4	3	2
Male	53	–	–	–	6	5	13	14	10	3	1	1
Female	9	–	–	1	–	1	–	1	2	1	2	1

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Human immunodeficiency virus/Acquired immune deficiency syndrome.

³ Including uterus, part unspecified.

⁴ Including meninges and other parts of the central nervous system.

⁵ Including immunoproliferative neoplasms.

⁶ Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁷ Including diseases of the blood forming-organs and disorders involving the immune mechanism.

⁸ Including metabolic diseases.

⁹ Including behavioral disorders.

¹⁰ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia, with a net loss of 111 for the former and a similar gain for the latter.

¹¹ For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

¹² Including acute rheumatic fever.

¹³ The ICD-10 code is I25.0.

¹⁴ Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.

¹⁵ Including other intracranial hemorrhages.

¹⁶ Including diseases of the arterioles and capillaries.

¹⁷ Including acute bronchiolitis.

¹⁸ Formerly chronic obstructive pulmonary disease (COPD).

¹⁹ Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.

²⁰ Including liver cirrhosis.

- 21 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis.
- 26 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 Including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-5), V81.1, V82.1, V83-V86(.0-3), V87(.0-.8), V89.2.
- 34 Including exposure to noxious substances.
- 35 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 36 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 37 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that this category includes injuries included in other cause of death categories.
- 38 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
- 39 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively. (Components of this category were revised beginning in 2004, resulting in the inclusion of additional codes/deaths.)
- 40 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as, drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note that disorders included here are also included in other cause of death categories.
- 41 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Components of this category were revised beginning in 2004 resulting in the inclusion of additional codes/deaths.)
- 42 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.