

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2006

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	857.3	524.0	24.9	13.8	40.9	56.9	130.8	307.7	663.4	1,788.5	4,614.2	13,781.3
Infections & Parasitic Disease (A00-B99)	12.2	4.2	—	0.4	0.4	1.2	5.2	9.6	18.4	22.5	42.8	158.1
Tuberculosis (A16-A19)	0.2	—	—	—	—	—	—	—	—	—	1.1	6.5
Meningococcal infection (A39)	0.1	—	—	—	—	—	—	—	—	0.8	—	—
Septicemia (A40-A41)	5.6	—	—	0.4	0.4	1.2	2.4	1.8	6.4	13.3	20.3	82.3
Creutzfeldt-Jacob disease (A81.0)	0.1	—	—	—	—	—	—	—	0.5	—	—	2.2
Viral hepatitis (B15-B19)	1.6	—	—	—	—	—	1.2	2.8	6.0	3.3	1.1	—
HIV/AIDS (B20-B24) ³	0.2	—	—	—	—	—	1.2	0.4	—	—	—	—
Malignant Neoplasms (C00-C97)	194.2	—	2.3	2.5	4.0	11.5	32.5	99.8	288.7	697.9	1,138.9	1,425.4
Lip, oral cavity & pharynx (C00-C14)	1.5	—	—	—	0.4	—	0.4	0.7	0.9	7.5	5.3	17.3
Digestive organs (C15-26)	40.3	—	—	—	1.2	1.2	6.8	13.8	51.5	138.4	252.4	370.4
Esophagus (C15)	2.5	—	—	—	—	—	—	0.4	3.2	10.0	13.9	30.3
Stomach (C16)	2.9	—	—	—	—	0.4	1.2	0.7	4.1	8.3	20.3	19.5
Colon, rectum & anus (C18-C21)	17.2	—	—	—	0.4	0.4	2.4	7.1	19.3	53.4	100.5	197.1
Colon (C18)	14.4	—	—	—	0.4	—	2.0	4.6	15.6	42.5	88.8	173.3
Rectosigmoid junction (C19)	0.7	—	—	—	—	0.4	0.4	0.4	0.9	0.8	4.3	6.5
Rectum (C20)	1.8	—	—	—	—	—	—	2.1	2.3	8.3	5.3	17.3
Liver & intrahepatic bile ducts (C22)	3.4	—	—	—	0.8	0.4	1.2	0.7	6.9	10.0	23.5	13.0
Pancreas (C25)	12.6	—	—	—	—	—	1.6	4.6	14.7	52.5	83.4	93.1
Respiratory, intrathoracic org'ns (C30-C39)	55.3	—	—	—	—	—	4.8	19.8	81.8	242.6	387.1	272.9
Larynx (C32)	0.3	—	—	—	—	—	—	—	—	0.8	4.3	—
Trachea, bronchus & lung (C33-C34)	54.7	—	—	—	—	—	4.8	19.8	81.4	241.0	380.7	268.6
Bronchus & lung (C34)	54.7	—	—	—	—	—	4.8	19.8	81.4	241.0	380.7	268.6
Skin (C43-C44)	2.8	—	—	—	—	0.4	2.4	3.2	4.1	6.7	12.8	15.2
Melanoma of skin (C43)	2.2	—	—	—	—	0.4	2.4	2.8	3.2	6.7	6.4	10.8
Mesothelioma (C45)	0.5	—	—	—	—	—	—	0.4	0.9	0.8	3.2	6.5
Breast (C50)	28.0	—	—	—	—	2.5	10.0	26.2	52.9	77.5	121.9	197.1
Female genital organs (C51-58)	19.6	—	—	—	—	3.3	3.6	12.7	37.2	70.9	98.4	112.6
Cervix uteri (C53)	2.0	—	—	—	—	2.1	0.4	3.5	4.1	1.7	6.4	8.7
Corpus uteri (C54-C55) ⁴	4.9	—	—	—	—	—	1.2	2.8	8.7	20.0	21.4	36.8
Ovary (C56)	11.5	—	—	—	—	0.8	2.0	5.3	23.4	44.2	65.2	56.3
Male genital organs (C60-C63)	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	3.0	—	—	—	—	0.4	—	2.8	4.1	12.5	12.8	21.7

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bladder (C67)	3.1	—	—	—	—	—	0.4	0.4	1.8	10.0	17.1	49.8
Brain, etc. (C70-C72) ⁵	4.3	—	1.1	0.4	0.4	0.4	1.2	6.0	9.2	15.0	15.0	8.7
Thyroid/endocrine gland (C73-C75)	1.1	—	1.1	0.8	—	0.4	0.4	0.4	2.8	1.7	2.1	10.8
Lymphoid & hematopoietic (C81-C96)	18.5	—	—	1.3	2.0	2.5	0.4	5.3	21.6	62.5	106.9	197.1
Hodgkin's disease (C81)	0.4	—	—	—	—	0.4	—	0.4	0.9	—	4.3	—
Non-Hodgkin's lymphoma (C82-C85)	7.0	—	—	—	0.8	—	—	1.1	8.3	23.3	49.2	69.3
Leukemia (C91-C95)	6.5	—	—	1.3	1.2	2.1	—	3.2	4.6	20.0	29.9	82.3
Lymphoid leukemia (C91)	1.9	—	—	1.3	—	0.8	—	0.7	0.5	2.5	6.4	41.2
Myeloid leukemia (C92)	3.3	—	—	—	0.8	0.8	—	2.5	3.7	15.0	16.0	19.5
Multiple myeloma (C88, C90) ⁶	4.6	—	—	—	—	—	0.4	0.7	7.8	19.2	22.5	45.5
Neopla. Not Specif. As Malig. (D00-D48)⁷	6.4	—	—	0.4	0.4	—	1.2	1.4	5.1	15.8	44.9	82.3
Myelodysplastic syndromes (D46)	1.8	—	—	—	—	—	—	0.4	0.9	2.5	10.7	36.8
Diseases of the Blood (D50-89)⁸	2.8	4.2	—	0.4	—	—	0.8	1.8	2.3	4.2	15.0	39.0
Anemias (D50-D64)	1.2	4.2	—	—	—	—	—	0.4	0.5	0.8	5.3	30.3
Endocrine & Nutritional Dis. (E00-E88)⁹	44.7	4.2	2.3	0.4	1.2	4.5	9.2	19.5	43.7	115.1	257.7	556.7
Diabetes mellitus (E10-E14)	31.0	—	—	—	0.8	3.3	4.8	11.7	32.6	85.0	201.0	342.3
Nutritional deficiencies (E40-E64)	1.3	—	—	—	—	—	0.8	0.7	—	1.7	5.3	28.2
Malnutrition (E40-E46)	1.2	—	—	—	—	—	0.8	0.7	—	1.7	5.3	26.0
Mental Disorders (F01-F99)¹⁰	57.7	—	—	—	—	1.2	3.6	12.0	10.6	36.7	236.3	1,592.1
Organic dementia (F01, F03) ¹¹	51.2	—	—	—	—	—	0.4	0.7	3.2	21.7	216.0	1,538.0
Due to alcohol (F10) ¹²	1.9	—	—	—	—	0.4	0.4	5.7	3.2	5.0	2.1	4.3
Due to psychoactive substance (F11-F19)	2.3	—	—	—	—	0.4	2.8	4.6	2.8	7.5	5.3	2.2
Nervous System Dis. (G00-G99)	68.1	16.9	—	0.8	1.2	2.5	4.0	17.0	23.0	79.2	363.6	1,525.0
Meningitis (G00, G03)	0.2	—	—	—	—	—	—	0.7	—	0.8	—	2.2
Amyotrophic lateral sclerosis (G12.2)	2.8	—	—	—	—	—	0.4	1.4	4.1	10.0	18.2	17.3
Parkinson's disease (G20-G21)	8.6	—	—	—	—	—	—	—	1.4	10.0	68.4	173.3
Alzheimer's disease (G30)	45.6	—	—	—	—	0.4	—	0.7	1.8	25.8	239.5	1,260.7
Multiple sclerosis (G35)	2.5	—	—	—	—	0.4	0.8	4.6	3.2	7.5	9.6	10.8
Epilepsy (G40-G41)	0.5	—	—	—	—	0.4	0.4	1.4	—	—	1.1	4.3
Circulatory System Diseases (I00-I99)	254.3	8.5	—	0.8	3.6	5.8	13.6	43.2	106.2	381.9	1,451.1	5,374.3
Major cardiovascular disease (I00-I78)	253.1	8.5	—	0.8	3.2	5.8	13.2	42.1	104.8	378.5	1,445.8	5,363.5
Heart disease (I00-I09, I11, I13, I20-I51)	167.8	8.5	—	0.8	2.0	4.5	8.4	29.4	72.6	258.5	918.6	3,589.4
Rheumatic heart disease (I00-I09) ¹³ ..	3.4	—	—	—	—	—	—	0.4	1.8	6.7	19.2	69.3
Hypertensive heart disease (I11)	8.8	—	—	—	—	—	0.4	1.4	0.9	7.5	43.8	229.6
Hypertensive heart & renal dis. (I13) ..	1.6	—	—	—	—	—	0.4	—	—	0.8	6.4	47.7

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Ischemic heart disease (I20-I25)	87.3	—	—	—	—	0.4	4.8	14.5	49.7	176.8	484.4	1,711.3
Myocardial infarction (I21-I22)	28.7	—	—	—	—	—	1.6	3.9	18.4	71.7	165.7	511.2
Other acute ischemic hrt. dis. (I24) ..	0.5	—	—	—	—	—	—	—	0.5	0.8	3.2	8.7
Chronic isch. heart dis. (I20, I25) ...	58.1	—	—	—	—	0.4	3.2	10.6	30.8	104.2	315.5	1,191.4
Atheroscler. cardiovascular dis. ¹⁴	6.5	—	—	—	—	—	1.2	2.1	3.2	9.2	37.4	125.6
Other chr. ischemic heart dis. ¹⁵ ...	51.6	—	—	—	—	0.4	2.0	8.5	27.6	95.1	278.0	1,065.8
Nonrheumatic mitral valve dis. (I34) ...	1.9	—	—	—	—	0.4	—	0.4	0.5	2.5	9.6	45.5
Nonrheumatic aortic valve dis. (I35) ...	12.0	—	—	—	—	—	—	0.7	0.9	9.2	72.7	301.1
Cardiomyopathy (I42)	4.8	4.2	—	—	0.8	0.8	1.2	3.2	2.3	10.0	24.6	67.2
Heart failure (I50)	23.8	—	—	—	—	0.4	—	2.8	2.8	17.5	113.4	645.5
Congestive heart failure (I50.0)	22.6	—	—	—	—	0.4	—	2.5	2.8	12.5	110.1	619.5
Left ventricular heart failure (I50.1)	0.1	—	—	—	—	—	—	—	—	—	1.1	—
Heart failure, unspecified (I50.9)	1.1	—	—	—	—	—	—	0.4	—	4.2	2.1	26.0
Hypertension & hyp. renal dis. (I10, I12)	12.0	—	—	—	—	—	0.4	0.7	4.1	21.7	61.0	275.1
Cerebrovascular disease (I60-I69) ¹¹	61.9	—	—	—	0.8	0.8	3.6	10.3	23.9	77.5	383.9	1,299.7
Subarachnoid hemorrhage (I60)	2.9	—	—	—	0.8	—	1.2	3.2	6.4	9.2	7.5	15.2
Intracerebral hemorrhage (I61-I62) ¹⁶	9.8	—	—	—	—	—	1.2	4.2	7.8	16.7	71.6	134.3
Cerebral infarction (I63)	2.5	—	—	—	—	—	0.8	—	1.4	2.5	19.2	45.5
Stroke (type not specified) (I64)	34.9	—	—	—	—	0.4	0.4	1.8	6.9	40.9	214.9	812.3
Atherosclerosis (I70)	3.5	—	—	—	—	—	—	0.7	0.5	2.5	18.2	88.8
Aortic aneurysm & dissection (I71)	5.0	—	—	—	0.4	0.4	0.8	0.4	1.4	12.5	40.6	67.2
Diseases of arteries (I72-I78) ¹⁷	3.0	—	—	—	—	—	—	0.7	2.3	5.8	23.5	43.3
Respiratory System Diseases (J00-J99)	80.9	16.9	2.3	—	0.8	1.6	1.6	14.9	60.7	236.0	542.2	1,122.1
Influenza & pneumonia (J10-J18)	14.3	4.2	—	—	0.4	0.8	0.8	2.5	4.1	20.0	69.5	333.6
Influenza (J10-J11)	0.2	—	—	—	0.4	—	—	—	—	—	2.1	—
Pneumonia (J12-J18)	14.1	4.2	—	—	—	0.8	0.8	2.5	4.1	20.0	67.4	333.6
Other acute lower resp. infect'ns (J20-J22)	0.1	—	—	—	—	—	—	—	—	—	—	2.2
Chronic lower respiratory dis. (J40-J47) ¹⁸ ..	51.1	4.2	1.1	—	—	—	0.4	7.4	46.0	188.4	382.8	515.6
Bronchitis, chronic & unspec. (J40-J42)	0.5	4.2	—	—	—	—	—	0.4	0.5	0.8	2.1	6.5
Emphysema (J43)	6.0	—	—	—	—	—	—	1.1	6.0	22.5	54.5	36.8
Asthma (J45-J46)	2.4	—	1.1	—	—	—	—	2.1	3.2	2.5	13.9	30.3
Other CLRD (J44, J47)	42.2	—	—	—	—	—	0.4	3.9	36.3	162.6	312.2	441.9
Bronchiectasis (J47)	0.6	—	—	—	—	—	—	0.4	—	1.7	—	17.3
Pneumoconioses (J60-J66, J68) ¹⁹	0.1	—	—	—	—	—	—	—	—	—	—	2.2
Pneumonitis due to solids & liquids (J69) ...	4.4	—	—	—	0.4	—	—	1.1	1.4	10.8	13.9	104.0

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Digestive System Diseases (K00-K92)	36.4	8.5	—	0.8	1.2	0.8	8.4	23.7	37.7	80.0	174.3	513.4
Peptic ulcer (K25-K28)	2.2	—	—	—	—	0.4	—	2.5	1.4	3.3	6.4	43.3
Diseases of the appendix (K35-K38)	0.2	—	—	—	—	—	—	—	—	0.8	1.1	2.2
Appendicitis (K35-K37)	0.2	—	—	—	—	—	—	—	—	0.8	1.1	2.2
Hernia (K40-K46)	0.6	—	—	—	—	—	—	—	0.9	—	4.3	10.8
Vascular disorders of the intestine (K55)	4.3	—	—	—	—	—	—	1.8	2.3	9.2	35.3	56.3
Chronic liver disease (K70, K73-K74) ²⁰	8.4	—	—	—	—	—	6.4	12.7	21.6	23.3	27.8	6.5
Alcoholic liver disease (K70) ²¹	4.5	—	—	—	—	—	5.2	9.9	13.8	9.2	2.1	—
Cholelithiasis (K80-K82) ²²	1.1	—	—	—	0.4	—	—	—	—	1.7	6.4	23.8
Diseases of the Skin (L00-L98)²³	1.3	—	—	—	—	—	—	—	0.9	2.5	8.6	23.8
Musculoskeletal Disease (M00-M99)²⁴	11.2	—	—	—	—	0.8	1.6	5.0	6.0	20.0	63.1	197.1
Genitourinary System Dis. (N00-N99)	16.5	—	—	—	—	0.4	1.2	2.5	9.7	27.5	101.6	314.1
Nephritis (N00-N07, N17-N19, N25-N27) ²⁵	9.3	—	—	—	—	0.4	0.8	2.1	5.5	20.0	58.8	158.1
Acute nephrotic syndrome ²⁶	0.1	—	—	—	—	—	—	—	—	—	1.1	—
Chronic nephritis ²⁷	1.1	—	—	—	—	—	—	—	—	1.7	6.4	26.0
Renal failure (N17-N19)	8.2	—	—	—	—	0.4	0.8	2.1	5.5	18.3	51.3	132.1
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.3	—	—	—	—	—	—	—	0.5	0.8	—	8.7
Urinary tract infection (N59.0)	5.9	—	—	—	—	—	0.4	—	2.3	5.0	37.4	136.5
Hyperplasia of prostate (N40)	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) ²⁸	0.1	—	—	—	—	—	—	0.4	—	—	—	—
Pregnancy & Childbirth (O00-O99)²⁹	0.5	—	—	—	0.4	2.1	1.2	—	—	—	—	—
Perinatal Conditions (P00-P96)	2.9	224.0	—	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)³⁰ ..	3.8	156.3	1.1	0.8	—	1.2	1.2	1.8	3.2	1.7	4.3	13.0
Malformation of the heart (Q20-Q24)	0.9	33.8	—	0.4	—	—	0.4	0.7	0.5	—	1.1	4.3
Other malf. of the circul. sys. (Q25-Q28)	0.3	4.2	—	—	—	—	—	—	0.5	0.8	—	4.3
Malf. of the respiratory system (Q30-Q34)	0.1	8.5	—	—	—	—	—	—	—	—	—	—
Symptoms & Signs (R00-R99)³¹	18.9	54.9	2.3	—	0.4	1.2	0.8	4.6	7.8	21.7	73.8	441.9
Senility (R54)	4.8	—	—	—	—	—	—	—	—	2.5	13.9	158.1
Sudden infant death syndrome (R95)	0.5	42.3	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	44.5	25.4	14.7	6.3	27.3	21.8	44.6	50.6	39.5	45.9	96.2	400.7
Accidents (V01-X59, Y85-Y86)	32.1	21.1	10.2	5.4	18.0	16.1	24.5	28.7	23.9	37.5	77.0	372.6
Transport accidents (V01-V99, Y85)	8.7	—	7.9	3.3	15.6	7.4	8.0	9.9	5.1	11.7	8.6	17.3
Motor vehicle acc. (Many codes) ³²	8.2	—	7.9	3.3	15.2	7.0	7.6	9.6	4.1	9.2	7.5	17.3
Motor veh. traf. (Many codes) ³³	7.9	—	6.8	3.3	15.2	6.6	7.6	9.6	4.1	8.3	6.4	17.3
Water transport accidents (V90-V94)	0.1	—	—	—	0.4	—	0.4	—	—	—	—	—

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Air transport accidents (V95-V97)	0.2	—	—	—	—	0.4	—	—	0.5	1.7	—	—
Nontransport accidents (W00-X59, Y86)	23.4	21.1	2.3	2.1	2.4	8.7	16.5	18.8	18.9	25.8	68.4	355.3
Falls (W00-W19)	9.4	—	—	—	—	—	0.4	2.5	4.1	11.7	41.7	227.4
Firearms (W32-W34)	0.1	—	—	—	—	0.4	—	—	—	—	—	—
Drowning & submersion (W65-W74) ..	1.0	—	2.3	1.7	0.4	—	0.8	1.4	0.9	1.7	1.1	—
Exposure to smoke & fire (X00-X09) ..	0.7	—	—	—	0.4	—	0.4	—	1.8	2.5	3.2	2.2
Poisoning (X40-X49) ³⁴	6.4	—	—	0.4	1.2	8.2	14.4	13.8	6.0	2.5	1.1	4.3
Suicide (X60-X84, Y87.0)	7.3	—	—	—	5.6	3.7	12.0	14.5	10.6	6.7	9.6	2.2
Poisoning (X60-X69)	3.7	—	—	—	2.0	0.8	8.0	8.5	5.5	1.7	3.2	2.2
Hanging/suffocation (X70)	1.1	—	—	—	2.0	0.8	2.0	1.1	—	2.5	2.1	—
Firearm discharge (X72-X74)	2.1	—	—	—	1.2	2.1	2.0	3.9	4.1	1.7	3.2	—
Homicide (X85-Y09, Y87.1)	1.8	—	4.5	0.8	2.0	0.8	1.2	2.5	2.3	0.8	3.2	2.2
Firearm discharge (X93-X95)	0.9	—	—	0.4	1.2	0.8	0.8	1.4	0.5	—	2.1	2.2
Legal intervention (Y35, Y89.0) ³⁵	0.1	—	—	—	—	0.4	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	2.3	4.2	—	—	1.6	0.8	6.8	4.6	1.8	0.8	—	2.2
Medical care complications (Y40-Y84, Y88) ..	1.0	—	—	—	—	—	—	0.4	0.9	—	6.4	21.7
<i>Injury by firearms (Many codes)</i> ³⁶	3.0	—	—	0.4	2.4	3.7	2.8	5.3	4.6	1.7	5.3	2.2
<i>Alcohol-induced deaths (Many codes)</i> ^{37,38}	6.6	—	—	—	—	0.4	6.0	15.9	17.0	15.0	5.3	4.3
<i>Drug-induced deaths (Many codes)</i> ^{39,40}	13.3	—	—	—	4.8	10.3	29.3	29.4	13.8	10.8	6.4	8.7
<i>Injury at work</i> ⁴¹	0.5	—	—	—	—	0.4	0.4	0.7	0.9	0.8	1.1	2.2

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Including uterus, part unspecified.

⁵ Including meninges and other parts of the central nervous system.

⁶ Including immunoproliferative neoplasms.

⁷ Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁸ Including diseases of the blood forming-organs and disorders involving the immune mechanism.

⁹ Including metabolic diseases.

¹⁰ Including behavioral disorders.

¹¹ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia.

¹² For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

¹³ Including acute rheumatic fever.

- 14 The ICD-10 code is I25.0.
- 15 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 16 Including other intracranial hemorrhages.
- 17 Including diseases of the arterioles and capillaries.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis.
- 26 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 34 Including exposure to noxious substances.
- 35 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 36 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that injuries included here are also included in other cause of death categories.
- 37 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
- 38 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively.
- 39 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other causes, such as drug-induced hypoglycemia and drug-induced Parkinsonism, are also included here. Note that disorders included here are also included in other cause of death categories.
- 40 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
- 41 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.