

**TABLE 6-44t. Age-adjusted Death Rates for Selected Causes by
County/Geographic region, Oregon Residents, 2004-2006**

Cause of Death	State	Clackamas	Deschutes	Douglas	Jackson
Total Both Genders	795.45	803.97	704.91	860.77	786.87
Infectious & parasitic disease (A00-B99)	13.51	13.29	7.37	18.24	11.17
Septicemia (A40-A41)	4.82	5.91	*	6.69	3.53
Malignant neoplasms (C00-C97)	190.18	190.66	165.24	204.96	194.50
Esophagus (C15)	5.33	4.92	4.78	6.80	4.81
Colon, rectum & anus (C18-C21)	16.76	17.01	13.81	21.30	15.43
Pancreas (C25)	11.48	12.57	9.10	10.71	13.54
Trachea, bronchus & lung (C33-C34)	55.42	54.80	49.64	62.41	53.76
Breast (C50)	13.01	15.57	10.25	10.37	13.85
Cervical or uterine (C53-C55) ^ψ	1.77	*	*	*	*
Ovary (C61) ^ψ	10.53	11.21	10.65	14.35	10.28
Prostate (C61) ^ψ	26.90	29.37	26.03	27.77	25.96
Brain, etc. (C70-C72)**	5.32	5.11	*	*	7.13
Lymphoid & hematopoietic (C81-C96)	19.76	18.04	20.34	20.91	20.67
Non-Hodgkin's lymphoma (C82-C85)	7.80	7.89	6.72	8.09	7.29
Leukemia (C91-C95)	7.61	5.98	7.90	7.92	9.41
Diabetes mellitus (E10-E14)	29.03	27.88	19.54	31.42	23.02
Parkinson's disease (G20-G21)	8.33	10.41	8.72	5.80	7.71
Alzheimer's disease (G30)	30.98	38.88	27.18	30.90	41.88
Major cardiovascular diseases (I00-I78)	247.85	257.99	222.79	259.12	236.00
Heart disease (I00-I09, I11, I13, I20-I51)	170.05	176.05	150.93	186.57	158.48
Hypertensive heart disease (I11)	5.44	5.11	*	6.57	3.77
Ischemic heart diseases (I20-I25)	106.37	107.73	99.01	124.51	97.32
Myocardial infarction (I21-I22)	35.85	36.50	37.27	41.11	24.39
Chronic ischemic heart disease (I20, I25).....	70.00	70.74	61.52	82.95	72.65
Atherosclerotic cardiovascular dis. (I25.0)....	7.55	6.50	9.59	6.72	5.76
Heart failure (I50)	19.21	22.63	16.29	18.32	20.45
Cerebrovascular disease (I60-I69)	55.75	58.25	49.57	48.82	58.01
Arteriosclerosis (I70)	4.06	4.87	4.61	5.36	*
Aortic aneurysm & dissection (I71)	5.09	5.28	5.44	5.39	5.33
Influenza & pneumonia (J10-J18)	14.12	14.42	9.77	17.37	11.59
Chronic lower respiratory disease (J40-J47)	47.50	44.91	41.29	57.63	56.12
Emphysema (J43)	6.12	6.67	5.26	*	6.45
Other CLRD (J44, J47)	39.69	36.56	34.89	52.00	48.52
Chronic liver disease (K70, K73-K74)	10.37	10.57	8.20	12.37	9.80
Alcoholic liver disease (K70)	7.74	7.57	5.97	9.64	7.59
Nephritis (N00-N07, N17-N19, N25-N27)**	8.26	10.12	*	8.04	5.66
Symptoms & signs NEC (R00-R99)	12.29	11.69	6.66	9.70	14.55
Accidents (V01-X59, Y85-Y86)	39.02	36.38	45.30	54.05	45.11
Transport accidents (V01-V99, Y85)	14.57	13.13	19.47	27.76	16.38
Motor vehicle accidents (Many codes)**	13.30	11.85	16.77	26.16	15.50
Nontransport accidents (W00-X59, Y86)	24.45	23.25	25.82	26.29	28.73
Falls (W00-W19)	9.39	9.81	14.27	6.88	10.79
Poisonings & overdoses (X40-X49)	7.15	5.68	4.55	7.11	11.98
Suicide (X60-X84, Y87.0)	15.03	11.11	16.68	20.98	18.17
Homicide (X85-Y09, Y87.1)	3.00	2.71	*	*	*
Injury by firearms (Many codes)**	10.39	8.08	11.76	14.47	10.54
Alcohol-induced deaths (Many codes)**	13.92	12.62	12.57	13.44	11.31
Drug-induced deaths (Many codes)**	13.02	10.90	9.25	12.66	21.15

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.

**TABLE 6-44t. Age-adjusted Death Rates for Selected Causes by
County/Geographic region, Oregon Residents, 2004-2006**

Cause of Death	Josephine	Lane	Linn	Marion	Multnomah
Total Both Genders	880.09	799.10	853.69	798.70	840.08
Infectious & parasitic disease (A00-B99)	17.64	11.05	15.97	15.07	18.05
Septicemia (A40-A41)	6.18	4.37	6.45	5.17	5.59
Malignant neoplasms (C00-C97)	211.93	198.05	203.09	196.28	193.58
Esophagus (C15)	*	4.85	6.64	4.13	5.53
Colon, rectum & anus (C18-C21)	18.78	13.83	15.63	19.43	16.96
Pancreas (C25)	11.50	13.59	13.40	9.18	12.24
Trachea, bronchus & lung (C33-C34)	70.36	60.80	63.54	57.44	57.68
Breast (C50)	14.28	13.61	14.05	14.28	12.77
Cervical or uterine (C53-C55) ^ψ	*	*	*	*	2.09
Ovary (C61) ^ψ	*	13.27	13.41	10.74	10.62
Prostate (C61) ^ψ	28.02	28.06	16.84	30.46	28.74
Brain, etc. (C70-C72)**	*	6.26	7.13	5.04	5.06
Lymphoid & hematopoietic (C81-C96)	20.96	21.15	19.91	23.19	18.51
Non-Hodgkin's lymphoma (C82-C85)	7.24	7.66	8.16	9.95	7.21
Leukemia (C91-C95)	7.01	8.87	9.24	8.15	7.10
Diabetes mellitus (E10-E14)	21.10	28.38	35.34	37.86	32.17
Parkinson's disease (G20-G21)	7.11	7.75	8.61	9.61	9.18
Alzheimer's disease (G30)	24.87	30.04	23.16	25.27	32.58
Major cardiovascular diseases (I00-I78)	264.82	232.88	272.06	246.17	263.72
Heart disease (I00-I09, I11, I13, I20-I51)	186.45	158.64	183.93	163.21	181.89
Hypertensive heart disease (I11)	5.37	5.09	5.41	5.91	6.54
Ischemic heart diseases (I20-I25)	123.30	90.61	119.25	101.50	111.82
Myocardial infarction (I21-I22)	32.89	28.02	52.48	36.41	37.01
Chronic ischemic heart disease (I20, I25)	90.16	61.89	65.64	64.60	74.40
Atherosclerotic cardiovascular dis. (I25.0)	14.45	3.87	6.84	8.99	6.34
Heart failure (I50)	15.61	20.76	19.68	16.46	20.52
Cerebrovascular disease (I60-I69)	59.25	54.55	68.44	59.93	58.70
Arteriosclerosis (I70)	*	3.07	*	*	4.32
Aortic aneurysm & dissection (I71)	*	3.98	6.01	7.06	5.48
Influenza & pneumonia (J10-J18)	9.95	15.68	17.19	13.38	13.01
Chronic lower respiratory disease (J40-J47)	54.42	51.60	49.90	44.71	46.30
Emphysema (J43)	9.25	9.82	*	6.47	4.58
Other CLRD (J44, J47)	43.77	40.02	43.68	36.34	39.91
Chronic liver disease (K70, K73-K74)	14.90	10.43	14.64	9.51	10.99
Alcoholic liver disease (K70)	11.92	7.66	10.35	6.94	8.28
Nephritis (N00-N07, N17-N19, N25-N27)**	8.84	9.61	9.10	7.77	9.64
Symptoms & signs NEC (R00-R99)	23.86	16.56	10.39	10.00	12.65
Accidents (V01-X59, Y85-Y86)	52.90	37.65	49.22	34.71	37.61
Transport accidents (V01-V99, Y85)	24.19	13.68	22.58	14.76	8.76
Motor vehicle accidents (Many codes)**	24.19	12.00	21.94	13.49	7.78
Nontransport accidents (W00-X59, Y86)	28.71	23.97	26.65	19.95	28.85
Falls (W00-W19)	9.17	7.90	7.70	6.56	11.07
Poisonings & overdoses (X40-X49)	8.02	7.66	8.71	5.46	10.34
Suicide (X60-X84, Y87.0)	19.31	16.51	14.50	13.82	13.75
Homicide (X85-Y09, Y87.1)	*	3.70	*	2.94	4.35
Injury by firearms (Many codes)**	16.47	12.82	9.75	9.55	8.14
Alcohol-induced deaths (Many codes)**	16.98	13.60	19.34	12.17	15.49
Drug-induced deaths (Many codes)**	12.19	14.44	12.54	12.14	20.96

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.

**TABLE 6-44t. Age-adjusted Death Rates for Selected Causes by
County/Geographic region, Oregon Residents, 2004-2006**

Cause of Death	Washington	Yamhill	North Coast: Clatsop, Columbia, Lincoln, Tillamook	South Coast: Coos, Curry
Total Both Genders	702.70	868.83	826.38	871.82
Infectious & parasitic disease (A00-B99)	11.14	10.81	11.79	14.39
Septicemia (A40-A41)	4.45	*	4.15	*
Malignant neoplasms (C00-C97)	169.40	208.34	197.36	212.92
Esophagus (C15)	5.67	*	6.20	7.15
Colon, rectum & anus (C18-C21)	14.55	18.83	19.16	17.94
Pancreas (C25)	10.51	12.07	9.28	10.49
Trachea, bronchus & lung (C33-C34)	42.22	60.19	62.58	65.74
Breast (C50)	13.56	14.63	13.82	13.45
Cervical or uterine (C53-C55) ^ψ	*	*	*	*
Ovary (C61) ^ψ	8.28	*	6.63	8.65
Prostate (C61) ^ψ	27.25	29.58	28.37	18.52
Brain, etc. (C70-C72)**	5.00	7.67	5.58	5.76
Lymphoid & hematopoietic (C81-C96)	17.72	23.28	18.21	20.41
Non-Hodgkin's lymphoma (C82-C85)	7.45	9.58	8.06	6.85
Leukemia (C91-C95)	7.12	9.82	5.81	8.48
Diabetes mellitus (E10-E14)	26.53	35.94	28.18	29.79
Parkinson's disease (G20-G21)	9.35	13.53	7.62	7.38
Alzheimer's disease (G30)	32.88	26.33	31.18	29.78
Major cardiovascular diseases (I00-I78)	223.76	262.37	265.70	283.47
Heart disease (I00-I09, I11, I13, I20-I51)	152.03	184.32	182.62	203.66
Hypertensive heart disease (I11)	4.90	8.64	5.51	5.46
Ischemic heart diseases (I20-I25)	92.15	105.82	120.70	147.97
Myocardial infarction (I21-I22)	30.79	34.62	41.77	47.90
Chronic ischemic heart disease (I20, I25)	60.71	70.43	78.10	99.84
Atherosclerotic cardiovascular dis. (I25.0)	4.21	*	9.67	13.31
Heart failure (I50)	18.65	15.87	20.54	16.46
Cerebrovascular disease (I60-I69)	52.02	60.23	60.70	55.98
Arteriosclerosis (I70)	3.46	*	4.97	6.90
Aortic aneurysm & dissection (I71)	4.40	*	5.82	*
Influenza & pneumonia (J10-J18)	12.83	26.45	17.17	11.41
Chronic lower respiratory disease (J40-J47)	34.31	50.25	51.63	52.62
Emphysema (J43)	4.29	7.80	6.16	6.09
Other CLRD (J44, J47)	28.50	41.08	42.93	44.16
Chronic liver disease (K70, K73-K74)	6.96	8.78	12.46	12.99
Alcoholic liver disease (K70)	4.71	*	10.10	10.00
Nephritis (N00-N07, N17-N19, N25-N27)**	7.19	9.52	8.52	9.07
Symptoms & signs NEC (R00-R99)	9.13	11.63	10.21	12.27
Accidents (V01-X59, Y85-Y86)	27.01	45.25	53.11	44.19
Transport accidents (V01-V99, Y85)	8.90	17.91	19.11	20.21
Motor vehicle accidents (Many codes)**	8.13	16.55	17.12	17.42
Nontransport accidents (W00-X59, Y86)	18.11	27.35	33.99	23.98
Falls (W00-W19)	8.90	10.57	11.70	7.34
Poisonings & overdoses (X40-X49)	3.57	*	12.96	*
Suicide (X60-X84, Y87.0)	11.63	13.72	19.68	28.16
Homicide (X85-Y09, Y87.1)	1.62	*	*	*
Injury by firearms (Many codes)**	8.11	9.09	12.07	18.97
Alcohol-induced deaths (Many codes)**	8.38	9.66	13.79	14.28
Drug-induced deaths (Many codes)**	8.17	11.60	21.29	16.24

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.

**TABLE 6-44t. Age-adjusted Death Rates for Selected Causes by
County/Geographic region, Oregon Residents, 2004-2006**

Cause of Death	Mid Valley: Benton, Polk	North Central: Gilliam, Hood River, Jefferson, Sherman, Wasco, Wheeler	South Central: Klamath, Lake	Eastern Oregon: Baker, Grant, Harney, Malheur, Morrow, Umatilla, Union, Wallowa
Total Both Genders	646.02	813.46	948.84	781.54
Infectious & parasitic disease (A00-B99)	10.89	11.74	13.88	13.26
Septicemia (A40-A41)	*	*	*	6.29
Malignant neoplasms (C00-C97)	166.48	175.07	206.26	181.79
Esophagus (C15)	*	*	*	5.74
Colon, rectum & anus (C18-C21)	15.50	16.71	21.82	17.37
Pancreas (C25)	11.31	10.20	12.49	10.65
Trachea, bronchus & lung (C33-C34)	43.91	51.90	57.79	46.69
Breast (C50)	10.06	10.32	11.75	11.06
Cervical or uterine (C53-C55) ^ψ	*	*	*	*
Ovary (C61) ^ψ	8.39	*	*	11.07
Prostate (C61) ^ψ	23.19	25.29	*	30.50
Brain, etc. (C70-C72)**	4.43	*	*	4.59
Lymphoid & hematopoietic (C81-C96)	20.84	16.62	23.87	20.61
Non-Hodgkin's lymphoma (C82-C85)	9.74	*	11.53	8.06
Leukemia (C91-C95)	8.18	*	*	8.09
Diabetes mellitus (E10-E14)	22.18	29.25	40.05	29.52
Parkinson's disease (G20-G21)	7.56	*	*	5.94
Alzheimer's disease (G30)	28.58	27.06	43.98	22.18
Major cardiovascular diseases (I00-I78)	201.02	267.66	268.58	238.64
Heart disease (I00-I09, I11, I13, I20-I51)	132.34	185.97	195.67	172.89
Hypertensive heart disease (I11)	4.44	7.86	*	5.95
Ischemic heart diseases (I20-I25)	83.93	106.11	131.17	113.74
Myocardial infarction (I21-I22)	32.29	42.92	52.10	41.19
Chronic ischemic heart disease (I20, I25)	51.14	63.19	78.69	71.67
Atherosclerotic cardiovascular dis. (I25.0)	5.82	*	13.99	15.99
Heart failure (I50)	13.97	30.73	18.93	17.08
Cerebrovascular disease (I60-I69)	49.14	59.51	45.86	45.52
Arteriosclerosis (I70)	*	*	*	3.87
Aortic aneurysm & dissection (I71)	*	*	8.32	4.00
Influenza & pneumonia (J10-J18)	13.81	12.98	20.15	15.17
Chronic lower respiratory disease (J40-J47)	36.63	57.11	58.52	50.49
Emphysema (J43)	4.96	*	9.82	6.50
Other CLRD (J44, J47)	30.39	52.79	46.24	42.18
Chronic liver disease (K70, K73-K74)	5.91	13.39	14.49	10.79
Alcoholic liver disease (K70)	4.99	11.79	11.45	7.60
Nephritis (N00-N07, N17-N19, N25-N27)**	4.61	8.20	7.72	9.10
Symptoms & signs NEC (R00-R99)	9.98	7.98	23.75	16.75
Accidents (V01-X59, Y85-Y86)	29.11	52.90	56.98	43.99
Transport accidents (V01-V99, Y85)	13.44	25.27	30.66	18.23
Motor vehicle accidents (Many codes)**	12.08	22.69	28.73	17.44
Nontransport accidents (W00-X59, Y86)	15.67	27.63	26.32	25.76
Falls (W00-W19)	6.82	9.94	9.88	10.25
Poisonings & overdoses (X40-X49)	*	*	*	5.65
Suicide (X60-X84, Y87.0)	12.23	11.96	20.57	17.89
Homicide (X85-Y09, Y87.1)	*	*	*	*
Injury by firearms (Many codes)**	6.35	*	17.21	16.56
Alcohol-induced deaths (Many codes)**	8.65	16.21	21.02	12.28
Drug-induced deaths (Many codes)**	7.68	*	15.37	9.23

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.

**TABLE 6-44m. Age-adjusted Death Rates for Selected Causes by
County/Geographic region, Oregon Residents, 2004-2006**

Cause of Death	State	Clackamas	Deschutes	Douglas	Jackson
Total Males.....	930.9	902.8	793.2	1,059.6	935.6
Infectious & parasitic disease (A00-B99)	16.9	16.6	*	23.8	13.8
Septicemia (A40-A41)	5.4	6.3	*	*	*
Malignant neoplasms (C00-C97)	225.5	221.9	190.5	245.8	226.8
Esophagus (C15)	9.3	10.2	*	11.6	7.7
Colon, rectum & anus (C18-C21)	19.3	18.8	16.3	21.6	20.4
Pancreas (C25)	12.5	11.4	*	*	14.4
Trachea, bronchus & lung (C33-C34)	66.6	62.8	58.8	81.7	67.0
Breast (C50)	*	*	*	*	*
Cervical or uterine (C53-C55) ^ψ	*	*	*	*	*
Ovary (C61) ^ψ	*	*	*	*	*
Prostate (C61) ^ψ	26.9	29.4	26.0	27.8	26.0
Brain, etc. (C70-C72)**	6.5	6.4	*	*	6.9
Lymphoid & hematopoietic (C81-C96)	25.3	23.9	22.8	25.6	26.6
Non-Hodgkin's lymphoma (C82-C85)	9.7	9.5	*	*	9.6
Leukemia (C91-C95)	10.3	8.9	11.3	*	11.7
Diabetes mellitus (E10-E14)	33.3	34.4	19.4	43.0	24.3
Parkinson's disease (G20-G21)	12.4	15.1	11.3	*	11.2
Alzheimer's disease (G30)	26.3	30.3	20.1	28.8	35.9
Major cardiovascular diseases (I00-I78)	297.5	291.9	260.9	325.3	296.3
Heart disease (I00-I09, I11, I13, I20-I51)	216.4	212.9	191.8	241.0	211.6
Hypertensive heart disease (I11)	4.5	3.7	*	*	*
Ischemic heart diseases (I20-I25)	150.5	145.0	138.3	173.1	139.8
Myocardial infarction (I21-I22)	48.6	44.7	53.4	53.8	30.4
Chronic ischemic heart disease (I20, I25)	101.2	100.1	84.5	118.9	108.8
Atherosclerotic cardiovascular dis. (I25.0)	9.8	9.4	*	*	7.0
Heart failure (I50)	21.0	24.5	18.8	17.7	23.8
Cerebrovascular disease (I60-I69)	56.6	56.2	48.2	57.8	60.1
Arteriosclerosis (I70)	4.7	5.0	*	*	*
Aortic aneurysm & dissection (I71)	6.9	6.4	*	*	7.4
Influenza & pneumonia (J10-J18)	16.6	17.2	10.6	22.6	14.4
Chronic lower respiratory disease (J40-J47)	54.5	48.5	44.7	71.7	64.3
Emphysema (J43)	7.0	7.6	*	*	8.1
Other CLRD (J44, J47)	46.0	39.9	36.7	64.7	55.0
Chronic liver disease (K70, K73-K74)	13.5	12.5	9.7	14.3	13.9
Alcoholic liver disease (K70)	10.8	10.0	8.2	11.4	11.5
Nephritis (N00-N07, N17-N19, N25-N27)**	10.2	11.2	*	*	9.6
Symptoms & signs NEC (R00-R99)	12.6	10.0	*	12.2	13.1
Accidents (V01-X59, Y85-Y86)	52.0	48.1	61.6	77.8	63.6
Transport accidents (V01-V99, Y85)	20.6	18.4	30.6	41.2	23.8
Motor vehicle accidents (Many codes)**	18.6	16.7	25.6	39.4	22.4
Nontransport accidents (W00-X59, Y86)	31.4	29.7	31.0	36.6	39.8
Falls (W00-W19)	11.1	12.0	16.8	*	13.1
Poisonings & overdoses (X40-X49)	9.2	6.2	*	*	16.9
Suicide (X60-X84, Y87.0)	24.0	19.6	26.4	35.0	29.3
Homicide (X85-Y09, Y87.1)	4.3	3.8	*	*	*
Injury by firearms (Many codes)**	18.7	15.4	19.2	27.0	20.4
Alcohol-induced deaths (Many codes)**	19.1	18.0	18.6	16.8	17.7
Drug-induced deaths (Many codes)**	16.5	12.1	11.9	16.6	25.6

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.

**TABLE 6-44m. Age-adjusted Death Rates for Selected Causes by
County/Geographic region, Oregon Residents, 2004-2006**

Cause of Death	Josephine	Lane	Linn	Marion	Multnomah
Total Males.....	1,061.9	932.3	1,008.5	924.8	983.9
Infectious & parasitic disease (A00-B99)	20.6	14.6	20.9	18.0	22.8
Septicemia (A40-A41)	*	*	*	5.5	6.2
Malignant neoplasms (C00-C97)	249.5	231.4	230.4	235.0	228.7
Esophagus (C15)	*	8.4	*	7.1	10.3
Colon, rectum & anus (C18-C21)	21.4	13.9	14.8	22.3	20.0
Pancreas (C25)	*	15.4	12.9	9.7	14.0
Trachea, bronchus & lung (C33-C34)	81.0	73.5	76.0	73.6	67.0
Breast (C50)	*	*	*	*	*
Cervical or uterine (C53-C55) ^ψ	*	*	*	*	*
Ovary (C61) ^ψ	*	*	*	*	*
Prostate (C61) ^ψ	28.0	28.1	16.8	30.5	28.7
Brain, etc. (C70-C72)**	*	9.7	*	5.9	5.8
Lymphoid & hematopoietic (C81-C96)	28.0	25.4	27.5	27.1	21.7
Non-Hodgkin's lymphoma (C82-C85)	*	10.2	12.2	9.8	7.8
Leukemia (C91-C95)	*	10.5	*	11.6	9.0
Diabetes mellitus (E10-E14)	22.4	30.6	44.0	41.1	36.8
Parkinson's disease (G20-G21)	*	12.4	14.5	14.8	14.1
Alzheimer's disease (G30)	23.7	29.5	19.4	20.5	26.5
Major cardiovascular diseases (I00-I78)	331.0	282.1	317.5	292.3	311.8
Heart disease (I00-I09, I11, I13, I20-I51)	245.2	202.5	226.9	205.6	228.8
Hypertensive heart disease (I11)	*	*	*	*	4.9
Ischemic heart diseases (I20-I25)	174.6	131.4	165.8	142.7	158.4
Myocardial infarction (I21-I22)	54.0	42.6	69.6	46.9	45.9
Chronic ischemic heart disease (I20, I25)	120.0	88.2	94.3	95.1	112.2
Atherosclerotic cardiovascular dis. (I25.0)	14.9	6.0	*	12.0	8.5
Heart failure (I50)	18.3	20.5	17.8	19.6	23.8
Cerebrovascular disease (I60-I69)	60.2	58.4	65.2	59.4	59.4
Arteriosclerosis (I70)	*	*	*	*	4.4
Aortic aneurysm & dissection (I71)	*	4.8	*	12.1	6.1
Influenza & pneumonia (J10-J18)	*	18.6	21.1	14.9	15.9
Chronic lower respiratory disease (J40-J47)	65.7	57.2	62.4	49.7	55.3
Emphysema (J43)	*	11.3	*	5.9	5.7
Other CLRD (J44, J47)	53.7	44.7	53.5	42.1	47.9
Chronic liver disease (K70, K73-K74)	22.1	13.6	18.5	13.1	15.7
Alcoholic liver disease (K70)	19.2	10.7	14.4	10.6	12.2
Nephritis (N00-N07, N17-N19, N25-N27)**	12.7	11.2	*	9.1	12.7
Symptoms & signs NEC (R00-R99)	22.3	16.5	*	10.4	12.5
Accidents (V01-X59, Y85-Y86)	73.7	50.6	64.6	49.1	48.9
Transport accidents (V01-V99, Y85)	35.1	18.9	33.6	22.1	12.5
Motor vehicle accidents (Many codes)**	35.1	16.5	32.4	20.3	11.0
Nontransport accidents (W00-X59, Y86)	38.6	31.7	31.0	27.1	36.4
Falls (W00-W19)	*	9.0	*	7.9	12.9
Poisonings & overdoses (X40-X49)	*	10.1	*	7.5	14.2
Suicide (X60-X84, Y87.0)	31.0	25.7	24.2	20.4	20.1
Homicide (X85-Y09, Y87.1)	*	4.0	*	4.4	6.7
Injury by firearms (Many codes)**	27.1	21.9	18.4	15.7	15.1
Alcohol-induced deaths (Many codes)**	26.8	20.2	28.7	18.1	24.2
Drug-induced deaths (Many codes)**	16.0	16.6	*	13.3	27.1

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.

**TABLE 6-44m. Age-adjusted Death Rates for Selected Causes by
County/Geographic region, Oregon Residents, 2004-2006**

Cause of Death	Washington	Yamhill	North Coast: Clatsop, Columbia, Lincoln, Tillamook	South Coast: Coos, Curry
Total Males.....	815.6	989.2	999.3	1,022.9
Infectious & parasitic disease (A00-B99)	12.7	*	13.5	16.1
Septicemia (A40-A41)	5.0	*	*	*
Malignant neoplasms (C00-C97)	210.5	242.7	238.9	252.3
Esophagus (C15)	9.1	*	10.6	14.1
Colon, rectum & anus (C18-C21)	19.5	18.1	22.6	22.6
Pancreas (C25)	11.9	*	11.1	11.9
Trachea, bronchus & lung (C33-C34)	51.5	65.6	71.1	74.5
Breast (C50)	*	*	*	*
Cervical or uterine (C53-C55) ^ψ	*	*	*	*
Ovary (C61) ^ψ	*	*	*	*
Prostate (C61) ^ψ	27.3	29.6	28.4	18.5
Brain, etc. (C70-C72)**	6.3	*	8.6	*
Lymphoid & hematopoietic (C81-C96)	24.4	40.7	28.3	30.2
Non-Hodgkin's lymphoma (C82-C85)	10.6	*	10.7	*
Leukemia (C91-C95)	10.2	18.5	11.8	*
Diabetes mellitus (E10-E14)	33.8	40.7	32.2	33.2
Parkinson's disease (G20-G21)	15.4	*	11.2	10.6
Alzheimer's disease (G30)	26.2	23.2	28.5	23.8
Major cardiovascular diseases (I00-I78)	273.1	309.3	335.2	332.6
Heart disease (I00-I09, I11, I13, I20-I51)	200.7	230.9	234.6	263.3
Hypertensive heart disease (I11)	5.1	*	*	*
Ischemic heart diseases (I20-I25)	137.1	156.1	172.8	199.8
Myocardial infarction (I21-I22)	46.8	52.6	60.0	61.5
Chronic ischemic heart disease (I20, I25)	89.4	101.5	111.9	138.4
Atherosclerotic cardiovascular dis. (I25.0)	4.8	*	15.1	15.7
Heart failure (I50)	19.7	*	20.6	19.7
Cerebrovascular disease (I60-I69)	50.1	57.3	74.9	45.4
Arteriosclerosis (I70)	*	*	*	*
Aortic aneurysm & dissection (I71)	6.7	*	8.3	*
Influenza & pneumonia (J10-J18)	14.3	25.8	19.6	12.1
Chronic lower respiratory disease (J40-J47)	37.3	54.8	56.1	59.4
Emphysema (J43)	4.6	*	*	*
Other CLRD (J44, J47)	31.3	44.0	48.7	49.5
Chronic liver disease (K70, K73-K74)	9.6	*	16.4	17.1
Alcoholic liver disease (K70)	6.8	*	13.4	13.8
Nephritis (N00-N07, N17-N19, N25-N27)**	8.2	*	12.1	13.0
Symptoms & signs NEC (R00-R99)	10.6	*	12.6	14.6
Accidents (V01-X59, Y85-Y86)	32.7	65.1	71.5	66.8
Transport accidents (V01-V99, Y85)	11.4	27.4	25.7	33.2
Motor vehicle accidents (Many codes)**	10.2	26.0	21.7	28.0
Nontransport accidents (W00-X59, Y86)	21.3	37.8	45.8	33.6
Falls (W00-W19)	10.8	*	13.1	*
Poisonings & overdoses (X40-X49)	4.1	*	17.2	*
Suicide (X60-X84, Y87.0)	17.8	23.3	32.0	39.1
Homicide (X85-Y09, Y87.1)	*	*	*	*
Injury by firearms (Many codes)**	14.0	16.3	22.3	31.3
Alcohol-induced deaths (Many codes)**	11.6	15.0	19.9	21.7
Drug-induced deaths (Many codes)**	8.3	13.9	24.9	17.1

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.

TABLE 6-44m. Age-adjusted Death Rates for Selected Causes by County/Geographic region, Oregon Residents, 2004-2006

Cause of Death	Mid Valley: Benton, Polk	North Central: Gilliam, Hood River, Jefferson, Sherman, Wasco, Wheeler	South Central: Klamath, Lake	Eastern Oregon: Baker, Grant, Harney, Malheur, Morrow, Umatilla, Union, Wallowa
Total Males.....	780.9	972.8	1,125.6	917.0
Infectious & parasitic disease (A00-B99)	10.8	*	21.5	18.5
Septicemia (A40-A41)	*	*	*	10.4
Malignant neoplasms (C00-C97)	203.1	215.0	245.6	215.9
Esophagus (C15)	*	*	*	8.3
Colon, rectum & anus (C18-C21)	15.9	23.2	27.7	17.9
Pancreas (C25)	15.4	*	*	15.1
Trachea, bronchus & lung (C33-C34)	58.8	67.5	70.1	55.8
Breast (C50)	*	*	*	*
Cervical or uterine (C53-C55) ^ψ	*	*	*	*
Ovary (C61) ^ψ	*	*	*	*
Prostate (C61) ^ψ	23.2	25.3	*	30.5
Brain, etc. (C70-C72)**	*	*	*	*
Lymphoid & hematopoietic (C81-C96)	25.1	23.1	30.4	25.2
Non-Hodgkin's lymphoma (C82-C85)	10.5	*	*	9.0
Leukemia (C91-C95)	11.4	*	*	10.9
Diabetes mellitus (E10-E14)	23.5	38.7	47.4	32.0
Parkinson's disease (G20-G21)	10.3	*	*	8.9
Alzheimer's disease (G30)	27.4	19.7	35.0	20.3
Major cardiovascular diseases (I00-I78)	245.4	328.8	318.8	288.2
Heart disease (I00-I09, I11, I13, I20-I51)	175.0	239.2	243.6	215.3
Hypertensive heart disease (I11)	*	*	*	*
Ischemic heart diseases (I20-I25)	124.0	144.4	180.0	161.0
Myocardial infarction (I21-I22)	41.6	54.2	68.3	61.7
Chronic ischemic heart disease (I20, I25)	81.9	90.3	110.8	97.8
Atherosclerotic cardiovascular dis. (I25.0)	10.1	*	*	18.6
Heart failure (I50)	17.1	37.5	24.3	16.7
Cerebrovascular disease (I60-I69)	49.4	59.7	46.2	49.5
Arteriosclerosis (I70)	*	*	*	*
Aortic aneurysm & dissection (I71)	*	*	*	*
Influenza & pneumonia (J10-J18)	14.4	*	28.9	16.4
Chronic lower respiratory disease (J40-J47)	45.1	61.0	78.4	54.7
Emphysema (J43)	*	*	*	*
Other CLRD (J44, J47)	37.2	57.5	62.1	46.7
Chronic liver disease (K70, K73-K74)	*	*	16.3	14.2
Alcoholic liver disease (K70)	*	*	*	9.9
Nephritis (N00-N07, N17-N19, N25-N27)**	*	*	*	11.3
Symptoms & signs NEC (R00-R99)	11.9	*	25.8	17.9
Accidents (V01-X59, Y85-Y86)	33.7	76.4	71.5	54.7
Transport accidents (V01-V99, Y85)	16.9	36.8	38.8	22.8
Motor vehicle accidents (Many codes)**	14.7	32.8	34.9	21.9
Nontransport accidents (W00-X59, Y86)	16.8	39.7	32.6	31.9
Falls (W00-W19)	*	*	*	11.6
Poisonings & overdoses (X40-X49)	*	*	*	*
Suicide (X60-X84, Y87.0)	21.6	20.8	35.3	31.6
Homicide (X85-Y09, Y87.1)	*	*	*	*
Injury by firearms (Many codes)**	12.1	*	31.3	28.4
Alcohol-induced deaths (Many codes)**	13.3	19.5	29.2	17.6
Drug-induced deaths (Many codes)**	*	*	*	10.7

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.

**TABLE 6-44f. Age-adjusted Death Rates for Selected Causes by
County/Geographic region, Oregon Residents, 2004-2006**

Cause of Death	State	Clackamas	Deschutes	Douglas	Jackson
Total Females	687.7	723.2	630.8	691.6	667.1
Infectious & parasitic disease (A00-B99)	10.5	10.5	*	12.8	8.8
Septicemia (A40-A41)	4.6	5.9	*	*	*
Malignant neoplasms (C00-C97)	165.9	170.5	148.0	174.5	171.1
Esophagus (C15)	2.1	*	*	*	*
Colon, rectum & anus (C18-C21)	14.8	15.8	12.0	20.8	11.9
Pancreas (C25)	10.6	13.4	10.1	11.6	12.7
Trachea, bronchus & lung (C33-C34)	47.2	49.1	43.2	47.4	43.2
Breast (C50)	23.6	28.1	19.3	19.0	25.4
Cervical or uterine (C53-C55) ^ψ	1.8	*	*	*	*
Ovary (C61) ^ψ	10.5	11.2	10.7	14.4	10.3
Prostate (C61) ^ψ	*	*	*	*	*
Brain, etc. (C70-C72)**.....	4.3	4.0	*	*	7.4
Lymphoid & hematopoietic (C81-C96)	15.6	13.9	18.7	16.9	16.2
Non-Hodgkin's lymphoma (C82-C85)	6.4	6.8	*	*	5.8
Leukemia (C91-C95)	5.5	4.0	*	*	7.6
Diabetes mellitus (E10-E14)	25.6	22.9	19.2	22.4	21.5
Parkinson's disease (G20-G21)	5.7	7.5	*	*	5.4
Alzheimer's disease (G30)	33.7	43.4	31.6	32.2	45.7
Major cardiovascular diseases (I00-I78)	209.1	230.1	192.0	202.0	190.0
Heart disease (I00-I09, I11, I13, I20-I51)	134.7	147.5	118.5	139.1	117.7
Hypertensive heart disease (I11)	5.8	5.8	*	*	*
Ischemic heart diseases (I20-I25)	73.4	79.7	67.9	83.5	64.4
Myocardial infarction (I21-I22)	26.1	29.8	24.5	30.4	19.9
Chronic ischemic heart disease (I20, I25)	46.9	49.4	43.3	52.6	44.5
Atherosclerotic cardiovascular dis. (I25.0)	5.7	4.2	8.7	*	4.7
Heart failure (I50)	18.1	21.8	15.0	18.8	18.7
Cerebrovascular disease (I60-I69)	54.5	58.9	51.0	41.6	56.6
Arteriosclerosis (I70)	3.6	4.6	*	*	*
Aortic aneurysm & dissection (I71)	3.7	4.5	*	*	*
Influenza & pneumonia (J10-J18)	12.6	12.2	9.1	13.4	9.7
Chronic lower respiratory disease (J40-J47)	43.2	43.0	40.5	46.7	50.8
Emphysema (J43)	5.5	6.1	*	*	5.2
Other CLRD (J44, J47)	35.8	34.7	34.7	42.2	44.5
Chronic liver disease (K70, K73-K74)	7.5	8.6	*	10.4	6.2
Alcoholic liver disease (K70)	5.0	5.3	*	*	*
Nephritis (N00-N07, N17-N19, N25-N27)**.....	7.1	9.8	*	*	*
Symptoms & signs NEC (R00-R99)	11.6	12.9	*	*	15.0
Accidents (V01-X59, Y85-Y86)	27.1	26.1	29.2	31.5	28.3
Transport accidents (V01-V99, Y85)	8.8	7.8	*	14.7	9.4
Motor vehicle accidents (Many codes)**.....	8.2	6.9	*	13.2	9.0
Nontransport accidents (W00-X59, Y86)	18.3	18.3	20.5	16.8	18.9
Falls (W00-W19)	8.1	8.4	12.1	*	9.3
Poisonings & overdoses (X40-X49)	5.1	5.1	*	*	7.1
Suicide (X60-X84, Y87.0)	6.9	3.7	*	*	7.8
Homicide (X85-Y09, Y87.1)	1.7	*	*	*	*
Injury by firearms (Many codes)**.....	2.8	*	*	*	*
Alcohol-induced deaths (Many codes)**.....	7.4	7.7	*	10.0	*
Drug-induced deaths (Many codes)**.....	11.4	9.6	*	*	16.7

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.

**TABLE 6-44f. Age-adjusted Death Rates for Selected Causes by
County/Geographic region, Oregon Residents, 2004-2006**

Cause of Death	Josephine	Lane	Linn	Marion	Multnomah
Total Females	728.0	691.8	727.7	699.0	729.6
Infectious & parasitic disease (A00-B99)	15.1	7.6	12.8	12.3	13.5
Septicemia (A40-A41)	*	4.9	*	5.2	5.2
Malignant neoplasms (C00-C97)	182.8	175.3	185.5	171.2	170.0
Esophagus (C15)	*	*	*	2.0	2.1
Colon, rectum & anus (C18-C21)	16.5	13.6	16.5	17.5	14.4
Pancreas (C25)	11.6	12.2	14.2	8.5	10.6
Trachea, bronchus & lung (C33-C34)	61.3	51.4	54.5	46.1	50.8
Breast (C50)	26.7	24.6	25.7	25.4	22.5
Cervical or uterine (C53-C55) ^ψ	*	*	*	1.2	2.1
Ovary (C61) ^ψ	*	13.3	13.4	10.7	10.6
Prostate (C61) ^ψ	*	*	*	*	*
Brain, etc. (C70-C72)**.....	*	3.5	*	4.3	4.5
Lymphoid & hematopoietic (C81-C96)	15.3	17.8	14.3	19.7	16.2
Non-Hodgkin's lymphoma (C82-C85)	*	5.9	*	9.9	6.5
Leukemia (C91-C95)	*	7.5	*	5.4	5.8
Diabetes mellitus (E10-E14)	20.2	26.8	27.6	35.8	28.5
Parkinson's disease (G20-G21)	*	4.9	*	6.1	6.4
Alzheimer's disease (G30)	25.9	30.4	25.3	27.6	35.9
Major cardiovascular diseases (I00-I78)	213.7	193.3	235.0	210.6	227.9
Heart disease (I00-I09, I11, I13, I20-I51)	140.1	124.2	150.7	132.0	148.6
Hypertensive heart disease (I11)	*	5.4	*	6.6	7.2
Ischemic heart diseases (I20-I25)	82.1	59.8	84.3	72.4	79.9
Myocardial infarction (I21-I22)	16.3	17.0	39.5	28.8	31.0
Chronic ischemic heart disease (I20, I25)	65.8	42.1	44.3	43.4	48.5
Atherosclerotic cardiovascular dis. (I25.0)	13.7	*	*	6.8	4.6
Heart failure (I50)	13.8	20.7	20.9	14.4	18.6
Cerebrovascular disease (I60-I69)	58.7	51.4	69.2	59.0	57.2
Arteriosclerosis (I70)	*	*	*	*	4.2
Aortic aneurysm & dissection (I71)	*	3.2	*	*	4.9
Influenza & pneumonia (J10-J18)	9.7	13.6	14.7	12.6	11.7
Chronic lower respiratory disease (J40-J47)	45.9	48.2	42.6	41.8	40.8
Emphysema (J43)	*	9.0	*	7.2	3.8
Other CLRD (J44, J47)	36.5	37.1	38.4	32.8	35.1
Chronic liver disease (K70, K73-K74)	*	7.6	10.6	6.4	6.9
Alcoholic liver disease (K70)	*	4.9	*	*	4.8
Nephritis (N00-N07, N17-N19, N25-N27)**.....	*	8.5	9.2	7.1	7.8
Symptoms & signs NEC (R00-R99)	24.2	15.6	8.6	8.9	12.4
Accidents (V01-X59, Y85-Y86)	33.8	25.4	34.2	21.6	27.4
Transport accidents (V01-V99, Y85)	*	8.7	11.8	7.5	5.4
Motor vehicle accidents (Many codes)**.....	*	7.7	11.8	6.8	5.0
Nontransport accidents (W00-X59, Y86)	19.8	16.7	22.4	14.0	21.9
Falls (W00-W19)	*	7.0	*	5.6	9.7
Poisonings & overdoses (X40-X49)	*	5.2	*	*	6.5
Suicide (X60-X84, Y87.0)	*	8.3	*	7.9	7.9
Homicide (X85-Y09, Y87.1)	*	*	*	*	2.0
Injury by firearms (Many codes)**.....	*	4.6	*	*	*
Alcohol-induced deaths (Many codes)**.....	*	7.8	*	6.8	7.6
Drug-induced deaths (Many codes)**.....	*	12.3	14.1	11.0	14.9

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.

TABLE 6-44f. Age-adjusted Death Rates for Selected Causes by County/Geographic region, Oregon Residents, 2004-2006

Cause of Death	Washington	Yamhill	North Coast: Clatsop, Columbia, Lincoln, Tillamook	South Coast: Coos, Curry
Total Females	621.8	771.5	684.3	742.4
Infectious & parasitic disease (A00-B99)	9.5	*	10.1	12.6
Septicemia (A40-A41)	4.2	*	*	*
Malignant neoplasms (C00-C97)	143.5	184.7	166.0	183.0
Esophagus (C15)	*	*	*	*
Colon, rectum & anus (C18-C21)	11.5	18.7	16.2	14.6
Pancreas (C25)	9.4	*	7.7	9.4
Trachea, bronchus & lung (C33-C34)	36.0	58.0	55.8	58.8
Breast (C50)	24.4	26.6	24.6	24.8
Cervical or uterine (C53-C55) ^ψ	*	*	*	*
Ovary (C61) ^ψ	8.3	*	6.6	8.7
Prostate (C61) ^ψ	*	*	*	*
Brain, etc. (C70-C72)**	3.8	*	*	*
Lymphoid & hematopoietic (C81-C96)	13.1	*	10.9	12.3
Non-Hodgkin's lymphoma (C82-C85)	5.2	*	6.3	*
Leukemia (C91-C95)	5.0	*	*	*
Diabetes mellitus (E10-E14)	21.2	32.0	24.7	26.4
Parkinson's disease (G20-G21)	5.8	*	*	*
Alzheimer's disease (G30)	36.8	28.1	32.2	34.1
Major cardiovascular diseases (I00-I78)	189.4	225.1	209.8	241.7
Heart disease (I00-I09, I11, I13, I20-I51)	118.7	147.9	140.4	155.2
Hypertensive heart disease (I11)	4.6	*	*	*
Ischemic heart diseases (I20-I25)	61.4	68.5	80.3	106.3
Myocardial infarction (I21-I22)	20.2	19.5	27.4	37.2
Chronic ischemic heart disease (I20, I25)	40.8	49.1	52.1	68.7
Atherosclerotic cardiovascular dis. (I25.0)	3.4	*	*	10.9
Heart failure (I50)	18.2	16.7	20.2	14.0
Cerebrovascular disease (I60-I69)	52.7	61.6	49.9	63.2
Arteriosclerosis (I70)	3.5	*	*	7.6
Aortic aneurysm & dissection (I71)	2.9	*	*	*
Influenza & pneumonia (J10-J18)	11.8	26.9	15.6	11.7
Chronic lower respiratory disease (J40-J47)	32.8	49.0	48.9	48.0
Emphysema (J43)	4.2	*	7.1	*
Other CLRD (J44, J47)	26.9	41.4	39.4	40.9
Chronic liver disease (K70, K73-K74)	4.8	*	8.8	*
Alcoholic liver disease (K70)	3.0	*	7.0	*
Nephritis (N00-N07, N17-N19, N25-N27)**	6.7	*	6.3	*
Symptoms & signs NEC (R00-R99)	8.0	*	8.1	10.4
Accidents (V01-X59, Y85-Y86)	22.2	28.2	36.0	22.8
Transport accidents (V01-V99, Y85)	6.5	*	12.5	*
Motor vehicle accidents (Many codes)**	6.1	*	12.5	*
Nontransport accidents (W00-X59, Y86)	15.8	19.8	23.5	15.6
Falls (W00-W19)	7.6	*	10.7	*
Poisonings & overdoses (X40-X49)	3.1	*	8.8	*
Suicide (X60-X84, Y87.0)	6.1	*	8.3	18.2
Homicide (X85-Y09, Y87.1)	*	*	*	*
Injury by firearms (Many codes)**	*	*	*	*
Alcohol-induced deaths (Many codes)**	5.4	*	8.2	*
Drug-induced deaths (Many codes)**	8.1	*	17.7	15.4

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.

**TABLE 6-44f. Age-adjusted Death Rates for Selected Causes by
County/Geographic region, Oregon Residents, 2004-2006**

Cause of Death	Mid Valley: Benton, Polk	North Central: Gilliam, Hood River, Jefferson, Sherman, Wasco, Wheeler	South Central: Klamath, Lake	Eastern Oregon: Baker, Grant, Harney, Malheur, Morrow, Umatilla, Union, Wallowa
Total Females	545.0	675.7	809.6	670.3
Infectious & parasitic disease (A00-B99)	11.2	*	*	9.5
Septicemia (A40-A41)	*	*	*	*
Malignant neoplasms (C00-C97)	140.8	144.5	177.5	156.8
Esophagus (C15)	*	*	*	*
Colon, rectum & anus (C18-C21)	14.3	*	17.5	17.2
Pancreas (C25)	8.0	*	*	6.8
Trachea, bronchus & lung (C33-C34)	33.2	39.2	49.7	38.6
Breast (C50)	18.7	19.1	21.6	19.7
Cervical or uterine (C53-C55) ^ψ	*	*	*	*
Ovary (C61) ^ψ	8.4	*	*	11.1
Prostate (C61) ^ψ	*	*	*	*
Brain, etc. (C70-C72)**.....	*	*	*	*
Lymphoid & hematopoietic (C81-C96)	17.3	*	18.2	16.8
Non-Hodgkin's lymphoma (C82-C85)	9.1	*	*	6.9
Leukemia (C91-C95)	*	*	*	6.1
Diabetes mellitus (E10-E14)	21.0	21.8	34.2	27.8
Parkinson's disease (G20-G21)	*	*	*	*
Alzheimer's disease (G30)	29.0	31.7	49.1	23.9
Major cardiovascular diseases (I00-I78)	167.9	218.0	229.4	196.5
Heart disease (I00-I09, I11, I13, I20-I51)	100.9	143.3	159.1	136.7
Hypertensive heart disease (I11)	*	*	*	8.1
Ischemic heart diseases (I20-I25)	54.7	74.2	93.0	74.8
Myocardial infarction (I21-I22)	24.3	32.4	38.7	24.5
Chronic ischemic heart disease (I20, I25)	30.0	41.8	54.3	50.0
Atherosclerotic cardiovascular dis. (I25.0)	*	*	*	13.8
Heart failure (I50)	11.7	26.5	15.8	16.8
Cerebrovascular disease (I60-I69)	48.6	58.5	45.7	42.3
Arteriosclerosis (I70)	*	*	*	*
Aortic aneurysm & dissection (I71)	*	*	*	*
Influenza & pneumonia (J10-J18)	13.6	*	13.8	14.8
Chronic lower respiratory disease (J40-J47)	30.8	54.9	45.7	48.2
Emphysema (J43)	*	*	*	6.4
Other CLRD (J44, J47)	25.9	50.1	35.7	39.4
Chronic liver disease (K70, K73-K74)	*	*	*	7.6
Alcoholic liver disease (K70)	*	*	*	*
Nephritis (N00-N07, N17-N19, N25-N27)**.....	*	*	*	7.7
Symptoms & signs NEC (R00-R99)	8.3	*	22.4	15.2
Accidents (V01-X59, Y85-Y86)	25.7	30.5	42.8	33.9
Transport accidents (V01-V99, Y85)	10.6	*	23.6	13.6
Motor vehicle accidents (Many codes)**.....	10.1	*	23.6	12.9
Nontransport accidents (W00-X59, Y86)	15.1	17.0	19.2	20.3
Falls (W00-W19)	6.9	*	*	9.4
Poisonings & overdoses (X40-X49)	*	*	*	*
Suicide (X60-X84, Y87.0)	*	*	*	*
Homicide (X85-Y09, Y87.1)	*	*	*	*
Injury by firearms (Many codes)**.....	*	*	*	*
Alcohol-induced deaths (Many codes)**.....	*	*	*	7.2
Drug-induced deaths (Many codes)**.....	*	*	*	7.9

* Indicates number of deaths less than 20; rate would be unreliable.

** See footnote for this cause in Table 6-6.

^ψ The rate is gender-specific.