

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Total*</b> .....	31,433	278	49	67	328	446	835	2,296	3,688	4,833	8,426	10,185	2
Male ....	15,691	142	32	39	228	330	539	1,462	2,192	2,718	4,278	3,729	2
Female ....	15,742	136	17	28	100	116	296	834	1,496	2,115	4,148	6,456	-
<b>Infections &amp; Parasitic Disease (A00-B99)</b> ....	608	2	4	3	1	6	35	126	121	83	122	105	-
Male ....	335	2	1	2	1	4	26	84	81	44	54	36	-
Female ....	273	-	3	1	-	2	9	42	40	39	68	69	-
Tuberculosis (A16-A19) .....	8	-	-	-	-	-	-	-	1	-	1	6	-
Male ....	6	-	-	-	-	-	-	-	1	-	1	4	-
Female ....	2	-	-	-	-	-	-	-	-	-	-	2	-
Meningococcal infection (A39) .....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male ....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female ....	1	-	-	-	-	-	-	-	-	-	-	1	-
Septicemia (A40-A41) .....	225	1	3	2	-	2	3	23	19	47	69	56	-
Male ....	103	1	1	2	-	1	2	11	10	25	29	21	-
Female ....	122	-	2	-	-	1	1	12	9	22	40	35	-
Creutzfeldt-Jacob disease (A81.0) .....	5	-	-	-	-	-	-	-	2	2	1	-	-
Male ....	3	-	-	-	-	-	-	-	1	1	1	-	-
Female ....	2	-	-	-	-	-	-	-	1	1	-	-	-
Viral hepatitis (B15-B19) .....	183	-	-	-	-	1	9	74	75	16	7	1	-
Male ....	117	-	-	-	-	1	4	51	51	5	4	1	-
Female ....	66	-	-	-	-	-	5	23	24	11	3	-	-
HIV/AIDS (B20-B24) <sup>2</sup> .....	55	-	-	-	-	2	22	18	9	4	-	-	-
Male ....	46	-	-	-	-	1	19	15	7	4	-	-	-
Female ....	9	-	-	-	-	1	3	3	2	-	-	-	-
<b>Malignant Neoplasms (C00-C97)</b> .....	7,398	2	8	14	22	36	103	575	1,339	1,764	2,239	1,296	-
Male ....	3,870	-	7	6	10	19	42	298	718	951	1,192	627	-
Female ....	3,528	2	1	8	12	17	61	277	621	813	1,047	669	-
Lip, oral cavity & pharynx (C00-C14) .....	94	-	-	-	-	-	1	11	22	16	28	16	-
Male ....	70	-	-	-	-	-	1	8	15	16	19	11	-
Female ....	24	-	-	-	-	-	-	3	7	-	9	5	-
Digestive Organs (C15-C26) .....	1,780	-	-	1	1	8	27	157	352	400	531	303	-
Male ....	1,010	-	-	-	-	4	17	112	224	238	288	127	-
Female ....	770	-	-	1	1	4	10	45	128	162	243	176	-
Esophagus (C15) .....	205	-	-	-	-	-	3	12	49	57	58	26	-
Male ....	164	-	-	-	-	-	1	11	41	44	49	18	-
Female ....	41	-	-	-	-	-	2	1	8	13	9	8	-

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Stomach (C16) .....	117	—	—	—	—	2	1	7	23	25	37	22	—
Male ....	82	—	—	—	—	1	1	6	17	22	24	11	—
Female ....	35	—	—	—	—	1	—	1	6	3	13	11	—
Colon, rectum & anus (C18-C21) .....	716	—	—	—	—	4	14	64	119	152	215	148	—
Male ....	378	—	—	—	—	2	9	44	71	82	112	58	—
Female ....	338	—	—	—	—	2	5	20	48	70	103	90	—
Colon (C18) .....	566	—	—	—	—	3	11	40	92	123	181	116	—
Male ....	288	—	—	—	—	2	6	29	52	64	91	44	—
Female ....	278	—	—	—	—	1	5	11	40	59	90	72	—
Rectosigmoid junction (C19) .....	38	—	—	—	—	1	—	4	8	8	9	8	—
Male ....	21	—	—	—	—	—	—	2	6	4	5	4	—
Female ....	17	—	—	—	—	1	—	2	2	4	4	4	—
Rectum (C20) .....	103	—	—	—	—	—	3	18	16	19	25	22	—
Male ....	66	—	—	—	—	—	3	12	12	13	16	10	—
Female ....	37	—	—	—	—	—	—	6	4	6	9	12	—
Liver & intrahepatic bile ducts (C22) .....	199	—	—	1	1	—	1	32	53	42	50	19	—
Male ....	121	—	—	—	—	—	1	27	37	26	19	11	—
Female ....	78	—	—	1	1	—	—	5	16	16	31	8	—
Pancreas (C25) .....	473	—	—	—	—	—	7	38	92	115	145	76	—
Male ....	236	—	—	—	—	—	4	22	50	60	72	28	—
Female ....	237	—	—	—	—	—	3	16	42	55	73	48	—
Respiratory, intrathoracic organs (C30-C39) ...	2,068	—	—	—	1	1	10	148	378	621	658	251	—
Male ....	1,096	—	—	—	—	1	6	77	221	329	350	112	—
Female ....	972	—	—	—	1	—	4	71	157	292	308	139	—
Larynx (C32) .....	29	—	—	—	—	—	—	4	6	5	12	2	—
Male ....	22	—	—	—	—	—	—	4	4	3	9	2	—
Female ....	7	—	—	—	—	—	—	—	2	2	3	—	—
Trachea, bronchus & lung (C33-C34) .....	2,032	—	—	—	1	1	10	143	370	614	645	248	—
Male ....	1,069	—	—	—	—	1	6	72	215	325	341	109	—
Female ....	963	—	—	—	1	—	4	71	155	289	304	139	—
Bronchus & lung (C34) .....	2,031	—	—	—	1	1	10	143	369	614	645	248	—
Male ....	1,069	—	—	—	—	1	6	72	215	325	341	109	—
Female ....	962	—	—	—	1	—	4	71	154	289	304	139	—
Skin (C43-C44) .....	158	—	—	—	—	2	2	23	39	27	35	30	—
Male ....	100	—	—	—	—	1	1	13	25	22	22	16	—
Female ....	58	—	—	—	—	1	1	10	14	5	13	14	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Melanoma of skin (C43) .....	123	—	—	—	—	2	2	23	31	21	24	20	—
Male ....	76	—	—	—	—	1	1	13	20	18	13	10	—
Female ....	47	—	—	—	—	1	1	10	11	3	11	10	—
Mesothelioma (C45) .....	41	—	—	—	—	—	—	—	4	8	23	6	—
Male ....	29	—	—	—	—	—	—	—	2	6	15	6	—
Female ....	12	—	—	—	—	—	—	—	2	2	8	—	—
Breast (C50) .....	497	—	—	—	—	1	18	61	115	95	116	91	—
Male ....	6	—	—	—	—	—	—	—	1	2	2	1	—
Female ....	491	—	—	—	—	1	18	61	114	93	114	90	—
Female genital organs (C51-C58) .....	349	—	—	—	—	5	16	37	75	78	92	46	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	349	—	—	—	—	5	16	37	75	78	92	46	—
Cervix uteri (C53) .....	31	—	—	—	—	2	8	6	5	4	4	2	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	31	—	—	—	—	2	8	6	5	4	4	2	—
Corpus uteri (C54-C55) <sup>3</sup> .....	88	—	—	—	—	1	1	8	17	25	20	16	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	88	—	—	—	—	1	1	8	17	25	20	16	—
Ovary (C56) .....	212	—	—	—	—	2	7	22	51	44	64	22	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	212	—	—	—	—	2	7	22	51	44	64	22	—
Male genital organs (C60-C63) .....	425	—	—	—	—	1	1	3	27	74	152	167	—
Male ....	425	—	—	—	—	1	1	3	27	74	152	167	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61) .....	418	—	—	—	—	—	—	3	26	73	151	165	—
Male ....	418	—	—	—	—	—	—	3	26	73	151	165	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65) .....	136	—	—	—	1	—	—	6	35	33	38	23	—
Male ....	84	—	—	—	—	—	—	5	21	20	25	13	—
Female ....	52	—	—	—	1	—	—	1	14	13	13	10	—
Bladder (C67) .....	191	—	—	—	—	—	—	6	28	36	73	48	—
Male ....	133	—	—	—	—	—	—	5	21	26	54	27	—
Female ....	58	—	—	—	—	—	—	1	7	10	19	21	—
Brain, etc. (C70-C72) <sup>4</sup> .....	211	2	3	5	2	4	13	29	49	51	39	14	—
Male ....	122	—	3	2	—	3	8	15	29	29	27	6	—
Female ....	89	2	—	3	2	1	5	14	20	22	12	8	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Thyroid/endocrine gland (C73-C75) .....	33	—	3	—	—	—	—	2	3	12	9	4	—
Male ....	18	—	3	—	—	—	—	1	1	7	4	2	—
Female ....	15	—	—	—	—	—	—	1	2	5	5	2	—
Lymphoid & hematopoietic (C81-C96) .....	746	—	2	2	8	9	6	39	111	172	243	154	—
Male ....	427	—	1	2	4	5	2	29	70	100	138	76	—
Female ....	319	—	1	—	4	4	4	10	41	72	105	78	—
Hodgkin's disease (C81) .....	18	—	—	—	2	4	—	1	2	3	4	2	—
Male ....	9	—	—	—	1	3	—	—	—	1	2	2	—
Female ....	9	—	—	—	1	1	—	1	2	2	2	—	—
Non-Hodgkin's lymphoma (C82-C85) .....	279	—	—	—	1	1	2	16	36	65	96	62	—
Male ....	156	—	—	—	—	1	—	10	19	41	56	29	—
Female ....	123	—	—	—	1	—	2	6	17	24	40	33	—
Leukemia (C91-C95) .....	271	—	2	2	5	4	4	11	48	63	77	55	—
Male ....	148	—	1	2	3	1	2	10	35	33	40	21	—
Female ....	123	—	1	—	2	3	2	1	13	30	37	34	—
Lymphoid leukemia (C91) .....	90	—	2	1	3	1	2	2	9	19	23	28	—
Male ....	48	—	1	1	2	—	—	2	4	12	12	14	—
Female ....	42	—	1	—	1	1	2	—	5	7	11	14	—
Myeloid leukemia (C92) .....	129	—	—	1	2	1	1	7	32	35	38	12	—
Male ....	75	—	—	1	1	—	1	7	24	16	20	5	—
Female ....	54	—	—	—	1	1	—	—	8	19	18	7	—
Multiple myeloma (C88, C90) <sup>5</sup> .....	177	—	—	—	—	—	—	11	25	41	65	35	—
Male ....	113	—	—	—	—	—	—	9	16	25	39	24	—
Female ....	64	—	—	—	—	—	—	2	9	16	26	11	—
<b>Neoplas. Not Specif. as Malig. (D00-D48)<sup>6</sup> ..</b>	<b>218</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>—</b>	<b>—</b>	<b>5</b>	<b>13</b>	<b>21</b>	<b>37</b>	<b>73</b>	<b>65</b>	<b>—</b>
Male ....	121	1	—	1	—	—	2	7	11	21	43	35	—
Female ....	97	—	1	1	—	—	3	6	10	16	30	30	—
Myelodysplastic syndromes (D46) .....	82	1	—	—	—	—	—	2	4	13	33	29	—
Male ....	56	1	—	—	—	—	—	1	3	6	24	21	—
Female ....	26	—	—	—	—	—	—	1	1	7	9	8	—
<b>Diseases of the Blood (D50-89)<sup>7</sup> .....</b>	<b>117</b>	<b>1</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>3</b>	<b>3</b>	<b>10</b>	<b>11</b>	<b>14</b>	<b>29</b>	<b>46</b>	<b>—</b>
Male ....	54	1	—	—	—	2	2	3	4	8	18	16	—
Female ....	63	—	—	—	—	1	1	7	7	6	11	30	—
Anemias (D50-D64) .....	62	—	—	—	—	1	—	1	3	3	15	39	—
Male ....	27	—	—	—	—	1	—	—	2	1	8	15	—
Female ....	35	—	—	—	—	—	—	1	1	2	7	24	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Endocrine &amp; Nutritional Dis. (E00-E88)<sup>8</sup></b> .....	1,557	2	3	2	6	16	51	124	235	298	446	374	—
Male .....	794	2	3	—	4	5	39	76	138	178	225	124	—
Female .....	763	—	—	2	2	11	12	48	97	120	221	250	—
<b>Diabetes mellitus (E10-E14)</b> .....	1,114	—	1	—	2	5	33	89	163	240	335	246	—
Male .....	574	—	1	—	1	2	26	53	93	147	166	85	—
Female .....	540	—	—	—	1	3	7	36	70	93	169	161	—
<b>Nutritional deficiencies (E40-E64)</b> .....	37	—	—	1	—	—	1	2	5	1	5	22	—
Male .....	15	—	—	—	—	—	—	—	3	1	1	10	—
Female .....	22	—	—	1	—	—	1	2	2	—	4	12	—
<b>Malnutrition (E40-E46)</b> .....	32	—	—	1	—	—	1	2	5	1	5	17	—
Male .....	12	—	—	—	—	—	—	—	3	1	1	7	—
Female .....	20	—	—	1	—	—	1	2	2	—	4	10	—
<b>Mental Disorders (F01-F99)<sup>9</sup></b> .....	1,758	—	—	—	2	3	35	66	94	125	406	1,026	1
Male .....	676	—	—	—	1	2	22	46	71	63	169	301	1
Female .....	1,082	—	—	—	1	1	13	20	23	62	237	725	—
<b>Organic dementia (F01, F03)<sup>10</sup></b> .....	1,431	—	—	—	—	—	—	4	16	71	358	982	—
Male .....	472	—	—	—	—	—	—	3	10	27	151	281	—
Female .....	959	—	—	—	—	—	—	1	6	44	207	701	—
<b>Due to alcohol (F10)<sup>11</sup></b> .....	174	—	—	—	—	—	20	50	56	28	15	5	—
Male .....	126	—	—	—	—	—	14	32	46	23	8	3	—
Female .....	48	—	—	—	—	—	6	18	10	5	7	2	—
<b>Due to psychoactive substance (F11-F19)</b> .....	66	—	—	—	1	1	10	8	15	17	9	5	—
Male .....	40	—	—	—	1	1	7	8	10	7	2	4	—
Female .....	26	—	—	—	—	—	3	—	5	10	7	1	—
<b>Nervous System Disease (G00-G99)</b> .....	2,005	7	4	7	7	8	19	80	112	165	619	977	—
Male .....	774	5	2	4	2	5	10	45	61	75	271	294	—
Female .....	1,231	2	2	3	5	3	9	35	51	90	348	683	—
<b>Meningitis (G00, G03)</b> .....	6	1	1	1	—	—	—	—	1	—	—	2	—
Male .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female .....	6	1	1	1	—	—	—	—	1	—	—	2	—
<b>Amyotrophic lateral sclerosis (G12.2)</b> .....	93	—	—	—	—	1	2	12	21	26	25	6	—
Male .....	45	—	—	—	—	1	1	9	14	11	5	4	—
Female .....	48	—	—	—	—	—	1	3	7	15	20	2	—
<b>Parkinson's disease (G20-G21)</b> .....	327	—	—	—	—	—	—	1	5	30	154	137	—
Male .....	189	—	—	—	—	—	—	1	4	20	99	65	—
Female .....	138	—	—	—	—	—	—	—	1	10	55	72	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Alzheimer's disease (G30) .....	1,195	—	—	—	—	—	—	1	12	50	350	782	—
Male ....	345	—	—	—	—	—	—	—	6	17	119	203	—
Female ....	850	—	—	—	—	—	—	1	6	33	231	579	—
Multiple sclerosis (G35) .....	78	—	—	—	—	1	—	16	26	16	15	4	—
Male ....	24	—	—	—	—	—	—	5	6	6	6	1	—
Female ....	54	—	—	—	—	1	—	11	20	10	9	3	—
Epilepsy (G40-G41) .....	16	—	—	2	3	—	2	4	1	1	3	—	—
Male ....	5	—	—	1	—	—	—	2	—	—	2	—	—
Female ....	11	—	—	1	3	—	2	2	1	1	1	—	—
<b>Ear &amp; Mastoid Process Dis. (H60-H95) .....</b>	<b>1</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>1</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	1	—	—	—	—	—	1	—	—	—	—	—	—
<b>Circulatory System Diseases (I00-I99) .....</b>	<b>9,277</b>	<b>6</b>	<b>2</b>	<b>2</b>	<b>13</b>	<b>37</b>	<b>124</b>	<b>447</b>	<b>841</b>	<b>1,264</b>	<b>2,561</b>	<b>3,979</b>	<b>1</b>
Male ....	4,605	2	1	2	7	31	92	327	559	787	1,360	1,436	1
Female ....	4,672	4	1	—	6	6	32	120	282	477	1,201	2,543	—
Major cardiovascular disease (I00-I78) .....	9,220	5	2	2	13	37	123	439	832	1,255	2,548	3,963	1
Male ....	4,580	2	1	2	7	31	92	323	554	785	1,354	1,428	1
Female ....	4,640	3	1	—	6	6	31	116	278	470	1,194	2,535	—
Heart disease (I00-I09, I11, I13, I20-I51) ....	6,632	4	2	2	10	33	86	325	633	910	1,778	2,848	1
Male ....	3,440	2	1	2	6	28	67	248	436	594	978	1,077	1
Female ....	3,192	2	1	—	4	5	19	77	197	316	800	1,771	—
Rheumatic heart disease (I00-I09) <sup>12</sup> .....	64	—	—	—	—	—	—	3	4	8	20	29	—
Male ....	22	—	—	—	—	—	—	3	2	3	6	8	—
Female ....	42	—	—	—	—	—	—	—	2	5	14	21	—
Hypertensive heart disease (I11) .....	240	—	—	—	—	1	4	14	17	20	45	139	—
Male ....	85	—	—	—	—	1	3	9	12	9	16	35	—
Female ....	155	—	—	—	—	—	1	5	5	11	29	104	—
Hypertensive heart & renal dis. (I13) .....	31	—	—	—	—	—	—	1	3	5	10	12	—
Male ....	10	—	—	—	—	—	—	1	1	2	3	3	—
Female ....	21	—	—	—	—	—	—	—	2	3	7	9	—
Ischemic heart disease (I20-I25) .....	3,935	—	—	—	—	11	56	221	481	638	1,075	1,452	1
Male ....	2,314	—	—	—	—	10	50	175	352	449	668	609	1
Female ....	1,621	—	—	—	—	1	6	46	129	189	407	843	—
Myocardial infarction (I21-I22) .....	1,277	—	—	—	—	1	16	71	163	249	349	428	—
Male ....	732	—	—	—	—	1	14	50	115	167	207	178	—
Female ....	545	—	—	—	—	—	2	21	48	82	142	250	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Other acute ischemic hrt. dis. (I24) .....	22	—	—	—	—	—	—	1	2	7	7	5	—
Male ....	12	—	—	—	—	—	—	—	2	6	3	1	—
Female ....	10	—	—	—	—	—	—	1	—	1	4	4	—
Chronic isch. heart dis. (I20, I25) .....	2,636	—	—	—	—	10	40	149	316	382	719	1,019	1
Male ....	1,570	—	—	—	—	9	36	125	235	276	458	430	1
Female ....	1,066	—	—	—	—	1	4	24	81	106	261	589	—
Atheroscler. cardiovascular dis. <sup>13</sup> ...	245	—	—	—	—	1	4	16	18	43	65	98	—
Male ....	126	—	—	—	—	1	3	12	15	28	44	23	—
Female ....	119	—	—	—	—	—	1	4	3	15	21	75	—
Other chr. ischemic heart dis. <sup>14</sup> .....	2,391	—	—	—	—	9	36	133	298	339	654	921	1
Male ....	1,444	—	—	—	—	8	33	113	220	248	414	407	1
Female ....	947	—	—	—	—	1	3	20	78	91	240	514	—
Nonrheumatic mitral valve dis. (I34) .....	75	—	—	—	—	—	1	2	—	5	27	40	—
Male ....	33	—	—	—	—	—	—	1	—	3	11	18	—
Female ....	42	—	—	—	—	—	1	1	—	2	16	22	—
Nonrheumatic aortic valve dis. (I35) .....	411	—	—	1	1	—	1	4	9	34	109	252	—
Male ....	167	—	—	1	—	—	1	4	4	19	46	92	—
Female ....	244	—	—	—	1	—	—	—	5	15	63	160	—
Cardiomyopathy (I42) .....	192	—	1	—	1	12	7	19	26	21	49	56	—
Male ....	117	—	1	—	1	10	3	15	16	11	30	30	—
Female ....	75	—	—	—	—	2	4	4	10	10	19	26	—
Heart failure (I50) .....	708	1	—	—	1	1	3	7	24	63	185	423	—
Male ....	285	—	—	—	—	—	—	6	12	37	86	144	—
Female ....	423	1	—	—	1	1	3	1	12	26	99	279	—
Congestive heart failure (I50.0) .....	646	1	—	—	—	1	2	5	20	55	170	392	—
Male ....	253	—	—	—	—	—	—	4	9	30	79	131	—
Female ....	393	1	—	—	—	1	2	1	11	25	91	261	—
Heart failure, unspecified (I50.9) .....	62	—	—	—	1	—	1	2	4	8	15	31	—
Male ....	32	—	—	—	—	—	—	2	3	7	7	13	—
Female ....	30	—	—	—	1	—	1	—	1	1	8	18	—
HBP (I10, I12, I15) <sup>15</sup> .....	361	—	—	—	—	—	6	15	32	39	89	180	—
Male ....	149	—	—	—	—	—	5	13	23	24	38	46	—
Female ....	212	—	—	—	—	—	1	2	9	15	51	134	—
Cerebrovascular disease (I60-I69) <sup>10</sup> .....	1,833	1	—	—	2	2	23	85	131	238	559	792	—
Male ....	783	—	—	—	1	2	13	54	69	124	267	253	—
Female ....	1,050	1	—	—	1	—	10	31	62	114	292	539	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Subarachnoid hemorrhage (I60) .....	77	—	—	—	1	1	4	22	18	11	16	4	—
Male ....	34	—	—	—	1	1	4	10	4	6	7	1	—
Female ....	43	—	—	—	—	—	—	12	14	5	9	3	—
Intracerebral hemorrhage (I61-I62) <sup>16</sup> .....	344	—	—	—	—	—	13	29	44	61	107	90	—
Male ....	167	—	—	—	—	—	8	21	25	29	52	32	—
Female ....	177	—	—	—	—	—	5	8	19	32	55	58	—
Cerebral infarction (I63) .....	84	—	—	—	—	—	1	4	3	13	26	37	—
Male ....	38	—	—	—	—	—	—	4	1	6	15	12	—
Female ....	46	—	—	—	—	—	1	—	2	7	11	25	—
Stroke (type not specified) (I64) .....	905	—	—	—	1	—	4	26	47	114	299	414	—
Male ....	359	—	—	—	—	—	1	17	29	54	138	120	—
Female ....	546	—	—	—	1	—	3	9	18	60	161	294	—
Atherosclerosis (I70) .....	124	—	—	—	—	—	1	1	8	13	42	59	—
Male ....	64	—	—	—	—	—	1	1	6	10	24	22	—
Female ....	60	—	—	—	—	—	—	—	2	3	18	37	—
Aortic aneurysm & dissection (I71) .....	168	—	—	—	—	1	6	7	22	37	55	40	—
Male ....	100	—	—	—	—	—	5	4	16	25	31	19	—
Female ....	68	—	—	—	—	1	1	3	6	12	24	21	—
Diseases of arteries (I72-I78) <sup>17</sup> .....	102	—	—	—	1	1	1	6	6	18	25	44	—
Male ....	44	—	—	—	—	1	1	3	4	8	16	11	—
Female ....	58	—	—	—	1	—	—	3	2	10	9	33	—
<b>Respiratory System Diseases (J00-J99) .....</b>	<b>2,956</b>	<b>5</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>9</b>	<b>22</b>	<b>101</b>	<b>292</b>	<b>559</b>	<b>996</b>	<b>961</b>	<b>—</b>
Male ....	1,466	5	2	3	4	7	10	66	163	288	503	415	—
Female ....	1,490	—	1	1	—	2	12	35	129	271	493	546	—
Influenza & pneumonia (J10-J18) .....	481	1	3	3	—	3	5	11	24	46	120	265	—
Male ....	232	1	2	2	—	3	4	8	13	25	63	111	—
Female ....	249	—	1	1	—	—	1	3	11	21	57	154	—
Influenza (J10-J11) .....	7	—	—	1	—	—	—	—	1	2	1	2	—
Male ....	4	—	—	1	—	—	—	—	1	1	—	1	—
Female ....	3	—	—	—	—	—	—	—	—	1	1	1	—
Pneumonia (J12-J18) .....	474	1	3	2	—	3	5	11	23	44	119	263	—
Male ....	228	1	2	1	—	3	4	8	12	24	63	110	—
Female ....	246	—	1	1	—	—	1	3	11	20	56	153	—
Other acute lower resp. infect'ns (J20-J22) ....	2	—	—	—	—	—	—	—	—	1	—	1	—
Male ....	1	—	—	—	—	—	—	—	—	—	—	1	—
Female ....	1	—	—	—	—	—	—	—	—	1	—	—	—

See footnotes at end of table.



**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.	
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
Acute bronchitis (J20-J21) <sup>18</sup> .....	1	—	—	—	—	—	—	—	—	—	1	—	—	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	1	—	—	—	—	—	—	—	—	—	1	—	—	—
Chronic lower respiratory dis. (J40-J42) <sup>19</sup> .....	1,886	—	—	—	—	4	11	67	213	412	711	468	—	
Male ....	912	—	—	—	—	2	6	43	111	200	346	204	—	
Female ....	974	—	—	—	—	2	5	24	102	212	365	264	—	
Bronchitis, chronic & unspec. (J40-J42) .....	10	—	—	—	—	—	—	—	1	3	2	4	—	
Male ....	3	—	—	—	—	—	—	—	1	1	1	—	—	
Female ....	7	—	—	—	—	—	—	—	—	2	1	4	—	
Emphysema (J43) .....	243	—	—	—	—	—	—	10	28	46	100	59	—	
Male ....	117	—	—	—	—	—	—	9	14	18	49	27	—	
Female ....	126	—	—	—	—	—	—	1	14	28	51	32	—	
Asthma (J45-J46) .....	64	—	—	—	—	1	6	10	6	8	18	15	—	
Male ....	22	—	—	—	—	—	4	5	2	3	6	2	—	
Female ....	42	—	—	—	—	1	2	5	4	5	12	13	—	
Other CLRD (J44, J47) .....	1,569	—	—	—	—	3	5	47	178	355	591	390	—	
Male ....	770	—	—	—	—	2	2	29	94	178	290	175	—	
Female ....	799	—	—	—	—	1	3	18	84	177	301	215	—	
Bronchiectasis (J47) .....	13	—	—	—	—	—	1	—	—	2	6	4	—	
Male ....	2	—	—	—	—	—	1	—	—	—	—	1	—	
Female ....	11	—	—	—	—	—	—	—	—	2	6	3	—	
Pneumoconioses (J60-J66, J68) <sup>20</sup> .....	16	—	—	—	—	—	—	—	1	3	7	5	—	
Male ....	16	—	—	—	—	—	—	—	1	3	7	5	—	
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pneumonitis due to solids & liquids (J69) .....	200	—	—	—	3	—	2	6	11	21	51	106	—	
Male ....	109	—	—	—	3	—	—	4	10	12	27	53	—	
Female ....	91	—	—	—	—	—	2	2	1	9	24	53	—	
<b>Digestive System Diseases (K00-K92) .....</b>	<b>1,217</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>9</b>	<b>50</b>	<b>194</b>	<b>210</b>	<b>182</b>	<b>273</b>	<b>292</b>	<b>—</b>	
Male ....	600	1	—	—	2	8	29	128	131	95	117	89	—	
Female ....	617	1	1	1	1	1	21	66	79	87	156	203	—	
Peptic ulcer (K25-K28) .....	39	—	—	—	—	—	1	2	4	6	11	15	—	
Male ....	23	—	—	—	—	—	1	2	2	4	6	8	—	
Female ....	16	—	—	—	—	—	—	—	2	2	5	7	—	
Diseases of the appendix (K35-K38) .....	6	—	—	—	—	—	—	1	—	2	—	3	—	
Male ....	5	—	—	—	—	—	—	1	—	1	—	3	—	
Female ....	1	—	—	—	—	—	—	—	—	1	—	—	—	

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Appendicitis (K35-K37) .....	6	—	—	—	—	—	—	1	—	2	—	3	—
Male ....	5	—	—	—	—	—	—	1	—	1	—	3	—
Female ....	1	—	—	—	—	—	—	—	—	1	—	—	—
Hernia (K40-K46) .....	28	—	1	—	—	—	1	—	3	5	8	10	—
Male ....	11	—	—	—	—	—	—	—	3	1	4	3	—
Female ....	17	—	1	—	—	—	1	—	—	4	4	7	—
Vascular disorders of the intestine (K55) .....	105	—	—	—	—	—	1	5	11	13	42	33	—
Male ....	38	—	—	—	—	—	1	3	5	7	11	11	—
Female ....	67	—	—	—	—	—	—	2	6	6	31	22	—
Chronic liver disease (K70, K73-K74) <sup>21</sup> .....	463	—	—	—	1	7	41	138	137	77	50	12	—
Male ....	293	—	—	—	—	6	24	90	92	52	27	2	—
Female ....	170	—	—	—	1	1	17	48	45	25	23	10	—
Alcoholic liver disease (K70) <sup>22</sup> .....	333	—	—	—	1	7	36	108	107	50	23	1	—
Male ....	225	—	—	—	—	6	21	68	77	37	16	—	—
Female ....	108	—	—	—	1	1	15	40	30	13	7	1	—
Cholelithiasis (K80-K82) <sup>23</sup> .....	42	—	—	—	—	—	—	4	—	3	16	19	—
Male ....	15	—	—	—	—	—	—	3	—	2	5	5	—
Female ....	27	—	—	—	—	—	—	1	—	1	11	14	—
<b>Diseases of the Skin (L00-L98)<sup>24</sup> .....</b>	<b>50</b>	—	—	—	—	—	1	3	5	5	14	22	—
Male ....	19	—	—	—	—	—	1	1	2	3	5	7	—
Female ....	31	—	—	—	—	—	—	2	3	2	9	15	—
<b>Musculoskeletal Disease (M00-M99)<sup>25</sup> .....</b>	<b>240</b>	—	—	—	1	4	5	13	26	27	67	97	—
Male ....	72	—	—	—	1	2	2	6	8	9	23	21	—
Female ....	168	—	—	—	—	2	3	7	18	18	44	76	—
<b>Genitourinary System Dis. (N00-N99) .....</b>	<b>661</b>	<b>1</b>	<b>1</b>	—	<b>1</b>	<b>5</b>	<b>10</b>	<b>17</b>	<b>43</b>	<b>83</b>	<b>208</b>	<b>292</b>	—
Male ....	275	—	—	—	—	2	5	15	17	37	95	104	—
Female ....	386	1	1	—	1	3	5	2	26	46	113	188	—
Nephritis (N00-N07, N17-N19, N25-N27) <sup>26</sup> ....	430	1	1	—	—	3	7	13	33	61	131	180	—
Male ....	199	—	—	—	—	1	3	11	14	28	67	75	—
Female ....	231	1	1	—	—	2	4	2	19	33	64	105	—
Acute nephrotic syndr. (N00-N01, N04) <sup>27</sup> ..	2	—	—	—	—	—	—	—	—	—	1	1	—
Male ....	2	—	—	—	—	—	—	—	—	—	1	1	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Chr. nephritis (N02-N03, N05-N07, N26) <sup>28</sup>	51	—	—	—	—	—	1	—	3	4	18	25	—
Male ....	26	—	—	—	—	—	—	—	2	3	7	14	—
Female ....	25	—	—	—	—	—	1	—	1	1	11	11	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Renal failure (N17-N19) .....	377	1	1	—	—	3	6	13	30	57	112	154	—
Male ....	171	—	—	—	—	1	3	11	12	25	59	60	—
Female ....	206	1	1	—	—	2	3	2	18	32	53	94	—
Other disorders of kidney (N25, N27) .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney infect'ns (N10-N12, N13.6, N15.1) .....	8	—	—	—	1	1	1	1	2	1	—	1	—
Male ....	3	—	—	—	—	—	—	1	1	—	—	1	—
Female ....	5	—	—	—	1	1	1	—	1	1	—	—	—
Urinary tract infection (N39.0) .....	172	—	—	—	—	—	—	2	5	15	57	93	—
Male ....	44	—	—	—	—	—	—	2	1	5	18	18	—
Female ....	128	—	—	—	—	—	—	—	4	10	39	75	—
Hyperplasia of prostate (N40) .....	7	—	—	—	—	—	—	—	—	—	4	3	—
Male ....	7	—	—	—	—	—	—	—	—	—	4	3	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) <sup>29</sup> .....	1	—	—	—	—	—	—	—	—	—	1	—	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	1	—	—	—	—	—	—	—	—	—	1	—	—
Pregnancy & Childbirth (O00-O99) <sup>30</sup> .....	9	—	—	—	2	2	3	2	—	—	—	—	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	9	—	—	—	2	2	3	2	—	—	—	—	—
Perinatal Conditions (P00-P96) .....	139	135	1	1	1	—	—	—	—	—	1	—	—
Male ....	73	70	1	1	—	—	—	—	—	—	1	—	—
Female ....	66	65	—	—	1	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99) <sup>31</sup> .....	127	64	4	2	5	3	5	9	16	5	10	4	—
Male ....	61	29	2	—	2	2	3	4	10	3	5	1	—
Female ....	66	35	2	2	3	1	2	5	6	2	5	3	—
Malformation of the heart (Q20-Q24) .....	32	8	—	1	3	2	2	3	7	1	3	2	—
Male ....	14	4	—	—	—	1	2	1	4	1	1	—	—
Female ....	18	4	—	1	3	1	—	2	3	—	2	2	—
Other malf. of the circul. sys. (Q25-Q28) .....	11	2	—	—	—	—	2	1	1	2	2	1	—
Male ....	7	2	—	—	—	—	1	1	1	1	1	—	—
Female ....	4	—	—	—	—	—	1	—	—	1	1	1	—
Malf. of the respiratory system (Q30-Q34) .....	5	3	2	—	—	—	—	—	—	—	—	—	—
Male ....	2	1	1	—	—	—	—	—	—	—	—	—	—
Female ....	3	2	1	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Symptoms &amp; Signs (R00-R99)<sup>32</sup></b> .....	604	40	2	1	3	11	24	36	53	44	103	287	—
Male ....	256	19	2	1	2	8	18	26	31	25	38	86	—
Female ....	348	21	—	—	1	3	6	10	22	19	65	201	—
<b>Senility (R54)</b> .....	98	—	—	—	—	—	—	—	—	1	8	89	—
Male ....	23	—	—	—	—	—	—	—	—	—	3	20	—
Female ....	75	—	—	—	—	—	—	—	—	1	5	69	—
<b>Sudden infant death syndrome (R95)</b> .....	38	38	—	—	—	—	—	—	—	—	—	—	—
Male ....	19	19	—	—	—	—	—	—	—	—	—	—	—
Female ....	19	19	—	—	—	—	—	—	—	—	—	—	—
<b>External Causes of Death (V01-Y89)</b> .....	2,485	10	15	28	256	293	339	478	268	177	259	362	—
Male ....	1,635	5	11	19	192	232	236	328	186	130	159	137	—
Female ....	850	5	4	9	64	61	103	150	82	47	100	225	—
<b>Accidents (V01-X59, Y85-Y86)</b> .....	1,643	7	11	25	177	166	183	281	149	113	206	325	—
Male ....	1,023	4	7	17	134	127	133	193	99	82	116	111	—
Female ....	620	3	4	8	43	39	50	88	50	31	90	214	—
<b>Transport accidents (V01-V99, Y85)</b> .....	547	—	4	10	126	71	75	90	52	56	44	19	—
Male ....	398	—	2	7	89	59	58	67	32	39	32	13	—
Female ....	149	—	2	3	37	12	17	23	20	17	12	6	—
<b>Motor vehicle acc. (Many codes)<sup>33</sup></b> .....	485	—	1	9	119	67	68	75	39	50	38	19	—
Male ....	353	—	—	6	84	56	52	56	24	35	27	13	—
Female ....	132	—	1	3	35	11	16	19	15	15	11	6	—
<b>Motor veh. traf. acc. (Many codes)<sup>34</sup></b> .....	455	—	1	9	110	65	66	68	38	44	36	18	—
Male ....	330	—	—	6	78	54	50	50	23	31	25	13	—
Female ....	125	—	1	3	32	11	16	18	15	13	11	5	—
<b>Water transport accidents (V90-V94)</b> .....	9	—	—	—	1	1	—	3	1	2	1	—	—
Male ....	7	—	—	—	—	1	—	2	1	2	1	—	—
Female ....	2	—	—	—	1	—	—	1	—	—	—	—	—
<b>Air transport accidents (V95-V97)</b> .....	20	—	2	1	2	1	2	2	6	2	2	—	—
Male ....	15	—	1	1	2	1	1	2	4	1	2	—	—
Female ....	5	—	1	—	—	—	1	—	2	1	—	—	—
<b>Nontransport accidents (W00-X59, Y86)</b> .....	1,096	7	7	15	51	95	108	191	97	57	162	306	—
Male ....	625	4	5	10	45	68	75	126	67	43	84	98	—
Female ....	471	3	2	5	6	27	33	65	30	14	78	208	—
<b>Falls (W00-W19)</b> .....	406	—	—	2	2	4	12	21	17	33	111	204	—
Male ....	191	—	—	2	2	4	9	17	13	25	58	61	—
Female ....	215	—	—	—	—	—	3	4	4	8	53	143	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Firearms (W32-W34) .....	8	—	—	—	2	2	—	2	—	1	1	—	—
Male ....	7	—	—	—	1	2	—	2	—	1	1	—	—
Female ....	1	—	—	—	1	—	—	—	—	—	—	—	—
Drowning & submersion (W65-W74) .....	66	—	5	3	14	8	12	9	6	5	3	1	—
Male ....	53	—	3	3	14	5	11	7	4	3	3	—	—
Female ....	13	—	2	—	—	3	1	2	2	2	—	1	—
Exposure to smoke & fire (X00-X09) .....	34	1	2	4	—	—	—	6	7	2	9	3	—
Male ....	17	—	2	1	—	—	—	2	6	2	3	1	—
Female ....	17	1	—	3	—	—	—	4	1	—	6	2	—
Poisoning (X40-X49) <sup>35</sup> .....	363	1	—	3	30	72	79	130	39	3	3	3	—
Male ....	234	1	—	2	25	49	51	78	22	3	2	1	—
Female ....	129	—	—	1	5	23	28	52	17	—	1	2	—
Suicide (X60-X84, Y87.0) .....	604	—	—	1	58	89	102	140	93	53	42	26	—
Male ....	470	—	—	1	45	73	76	100	74	40	39	22	—
Female ....	134	—	—	—	13	16	26	40	19	13	3	4	—
Poisoning (X60-X69) .....	116	—	—	—	4	10	24	38	23	10	4	3	—
Male ....	70	—	—	—	4	6	13	23	15	5	3	1	—
Female ....	46	—	—	—	—	4	11	15	8	5	1	2	—
Hanging/suffocation (X70) .....	102	—	—	—	17	24	23	18	12	5	1	2	—
Male ....	77	—	—	—	8	19	20	14	11	4	—	1	—
Female ....	25	—	—	—	9	5	3	4	1	1	1	1	—
Firearm discharge (X72-X74) .....	327	—	—	1	30	44	43	69	51	32	36	21	—
Male ....	277	—	—	1	27	38	35	51	43	27	35	20	—
Female ....	50	—	—	—	3	6	8	18	8	5	1	1	—
Homicide (X85-Y09, Y87.1) .....	80	2	3	2	13	21	11	18	5	2	2	1	—
Male ....	61	—	3	1	7	19	9	16	3	2	—	1	—
Female ....	19	2	—	1	6	2	2	2	2	—	2	—	—
Firearm discharge (X93-X95) .....	42	—	—	1	8	13	6	9	3	1	1	—	—
Male ....	33	—	—	1	5	12	5	7	2	1	—	—	—
Female ....	9	—	—	—	3	1	1	2	1	—	1	—	—
Legal intervention (Y35, Y89.0) <sup>36</sup> .....	7	—	—	—	1	1	3	2	—	—	—	—	—
Male ....	7	—	—	—	1	1	3	2	—	—	—	—	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9) .....	121	1	1	—	7	16	37	33	20	1	4	1	—
Male ....	61	1	1	—	5	12	13	16	9	—	3	1	—
Female ....	60	—	—	—	2	4	24	17	11	1	1	—	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2007 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Medical care complications (Y40-Y84, Y88) .....	30	—	—	—	—	—	3	4	1	8	5	9	—
Male ....	13	—	—	—	—	—	2	1	1	6	1	2	—
Female ....	17	—	—	—	—	—	1	3	—	2	4	7	—
Injury by firearms (Many codes) <sup>37</sup> .....	387	—	—	2	41	61	53	83	54	34	38	21	—
Male ....	327	—	—	2	34	54	44	63	45	29	36	20	—
Female ....	60	—	—	—	7	7	9	20	9	5	2	1	—
Alcohol-induced deaths (Many codes) <sup>38,39</sup> .....	542	—	—	—	5	10	58	171	170	81	38	9	—
Male ....	380	—	—	—	4	9	35	111	129	62	24	6	—
Female ....	162	—	—	—	1	1	23	60	41	19	14	3	—
Drug-induced deaths (Many codes) <sup>40,41</sup> .....	565	1	1	1	33	87	130	182	85	22	15	8	—
Male ....	325	—	1	—	26	58	72	103	46	8	6	5	—
Female ....	240	1	—	1	7	29	58	79	39	14	9	3	—
Injury at work <sup>42</sup> .....	61	—	—	1	2	10	13	18	12	2	3	—	—
Male ....	58	—	—	1	2	9	11	18	12	2	3	—	—
Female ....	3	—	—	—	—	1	2	—	—	—	—	—	—

1 International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

2 Human immunodeficiency virus/Acquired immune deficiency syndrome.

3 Including uterus, part unspecified.

4 Including meninges and other parts of the central nervous system.

5 Including immunoproliferative neoplasms.

6 Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

7 Including diseases of the blood forming-organs and disorders involving the immune mechanism.

8 Including metabolic diseases.

9 Including behavioral disorders.

10 In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia, with a net loss of 111 for the former and a similar gain for the latter.

11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

12 Including acute rheumatic fever.

13 The ICD-10 code is I25.0.

14 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.

15 Hypertension with/without Renal Disease.

16 Including other intracranial hemorrhages.

17 Including diseases of the arterioles and capillaries.

18 Including acute bronchiolitis.

19 Formerly chronic obstructive pulmonary disease (COPD).

20 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.

21 Including liver cirrhosis.

- 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 23 Including other diseases of the gallbladder.
- 24 Including subcutaneous tissues.
- 25 Including connective tissue.
- 26 Including nephrotic syndrome and nephrosis.
- 27 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 28 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 29 Inflammatory diseases of female pelvic organs.
- 30 Including the puerperium.
- 31 Including congenital deformations and chromosomal abnormalities.
- 32 Including abnormal clinical and laboratory findings not elsewhere classified.
- 33 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 34 Including the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 35 Including exposure to noxious substances.
- 36 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 37 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that this category includes injuries included in other cause of death categories.
- 38 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
- 39 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively. (Components of this category were revised beginning in 2004, resulting in the inclusion of additional codes/deaths.)
- 40 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as, drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note that disorders included here are also included in other cause of death categories.
- 41 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Components of this category were revised beginning in 2004 resulting in the inclusion of additional codes/deaths.)
- 42 Recorded as a separate item on the death certificate by the Medical Examiner.
- \* Including unknown age.
- Quantity is 0.