

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2010

| Selected Causes of Death (and their ICD-10 codes) | Baker | | Benton | | Clackamas | | Clatsop | |
|--|-------|-------------------|--------|-------------------|-----------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 217 | 1320.0 | 527 | 605.7 | 2,974 | 779.0 | 374 | 987.8 |
| Infections & parasitic disease (A00-B99) | 2 | 12.2 | 11 | 12.6 | 56 | 14.7 | 10 | 26.4 |
| Septicemia (A40-A41) | 1 | 6.1 | 1 | 1.1 | 21 | 5.5 | 1 | 2.6 |
| Viral Hepatitis (B15-B19) | — | — | 2 | 2.3 | 13 | 3.4 | 4 | 10.6 |
| HIV disease (B20-B24) | — | — | — | — | 2 | 0.5 | 1 | 2.6 |
| Malignant neoplasms (C00-C97) | 41 | 249.4 | 132 | 151.7 | 711 | 186.2 | 94 | 248.3 |
| Colon (C18) | 4 | 24.3 | 8 | 9.2 | 46 | 12.0 | 6 | 15.8 |
| Pancreas (C25) | 2 | 12.2 | 10 | 11.5 | 40 | 10.5 | 4 | 10.6 |
| Bronchus & lung (C34) | 5 | 30.4 | 33 | 37.9 | 199 | 52.1 | 28 | 74.0 |
| Skin (C43-44) | 1 | 6.1 | 4 | 4.6 | 16 | 4.2 | 2 | 5.3 |
| Breast (C50) | 3 | 18.2 | 12 | 13.8 | 61 | 16.0 | 4 | 10.6 |
| Cervical (C53) | — | — | — | — | 3 | 0.8 | — | — |
| Uterine (C54-C55) | 2 | 12.2 | 2 | 2.3 | 10 | 2.6 | — | — |
| Ovarian (C56) | 3 | 18.2 | 2 | 2.3 | 22 | 5.8 | 3 | 7.9 |
| Prostate (C61) | 1 | 6.1 | 10 | 11.5 | 37 | 9.7 | 9 | 23.8 |
| Kidney & renal pelvis (C64-C65) | 2 | 12.2 | 5 | 5.7 | 19 | 5.0 | 3 | 7.9 |
| Bladder (C67) | 1 | 6.1 | 4 | 4.6 | 22 | 5.8 | 1 | 2.6 |
| Brain (C70-C72) | — | — | 6 | 6.9 | 17 | 4.5 | 2 | 5.3 |
| Lymphatic (C81-C96) | 7 | 42.6 | 12 | 13.8 | 72 | 18.9 | 7 | 18.5 |
| Non-Hodgkin's lymphoma (C82-C85) | 3 | 18.2 | 8 | 9.2 | 29 | 7.6 | 4 | 10.6 |
| Leukemia (C91-C95) | 2 | 12.2 | 4 | 4.6 | 25 | 6.5 | 1 | 2.6 |
| Benign & uncertain neoplasms (D00-D48) | — | — | 1 | 1.1 | 41 | 10.7 | 2 | 5.3 |
| Diabetes mellitus (E10-E14) | 8 | 48.7 | 15 | 17.2 | 106 | 27.8 | 13 | 34.3 |
| Organic dementia (F01-F03) | 5 | 30.4 | 27 | 31.0 | 216 | 56.6 | 12 | 31.7 |
| Parkinson's disease (G20-G21) | — | — | 5 | 5.7 | 40 | 10.5 | 5 | 13.2 |
| Alzheimer's disease (G30) | 7 | 42.6 | 25 | 28.7 | 143 | 37.5 | 9 | 23.8 |
| Diseases of the circulatory system (I00-I99) | 85 | 517.0 | 176 | 202.3 | 810 | 212.2 | 113 | 298.5 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 61 | 371.0 | 111 | 127.6 | 569 | 149.0 | 76 | 200.7 |
| Ischemic heart disease (I20-I25) | 45 | 273.7 | 53 | 60.9 | 311 | 81.5 | 53 | 140.0 |
| Cerebrovascular disease (I60-I69) | 18 | 109.5 | 50 | 57.5 | 168 | 44.0 | 27 | 71.3 |
| Intracerebral hemorrhage, etc. (I61-I62) | 3 | 18.2 | 12 | 13.8 | 33 | 8.6 | 2 | 5.3 |
| Cerebral infarction (I63) | — | — | 1 | 1.1 | 8 | 2.1 | 2 | 5.3 |
| Stroke of unspecified type (I64) | 7 | 42.6 | 29 | 33.3 | 101 | 26.5 | 18 | 47.5 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 1 | 6.1 | 5 | 5.7 | 41 | 10.7 | 5 | 13.2 |
| Aortic aneurysm (I71) | 3 | 18.2 | 7 | 8.0 | 16 | 4.2 | 3 | 7.9 |
| Influenza & pneumonia (J09-J18) | 7 | 42.6 | 10 | 11.5 | 31 | 8.1 | 6 | 15.8 |
| Chronic lower respiratory diseases (J40-J47) | 9 | 54.7 | 25 | 28.7 | 154 | 40.3 | 19 | 50.2 |
| Diseases of the digestive system (K00-K92) | 10 | 60.8 | 18 | 20.7 | 109 | 28.6 | 24 | 63.4 |
| Diseases of the genitourinary sys. (N00-N99) | 7 | 42.6 | 11 | 12.6 | 51 | 13.4 | 11 | 29.1 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 4 | 24.3 | 5 | 5.7 | 31 | 8.1 | 7 | 18.5 |
| Perinatal conditions (P00-P96) | — | — | 1 | 1.1 | 7 | 1.8 | 1 | 2.6 |
| Congenital malformations (Q00-Q99) | 2 | 12.2 | 2 | 2.3 | 7 | 1.8 | 1 | 2.6 |
| Sudden infant death syndrome (R95) | — | — | — | — | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 9 | 54.7 | 17 | 19.5 | 142 | 37.2 | 20 | 52.8 |
| Suicide (X60-X84, Y87.0) | 3 | 18.2 | 10 | 11.5 | 62 | 16.2 | 3 | 7.9 |
| Homicide (X85-Y09, Y87.1) | 1 | 6.1 | — | — | 8 | 2.1 | 1 | 2.6 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | 3 | 3.4 | 6 | 1.6 | 3 | 7.9 |
| <i>Alcohol-induced</i> ² | 4 | 24.3 | 10 | 11.5 | 39 | 10.2 | 9 | 23.8 |
| <i>Drug-induced</i> ² | 4 | 24.3 | 6 | 6.9 | 53 | 13.9 | 11 | 29.1 |
| <i>Injury by firearms</i> ² | 4 | 24.3 | 8 | 9.2 | 35 | 9.2 | 3 | 7.9 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2010 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Columbia | | Coos | | Crook | | Curry | |
|--|----------|-------------------|------|-------------------|-------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 387 | 796.0 | 847 | 1345.9 | 232 | 850.4 | 371 | 1753.3 |
| Infections & parasitic disease (A00-B99) | 6 | 12.3 | 15 | 23.8 | 6 | 22.0 | 11 | 52.0 |
| Septicemia (A40-A41) | 3 | 6.2 | 3 | 4.8 | 2 | 7.3 | 6 | 28.4 |
| Viral Hepatitis (B15-B19) | 3 | 6.2 | 4 | 6.4 | 3 | 11.0 | 1 | 4.7 |
| HIV disease (B20-B24) | — | — | — | — | — | — | 1 | 4.7 |
| Malignant neoplasms (C00-C97) | 92 | 189.2 | 196 | 311.5 | 44 | 161.3 | 78 | 368.6 |
| Colon (C18) | 4 | 8.2 | 13 | 20.7 | 4 | 14.7 | 7 | 33.1 |
| Pancreas (C25) | 8 | 16.5 | 10 | 15.9 | 6 | 22.0 | 4 | 18.9 |
| Bronchus & lung (C34) | 26 | 53.5 | 69 | 109.6 | 12 | 44.0 | 21 | 99.2 |
| Skin (C43-44) | 2 | 4.1 | 2 | 3.2 | 4 | 14.7 | 2 | 9.5 |
| Breast (C50) | 5 | 10.3 | 10 | 15.9 | 2 | 7.3 | 5 | 23.6 |
| Cervical (C53) | — | — | 1 | 1.6 | — | — | — | — |
| Uterine (C54-C55) | 2 | 4.1 | 2 | 3.2 | 1 | 3.7 | — | — |
| Ovarian (C56) | 5 | 10.3 | 4 | 6.4 | — | — | 1 | 4.7 |
| Prostate (C61) | 5 | 10.3 | 10 | 15.9 | 2 | 7.3 | 6 | 28.4 |
| Kidney & renal pelvis (C64-C65) | 1 | 2.1 | 3 | 4.8 | — | — | 1 | 4.7 |
| Bladder (C67) | 2 | 4.1 | 5 | 7.9 | — | — | 1 | 4.7 |
| Brain (C70-C72) | 2 | 4.1 | 8 | 12.7 | 2 | 7.3 | 1 | 4.7 |
| Lymphatic (C81-C96) | 7 | 14.4 | 13 | 20.7 | 2 | 7.3 | 6 | 28.4 |
| Non-Hodgkin's lymphoma (C82-C85) | 3 | 6.2 | 8 | 12.7 | 1 | 3.7 | 3 | 14.2 |
| Leukemia (C91-C95) | 1 | 2.1 | 2 | 3.2 | 1 | 3.7 | 1 | 4.7 |
| Benign & uncertain neoplasms (D00-D48) | 1 | 2.1 | 10 | 15.9 | 3 | 11.0 | 4 | 18.9 |
| Diabetes mellitus (E10-E14) | 14 | 28.8 | 29 | 46.1 | 5 | 18.3 | 13 | 61.4 |
| Organic dementia (F01-F03) | 20 | 41.1 | 32 | 50.9 | 4 | 14.7 | 14 | 66.2 |
| Parkinson's disease (G20-G21) | 2 | 4.1 | 7 | 11.1 | 3 | 11.0 | 6 | 28.4 |
| Alzheimer's disease (G30) | 8 | 16.5 | 47 | 74.7 | 3 | 11.0 | 10 | 47.3 |
| Diseases of the circulatory system (I00-I99) | 118 | 242.7 | 221 | 351.2 | 83 | 304.3 | 108 | 510.4 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 92 | 189.2 | 149 | 236.8 | 48 | 176.0 | 86 | 406.4 |
| Ischemic heart disease (I20-I25) | 50 | 102.8 | 101 | 160.5 | 23 | 84.3 | 54 | 255.2 |
| Cerebrovascular disease (I60-I69) | 18 | 37.0 | 53 | 84.2 | 9 | 33.0 | 12 | 56.7 |
| Intracerebral hemorrhage, etc. (I61-I62) | 5 | 10.3 | 10 | 15.9 | 1 | 3.7 | 3 | 14.2 |
| Cerebral infarction (I63) | — | — | 2 | 3.2 | — | — | 1 | 4.7 |
| Stroke of unspecified type (I64) | 9 | 18.5 | 36 | 57.2 | 7 | 25.7 | 6 | 28.4 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 4 | 8.2 | 10 | 15.9 | 3 | 11.0 | 5 | 23.6 |
| Aortic aneurysm (I71) | 2 | 4.1 | 3 | 4.8 | — | — | 1 | 4.7 |
| Influenza & pneumonia (J09-J18) | 2 | 4.1 | 12 | 19.1 | 2 | 7.3 | 4 | 18.9 |
| Chronic lower respiratory diseases (J40-J47) | 21 | 43.2 | 56 | 89.0 | 25 | 91.6 | 34 | 160.7 |
| Diseases of the digestive system (K00-K92) | 22 | 45.2 | 45 | 71.5 | 9 | 33.0 | 12 | 56.7 |
| Diseases of the genitourinary sys. (N00-N99) | 10 | 20.6 | 18 | 28.6 | 1 | 3.7 | 14 | 66.2 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 7 | 14.4 | 11 | 17.5 | 1 | 3.7 | 12 | 56.7 |
| Perinatal conditions (P00-P96) | — | — | 2 | 3.2 | 1 | 3.7 | — | — |
| Congenital malformations (Q00-Q99) | — | — | 2 | 3.2 | — | — | — | — |
| Sudden infant death syndrome (R95) | 2 | 4.1 | — | — | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 21 | 43.2 | 45 | 71.5 | 12 | 44.0 | 19 | 89.8 |
| Suicide (X60-X84, Y87.0) | 11 | 22.6 | 24 | 38.1 | 7 | 25.7 | 11 | 52.0 |
| Homicide (X85-Y09, Y87.1) | — | — | 3 | 4.8 | — | — | — | — |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 2 | 4.1 | 1 | 1.6 | — | — | 3 | 14.2 |
| <i>Alcohol-induced</i> ² | 9 | 18.5 | 21 | 33.4 | 6 | 22.0 | 5 | 23.6 |
| <i>Drug-induced</i> ² | 10 | 20.6 | 17 | 27.0 | 1 | 3.7 | 7 | 33.1 |
| <i>Injury by firearms</i> ² | 6 | 12.3 | 16 | 25.4 | 4 | 14.7 | 7 | 33.1 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2010 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Deschutes | | Douglas | | Gilliam | | Grant | |
|--|-----------|-------------------|---------|-------------------|---------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 1,250 | 726.5 | 1,392 | 1322.7 | 18 | 954.9 | 89 | 1185.1 |
| Infections & parasitic disease (A00-B99) | 15 | 8.7 | 32 | 30.4 | — | — | — | — |
| Septicemia (A40-A41) | 4 | 2.3 | 10 | 9.5 | — | — | — | — |
| Viral Hepatitis (B15-B19) | 5 | 2.9 | 11 | 10.5 | — | — | — | — |
| HIV disease (B20-B24) | 3 | 1.7 | 1 | 1.0 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 312 | 181.3 | 332 | 315.5 | 4 | 212.2 | 19 | 253.0 |
| Colon (C18) | 12 | 7.0 | 23 | 21.9 | — | — | 3 | 39.9 |
| Pancreas (C25) | 31 | 18.0 | 25 | 23.8 | — | — | 2 | 26.6 |
| Bronchus & lung (C34) | 75 | 43.6 | 105 | 99.8 | 1 | 53.1 | 5 | 66.6 |
| Skin (C43-44) | 14 | 8.1 | 9 | 8.6 | — | — | — | — |
| Breast (C50) | 21 | 12.2 | 20 | 19.0 | 1 | 53.1 | — | — |
| Cervical (C53) | 1 | 0.6 | 2 | 1.9 | — | — | — | — |
| Uterine (C54-C55) | 4 | 2.3 | 5 | 4.8 | 1 | 53.1 | — | — |
| Ovarian (C56) | 8 | 4.6 | 7 | 6.7 | — | — | 1 | 13.3 |
| Prostate (C61) | 17 | 9.9 | 13 | 12.4 | — | — | — | — |
| Kidney & renal pelvis (C64-C65) | 9 | 5.2 | 9 | 8.6 | — | — | — | — |
| Bladder (C67) | 7 | 4.1 | 10 | 9.5 | — | — | 1 | 13.3 |
| Brain (C70-C72) | 5 | 2.9 | 6 | 5.7 | — | — | 1 | 13.3 |
| Lymphatic (C81-C96) | 33 | 19.2 | 35 | 33.3 | 1 | 53.1 | 1 | 13.3 |
| Non-Hodgkin's lymphoma (C82-C85) | 11 | 6.4 | 19 | 18.1 | — | — | 1 | 13.3 |
| Leukemia (C91-C95) | 15 | 8.7 | 12 | 11.4 | — | — | — | — |
| Benign & uncertain neoplasms (D00-D48) | 10 | 5.8 | 9 | 8.6 | — | — | — | — |
| Diabetes mellitus (E10-E14) | 31 | 18.0 | 56 | 53.2 | 1 | 53.1 | 1 | 13.3 |
| Organic dementia (F01 F03) | 74 | 43.0 | 63 | 59.9 | — | — | 4 | 53.3 |
| Parkinson's disease (G20-G21) | 21 | 12.2 | 14 | 13.3 | — | — | — | — |
| Alzheimer's disease (G30) | 41 | 23.8 | 62 | 58.9 | 1 | 53.1 | 5 | 66.6 |
| Diseases of the circulatory system (I00-I99) | 339 | 197.0 | 409 | 388.6 | 5 | 265.3 | 28 | 372.8 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 242 | 140.7 | 291 | 276.5 | 4 | 212.2 | 20 | 266.3 |
| Ischemic heart disease (I20-I25) | 143 | 83.1 | 188 | 178.6 | 3 | 159.2 | 13 | 173.1 |
| Cerebrovascular disease (I60-I69) | 65 | 37.8 | 77 | 73.2 | — | — | 4 | 53.3 |
| Intracerebral hemorrhage, etc. (I61-I62) | 7 | 4.1 | 11 | 10.5 | — | — | — | — |
| Cerebral infarction (I63) | — | — | 8 | 7.6 | — | — | — | — |
| Stroke of unspecified type (I64) | 44 | 25.6 | 44 | 41.8 | — | — | 3 | 39.9 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 16 | 9.3 | 26 | 24.7 | 1 | 53.1 | 2 | 26.6 |
| Aortic aneurysm (I71) | 9 | 5.2 | 10 | 9.5 | — | — | 1 | 13.3 |
| Influenza & pneumonia (J09-J18) | 16 | 9.3 | 11 | 10.5 | — | — | 3 | 39.9 |
| Chronic lower respiratory diseases (J40-J47) | 98 | 57.0 | 125 | 118.8 | 1 | 53.1 | 9 | 119.8 |
| Diseases of the digestive system (K00-K92) | 52 | 30.2 | 64 | 60.8 | 2 | 106.1 | 7 | 93.2 |
| Diseases of the genitourinary sys. (N00-N99) | 15 | 8.7 | 22 | 20.9 | 1 | 53.1 | 4 | 53.3 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 9 | 5.2 | 19 | 18.1 | 1 | 53.1 | 2 | 26.6 |
| Perinatal conditions (P00-P96) | 2 | 1.2 | — | — | — | — | — | — |
| Congenital malformations (Q00-Q99) | 1 | 0.6 | 5 | 4.8 | — | — | — | — |
| Sudden infant death syndrome (R95) | — | — | — | — | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 65 | 37.8 | 57 | 54.2 | — | — | 3 | 39.9 |
| Suicide (X60-X84, Y87.0) | 40 | 23.2 | 17 | 16.2 | 2 | 106.1 | 2 | 26.6 |
| Homicide (X85-Y09, Y87.1) | 6 | 3.5 | 5 | 4.8 | — | — | 1 | 13.3 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 4 | 2.3 | 2 | 1.9 | — | — | — | — |
| <i>Alcohol-induced</i> ² | 25 | 14.5 | 18 | 17.1 | — | — | 1 | 13.3 |
| <i>Drug-induced</i> ² | 25 | 14.5 | 11 | 10.5 | — | — | — | — |
| <i>Injury by firearms</i> ² | 27 | 15.7 | 13 | 12.4 | 2 | 106.1 | 3 | 39.9 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2010 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Harney | | Hood River | | Jackson | | Jefferson | |
|--|--------|-------------------|------------|-------------------|---------|-------------------|-----------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 92 | 1191.7 | 158 | 723.1 | 2,172 | 1045.5 | 194 | 848.5 |
| Infections & parasitic disease (A00-B99) | 1 | 13.0 | 3 | 13.7 | 35 | 16.8 | 2 | 8.7 |
| Septicemia (A40-A41) | — | — | 1 | 4.6 | 10 | 4.8 | — | — |
| Viral Hepatitis (B15-B19) | — | — | — | — | 12 | 5.8 | 1 | 4.4 |
| HIV disease (B20-B24) | — | — | — | — | 2 | 1.0 | — | — |
| Malignant neoplasms (C00-C97) | 18 | 233.2 | 41 | 187.6 | 498 | 239.7 | 42 | 183.7 |
| Colon (C18) | 2 | 25.9 | 2 | 9.2 | 22 | 10.6 | — | — |
| Pancreas (C25) | — | — | 4 | 18.3 | 31 | 14.9 | 1 | 4.4 |
| Bronchus & lung (C34) | 8 | 103.6 | 12 | 54.9 | 124 | 59.7 | 14 | 61.2 |
| Skin (C43-44) | 2 | 25.9 | — | — | 25 | 12.0 | 2 | 8.7 |
| Breast (C50) | — | — | 3 | 13.7 | 44 | 21.2 | 2 | 8.7 |
| Cervical (C53) | — | — | — | — | 4 | 1.9 | — | — |
| Uterine (C54-C55) | — | — | — | — | 7 | 3.4 | — | — |
| Ovarian (C56) | — | — | — | — | 16 | 7.7 | 2 | 8.7 |
| Prostate (C61) | — | — | 2 | 9.2 | 24 | 11.6 | 2 | 8.7 |
| Kidney & renal pelvis (C64-C65) | 1 | 13.0 | 2 | 9.2 | 11 | 5.3 | 1 | 4.4 |
| Bladder (C67) | 1 | 13.0 | — | — | 18 | 8.7 | 4 | 17.5 |
| Brain (C70-C72) | 1 | 13.0 | 1 | 4.6 | 11 | 5.3 | 2 | 8.7 |
| Lymphatic (C81-C96) | 1 | 13.0 | 2 | 9.2 | 49 | 23.6 | 4 | 17.5 |
| Non-Hodgkin's lymphoma (C82-C85) | 1 | 13.0 | 1 | 4.6 | 16 | 7.7 | 1 | 4.4 |
| Leukemia (C91-C95) | — | — | 1 | 4.6 | 22 | 10.6 | 3 | 13.1 |
| Benign & uncertain neoplasms (D00-D48) | — | — | 1 | 4.6 | 16 | 7.7 | 1 | 4.4 |
| Diabetes mellitus (E10-E14) | 4 | 51.8 | 5 | 22.9 | 63 | 30.3 | 10 | 43.7 |
| Organic dementia (F01 F03) | 4 | 51.8 | 14 | 64.1 | 116 | 55.8 | 2 | 8.7 |
| Parkinson's disease (G20-G21) | 1 | 13.0 | — | — | 23 | 11.1 | 1 | 4.4 |
| Alzheimer's disease (G30) | 3 | 38.9 | 9 | 41.2 | 125 | 60.2 | 6 | 26.2 |
| Diseases of the circulatory system (I00-I99) | 21 | 272.0 | 51 | 233.4 | 631 | 303.7 | 45 | 196.8 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 14 | 181.3 | 32 | 146.5 | 445 | 214.2 | 35 | 153.1 |
| Ischemic heart disease (I20-I25) | 8 | 103.6 | 16 | 73.2 | 235 | 113.1 | 20 | 87.5 |
| Cerebrovascular disease (I60-I69) | 5 | 64.8 | 16 | 73.2 | 130 | 62.6 | 9 | 39.4 |
| Intracerebral hemorrhage, etc. (I61-I62) | 2 | 25.9 | 2 | 9.2 | 22 | 10.6 | — | — |
| Cerebral infarction (I63) | — | — | 1 | 4.6 | 2 | 1.0 | 2 | 8.7 |
| Stroke of unspecified type (I64) | 2 | 25.9 | 10 | 45.8 | 76 | 36.6 | 3 | 13.1 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 1 | 13.0 | — | — | 40 | 19.3 | 1 | 4.4 |
| Aortic aneurysm (I71) | 1 | 13.0 | 3 | 13.7 | 6 | 2.9 | — | — |
| Influenza & pneumonia (J09-J18) | 3 | 38.9 | 2 | 9.2 | 36 | 17.3 | 4 | 17.5 |
| Chronic lower respiratory diseases (J40-J47) | 4 | 51.8 | 2 | 9.2 | 155 | 74.6 | 18 | 78.7 |
| Diseases of the digestive system (K00-K92) | 6 | 77.7 | 10 | 45.8 | 110 | 52.9 | 10 | 43.7 |
| Diseases of the genitourinary sys. (N00-N99) | 2 | 25.9 | — | — | 38 | 18.3 | 3 | 13.1 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 1 | 13.0 | — | — | 22 | 10.6 | 2 | 8.7 |
| Perinatal conditions (P00-P96) | — | — | — | — | 2 | 1.0 | — | — |
| Congenital malformations (Q00-Q99) | — | — | 1 | 4.6 | 6 | 2.9 | — | — |
| Sudden infant death syndrome (R95) | — | — | 1 | 4.6 | — | — | 1 | 4.4 |
| Unintentional injuries (V01-X59, Y85-Y86) | 9 | 116.6 | 7 | 32.0 | 92 | 44.3 | 16 | 70.0 |
| Suicide (X60-X84, Y87.0) | 6 | 77.7 | 1 | 4.6 | 34 | 16.4 | 6 | 26.2 |
| Homicide (X85-Y09, Y87.1) | — | — | — | — | 6 | 2.9 | 3 | 13.1 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | — | — | 10 | 4.8 | 1 | 4.4 |
| <i>Alcohol-induced</i> ² | 3 | 38.9 | 2 | 9.2 | 43 | 20.7 | 7 | 30.6 |
| <i>Drug-induced</i> ² | — | — | — | — | 31 | 14.9 | 2 | 8.7 |
| <i>Injury by firearms</i> ² | 4 | 51.8 | 1 | 4.6 | 23 | 11.1 | 8 | 35.0 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2010 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Josephine | | Klamath | | Lake | | Lane | |
|--|-----------|-------------------|---------|-------------------|------|-------------------|-------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 1,094 | 1308.6 | 675 | 1015.4 | 102 | 1347.4 | 3,046 | 873.9 |
| Infections & parasitic disease (A00-B99) | 26 | 31.1 | 16 | 24.1 | 1 | 13.2 | 67 | 19.2 |
| Septicemia (A40-A41) | 11 | 13.2 | 7 | 10.5 | 1 | 13.2 | 31 | 8.9 |
| Viral Hepatitis (B15-B19) | 5 | 6.0 | 5 | 7.5 | — | — | 18 | 5.2 |
| HIV disease (B20-B24) | 2 | 2.4 | — | — | — | — | 3 | 0.9 |
| Malignant neoplasms (C00-C97) | 277 | 331.3 | 164 | 246.7 | 21 | 277.4 | 709 | 203.4 |
| Colon (C18) | 16 | 19.1 | 14 | 21.1 | — | — | 45 | 12.9 |
| Pancreas (C25) | 23 | 27.5 | 11 | 16.5 | — | — | 44 | 12.6 |
| Bronchus & lung (C34) | 74 | 88.5 | 30 | 45.1 | 5 | 66.1 | 210 | 60.2 |
| Skin (C43-44) | 8 | 9.6 | 3 | 4.5 | 2 | 26.4 | 10 | 2.9 |
| Breast (C50) | 18 | 21.5 | 20 | 30.1 | 1 | 13.2 | 41 | 11.8 |
| Cervical (C53) | 1 | 1.2 | — | — | — | — | 5 | 1.4 |
| Uterine (C54-C55) | 6 | 7.2 | 3 | 4.5 | 1 | 13.2 | 10 | 2.9 |
| Ovarian (C56) | 5 | 6.0 | 6 | 9.0 | — | — | 28 | 8.0 |
| Prostate (C61) | 18 | 21.5 | 7 | 10.5 | 2 | 26.4 | 30 | 8.6 |
| Kidney & renal pelvis (C64-C65) | 6 | 7.2 | 1 | 1.5 | 2 | 26.4 | 14 | 4.0 |
| Bladder (C67) | 12 | 14.4 | 5 | 7.5 | 1 | 13.2 | 22 | 6.3 |
| Brain (C70-C72) | 6 | 7.2 | 2 | 3.0 | — | — | 17 | 4.9 |
| Lymphatic (C81-C96) | 36 | 43.1 | 17 | 25.6 | 2 | 26.4 | 74 | 21.2 |
| Non-Hodgkin's lymphoma (C82-C85) | 9 | 10.8 | 7 | 10.5 | — | — | 30 | 8.6 |
| Leukemia (C91-C95) | 20 | 23.9 | 4 | 6.0 | 1 | 13.2 | 32 | 9.2 |
| Benign & uncertain neoplasms (D00-D48) | 10 | 12.0 | 6 | 9.0 | — | — | 22 | 6.3 |
| Diabetes mellitus (E10-E14) | 40 | 47.8 | 20 | 30.1 | 5 | 66.1 | 77 | 22.1 |
| Organic dementia (F01 F03) | 75 | 89.7 | 37 | 55.7 | 3 | 39.6 | 224 | 64.3 |
| Parkinson's disease (G20-G21) | 12 | 14.4 | 1 | 1.5 | — | — | 34 | 9.8 |
| Alzheimer's disease (G30) | 32 | 38.3 | 33 | 49.6 | 6 | 79.3 | 139 | 39.9 |
| Diseases of the circulatory system (I00-I99) | 287 | 343.3 | 167 | 251.2 | 29 | 383.1 | 734 | 210.6 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 203 | 242.8 | 126 | 189.5 | 15 | 198.2 | 518 | 148.6 |
| Ischemic heart disease (I20-I25) | 119 | 142.3 | 87 | 130.9 | 12 | 158.5 | 275 | 78.9 |
| Cerebrovascular disease (I60-I69) | 64 | 76.6 | 22 | 33.1 | 8 | 105.7 | 155 | 44.5 |
| Intracerebral hemorrhage, etc. (I61-I62) | 13 | 15.6 | 4 | 6.0 | 2 | 26.4 | 38 | 10.9 |
| Cerebral infarction (I63) | 4 | 4.8 | 2 | 3.0 | — | — | 12 | 3.4 |
| Stroke of unspecified type (I64) | 32 | 38.3 | 12 | 18.1 | 2 | 26.4 | 78 | 22.4 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 11 | 13.2 | 9 | 13.5 | 2 | 26.4 | 39 | 11.2 |
| Aortic aneurysm (I71) | 2 | 2.4 | 3 | 4.5 | 1 | 13.2 | 8 | 2.3 |
| Influenza & pneumonia (J09-J18) | 13 | 15.6 | 11 | 16.5 | 2 | 26.4 | 41 | 11.8 |
| Chronic lower respiratory diseases (J40-J47) | 78 | 93.3 | 39 | 58.7 | 9 | 118.9 | 229 | 65.7 |
| Diseases of the digestive system (K00-K92) | 35 | 41.9 | 35 | 52.7 | 5 | 66.1 | 156 | 44.8 |
| Diseases of the genitourinary sys. (N00-N99) | 32 | 38.3 | 14 | 21.1 | — | — | 57 | 16.4 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 21 | 25.1 | 12 | 18.1 | — | — | 34 | 9.8 |
| Perinatal conditions (P00-P96) | 2 | 2.4 | 2 | 3.0 | 1 | 13.2 | 5 | 1.4 |
| Congenital malformations (Q00-Q99) | 2 | 2.4 | 4 | 6.0 | 1 | 13.2 | 6 | 1.7 |
| Sudden infant death syndrome (R95) | 1 | 1.2 | 1 | 1.5 | — | — | 1 | 0.3 |
| Unintentional injuries (V01-X59, Y85-Y86) | 53 | 63.4 | 29 | 43.6 | 1 | 13.2 | 147 | 42.2 |
| Suicide (X60-X84, Y87.0) | 16 | 19.1 | 22 | 33.1 | 7 | 92.5 | 71 | 20.4 |
| Homicide (X85-Y09, Y87.1) | 2 | 2.4 | 3 | 4.5 | — | — | 12 | 3.4 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 3 | 3.6 | 1 | 1.5 | — | — | 12 | 3.4 |
| <i>Alcohol-induced</i> ² | 19 | 22.7 | 21 | 31.6 | 7 | 92.5 | 62 | 17.8 |
| <i>Drug-induced</i> ² | 13 | 15.6 | 15 | 22.6 | 2 | 26.4 | 64 | 18.4 |
| <i>Injury by firearms</i> ² | 14 | 16.7 | 19 | 28.6 | 6 | 79.3 | 46 | 13.2 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2010 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Lincoln | | Linn | | Malheur | | Marion | |
|--|---------|-------------------|-------|-------------------|---------|-------------------|--------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 584 | 1308.8 | 1,146 | 1029.1 | 316 | 991.7 | 2,517 | 785.0 |
| Infections & parasitic disease (A00-B99) | 12 | 26.9 | 24 | 21.6 | 4 | 12.6 | 59 | 18.4 |
| Septicemia (A40-A41) | 6 | 13.4 | 11 | 9.9 | 1 | 3.1 | 15 | 4.7 |
| Viral Hepatitis (B15-B19) | 3 | 6.7 | 4 | 3.6 | 3 | 9.4 | 19 | 5.9 |
| HIV disease (B20-B24) | — | — | 2 | 1.8 | — | — | 6 | 1.9 |
| Malignant neoplasms (C00-C97) | 155 | 347.4 | 284 | 255.0 | 66 | 207.1 | 571 | 178.1 |
| Colon (C18) | 11 | 24.7 | 22 | 19.8 | 6 | 18.8 | 37 | 11.5 |
| Pancreas (C25) | 7 | 15.7 | 17 | 15.3 | 4 | 12.6 | 39 | 12.2 |
| Bronchus & lung (C34) | 48 | 107.6 | 72 | 64.7 | 16 | 50.2 | 157 | 49.0 |
| Skin (C43-44) | 4 | 9.0 | 7 | 6.3 | 4 | 12.6 | 13 | 4.1 |
| Breast (C50) | 12 | 26.9 | 19 | 17.1 | 5 | 15.7 | 39 | 12.2 |
| Cervical (C53) | 1 | 2.2 | 4 | 3.6 | 1 | 3.1 | 2 | 0.6 |
| Uterine (C54-C55) | 2 | 4.5 | 2 | 1.8 | 1 | 3.1 | 4 | 1.2 |
| Ovarian (C56) | 2 | 4.5 | 7 | 6.3 | 1 | 3.1 | 14 | 4.4 |
| Prostate (C61) | 9 | 20.2 | 19 | 17.1 | 3 | 9.4 | 32 | 10.0 |
| Kidney & renal pelvis (C64-C65) | 4 | 9.0 | 3 | 2.7 | 1 | 3.1 | 16 | 5.0 |
| Bladder (C67) | 6 | 13.4 | 9 | 8.1 | 4 | 12.6 | 12 | 3.7 |
| Brain (C70-C72) | 3 | 6.7 | 5 | 4.5 | 4 | 12.6 | 18 | 5.6 |
| Lymphatic (C81-C96) | 11 | 24.7 | 33 | 29.6 | 3 | 9.4 | 47 | 14.7 |
| Non-Hodgkin's lymphoma (C82-C85) | 4 | 9.0 | 15 | 13.5 | 2 | 6.3 | 14 | 4.4 |
| Leukemia (C91-C95) | 5 | 11.2 | 11 | 9.9 | 1 | 3.1 | 25 | 7.8 |
| Benign & uncertain neoplasms (D00-D48) | 3 | 6.7 | 4 | 3.6 | 3 | 9.4 | 14 | 4.4 |
| Diabetes mellitus (E10-E14) | 13 | 29.1 | 39 | 35.0 | 16 | 50.2 | 98 | 30.6 |
| Organic dementia (F01 F03) | 16 | 35.9 | 66 | 59.3 | 30 | 94.1 | 157 | 49.0 |
| Parkinson's disease (G20-G21) | 5 | 11.2 | 5 | 4.5 | 5 | 15.7 | 30 | 9.4 |
| Alzheimer's disease (G30) | 29 | 65.0 | 41 | 36.8 | 8 | 25.1 | 72 | 22.5 |
| Diseases of the circulatory system (I00-I99) | 163 | 365.3 | 340 | 305.3 | 102 | 320.1 | 693 | 216.1 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 126 | 282.4 | 235 | 211.0 | 69 | 216.5 | 487 | 151.9 |
| Ischemic heart disease (I20-I25) | 76 | 170.3 | 134 | 120.3 | 41 | 128.7 | 273 | 85.1 |
| Cerebrovascular disease (I60-I69) | 26 | 58.3 | 75 | 67.4 | 22 | 69.0 | 149 | 46.5 |
| Intracerebral hemorrhage, etc. (I61-I62) | 6 | 13.4 | 18 | 16.2 | 2 | 6.3 | 34 | 10.6 |
| Cerebral infarction (I63) | — | — | 5 | 4.5 | — | — | 7 | 2.2 |
| Stroke of unspecified type (I64) | 13 | 29.1 | 34 | 30.5 | 14 | 43.9 | 79 | 24.6 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 2 | 4.5 | 17 | 15.3 | 5 | 15.7 | 23 | 7.2 |
| Aortic aneurysm (I71) | 2 | 4.5 | 9 | 8.1 | 3 | 9.4 | 14 | 4.4 |
| Influenza & pneumonia (J09-J18) | 9 | 20.2 | 19 | 17.1 | 1 | 3.1 | 33 | 10.3 |
| Chronic lower respiratory diseases (J40-J47) | 53 | 118.8 | 65 | 58.4 | 21 | 65.9 | 144 | 44.9 |
| Diseases of the digestive system (K00-K92) | 21 | 47.1 | 49 | 44.0 | 11 | 34.5 | 111 | 34.6 |
| Diseases of the genitourinary sys. (N00-N99) | 7 | 15.7 | 27 | 24.2 | 10 | 31.4 | 50 | 15.6 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 4 | 9.0 | 19 | 17.1 | 6 | 18.8 | 29 | 9.0 |
| Perinatal conditions (P00-P96) | — | — | 2 | 1.8 | 1 | 3.1 | 24 | 7.5 |
| Congenital malformations (Q00-Q99) | 1 | 2.2 | 6 | 5.4 | 1 | 3.1 | 13 | 4.1 |
| Sudden infant death syndrome (R95) | — | — | 2 | 1.8 | — | — | 1 | 0.3 |
| Unintentional injuries (V01-X59, Y85-Y86) | 28 | 62.8 | 60 | 53.9 | 7 | 22.0 | 125 | 39.0 |
| Suicide (X60-X84, Y87.0) | 13 | 29.1 | 20 | 18.0 | 2 | 6.3 | 50 | 15.6 |
| Homicide (X85-Y09, Y87.1) | 2 | 4.5 | 2 | 1.8 | 1 | 3.1 | 7 | 2.2 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | 2 | 1.8 | — | — | 6 | 1.9 |
| <i>Alcohol-induced</i> ² | 7 | 15.7 | 20 | 18.0 | 3 | 9.4 | 47 | 14.7 |
| <i>Drug-induced</i> ² | 9 | 20.2 | 16 | 14.4 | 3 | 9.4 | 46 | 14.3 |
| <i>Injury by firearms</i> ² | 11 | 24.7 | 14 | 12.6 | 1 | 3.1 | 27 | 8.4 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2010 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Morrow | | Multnomah | | Polk | | Sherman | |
|--|--------|-------------------|-----------|-------------------|------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 63 | 500.2 | 5,179 | 709.3 | 624 | 902.5 | 16 | 876.7 |
| Infections & parasitic disease (A00-B99) | 1 | 7.9 | 129 | 17.7 | 11 | 15.9 | — | — |
| Septicemia (A40-A41) | 1 | 7.9 | 41 | 5.6 | 3 | 4.3 | — | — |
| Viral Hepatitis (B15-B19) | — | — | 34 | 4.7 | 5 | 7.2 | — | — |
| HIV disease (B20-B24) | — | — | 16 | 2.2 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 15 | 119.1 | 1,263 | 173.0 | 157 | 227.1 | 6 | 328.8 |
| Colon (C18) | — | — | 85 | 11.6 | 7 | 10.1 | — | — |
| Pancreas (C25) | — | — | 88 | 12.1 | 7 | 10.1 | 1 | 54.8 |
| Bronchus & lung (C34) | 8 | 63.5 | 346 | 47.4 | 37 | 53.5 | 2 | 109.6 |
| Skin (C43-44) | — | — | 21 | 2.9 | 4 | 5.8 | — | — |
| Breast (C50) | — | — | 91 | 12.5 | 9 | 13.0 | 1 | 54.8 |
| Cervical (C53) | — | — | 7 | 1.0 | 1 | 1.4 | — | — |
| Uterine (C54-C55) | — | — | 15 | 2.1 | 2 | 2.9 | — | — |
| Ovarian (C56) | 1 | 7.9 | 38 | 5.2 | 6 | 8.7 | — | — |
| Prostate (C61) | 2 | 15.9 | 63 | 8.6 | 10 | 14.5 | — | — |
| Kidney & renal pelvis (C64-C65) | — | — | 35 | 4.8 | 2 | 2.9 | 1 | 54.8 |
| Bladder (C67) | 1 | 7.9 | 30 | 4.1 | 8 | 11.6 | — | — |
| Brain (C70-C72) | — | — | 31 | 4.2 | 6 | 8.7 | — | — |
| Lymphatic (C81-C96) | 1 | 7.9 | 117 | 16.0 | 27 | 39.0 | — | — |
| Non-Hodgkin's lymphoma (C82-C85) | — | — | 42 | 5.8 | 12 | 17.4 | — | — |
| Leukemia (C91-C95) | — | — | 48 | 6.6 | 9 | 13.0 | — | — |
| Benign & uncertain neoplasms (D00-D48) | 1 | 7.9 | 26 | 3.6 | 4 | 5.8 | — | — |
| Diabetes mellitus (E10-E14) | 3 | 23.8 | 177 | 24.2 | 23 | 33.3 | 1 | 54.8 |
| Organic dementia (F01 F03) | 1 | 7.9 | 311 | 42.6 | 48 | 69.4 | — | — |
| Parkinson's disease (G20-G21) | 1 | 7.9 | 67 | 9.2 | 7 | 10.1 | — | — |
| Alzheimer's disease (G30) | — | — | 210 | 28.8 | 20 | 28.9 | — | — |
| Diseases of the circulatory system (I00-I99) | 14 | 111.2 | 1,366 | 187.1 | 169 | 244.4 | 3 | 164.4 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 9 | 71.5 | 947 | 129.7 | 125 | 180.8 | 2 | 109.6 |
| Ischemic heart disease (I20-I25) | 6 | 47.6 | 503 | 68.9 | 66 | 95.5 | 1 | 54.8 |
| Cerebrovascular disease (I60-I69) | 3 | 23.8 | 290 | 39.7 | 28 | 40.5 | — | — |
| Intracerebral hemorrhage, etc. (I61-I62) | — | — | 51 | 7.0 | 3 | 4.3 | — | — |
| Cerebral infarction (I63) | — | — | 9 | 1.2 | — | — | — | — |
| Stroke of unspecified type (I64) | 3 | 23.8 | 159 | 21.8 | 21 | 30.4 | — | — |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 2 | 15.9 | 70 | 9.6 | 12 | 17.4 | 1 | 54.8 |
| Aortic aneurysm (I71) | — | — | 21 | 2.9 | 1 | 1.4 | — | — |
| Influenza & pneumonia (J09-J18) | 1 | 7.9 | 70 | 9.6 | 5 | 7.2 | 1 | 54.8 |
| Chronic lower respiratory diseases (J40-J47) | 6 | 47.6 | 277 | 37.9 | 34 | 49.2 | 1 | 54.8 |
| Diseases of the digestive system (K00-K92) | 4 | 31.8 | 232 | 31.8 | 23 | 33.3 | 1 | 54.8 |
| Diseases of the genitourinary sys. (N00-N99) | 3 | 23.8 | 87 | 11.9 | 19 | 27.5 | 3 | 164.4 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 2 | 15.9 | 58 | 7.9 | 13 | 18.8 | 2 | 109.6 |
| Perinatal conditions (P00-P96) | — | — | 24 | 3.3 | 4 | 5.8 | — | — |
| Congenital malformations (Q00-Q99) | — | — | 27 | 3.7 | 2 | 2.9 | — | — |
| Sudden infant death syndrome (R95) | — | — | 12 | 1.6 | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 6 | 47.6 | 284 | 38.9 | 25 | 36.2 | — | — |
| Suicide (X60-X84, Y87.0) | — | — | 109 | 14.9 | 11 | 15.9 | — | — |
| Homicide (X85-Y09, Y87.1) | 1 | 7.9 | 31 | 4.2 | 2 | 2.9 | — | — |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | 25 | 3.4 | — | — | — | — |
| <i>Alcohol-induced</i> ² | 1 | 7.9 | 107 | 14.7 | 5 | 7.2 | 1 | 54.8 |
| <i>Drug-induced</i> ² | — | — | 143 | 19.6 | 7 | 10.1 | — | — |
| <i>Injury by firearms</i> ² | 1 | 7.9 | 70 | 9.6 | 4 | 5.8 | — | — |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2010 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Tillamook | | Umatilla | | Union | | Wallowa | |
|--|-----------|-------------------|----------|-------------------|-------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 262 | 1001.1 | 661 | 909.0 | 249 | 976.7 | 78 | 1100.9 |
| Infections & parasitic disease (A00-B99) | 2 | 7.6 | 16 | 22.0 | 5 | 19.6 | 3 | 42.3 |
| Septicemia (A40-A41) | 2 | 7.6 | 8 | 11.0 | 2 | 7.8 | — | — |
| Viral Hepatitis (B15-B19) | — | — | 4 | 5.5 | 1 | 3.9 | 1 | 14.1 |
| HIV disease (B20-B24) | — | — | — | — | — | — | — | — |
| Malignant neoplasms (C00-C97) | 64 | 244.6 | 159 | 218.6 | 61 | 239.3 | 18 | 254.1 |
| Colon (C18) | 6 | 22.9 | 9 | 12.4 | 4 | 15.7 | — | — |
| Pancreas (C25) | 5 | 19.1 | 9 | 12.4 | 2 | 7.8 | 2 | 28.2 |
| Bronchus & lung (C34) | 23 | 87.9 | 44 | 60.5 | 18 | 70.6 | 3 | 42.3 |
| Skin (C43-44) | 2 | 7.6 | 6 | 8.3 | 2 | 7.8 | — | — |
| Breast (C50) | 4 | 15.3 | 7 | 9.6 | 4 | 15.7 | 1 | 14.1 |
| Cervical (C53) | — | — | 2 | 2.8 | — | — | — | — |
| Uterine (C54-C55) | 1 | 3.8 | 3 | 4.1 | 1 | 3.9 | — | — |
| Ovarian (C56) | 2 | 7.6 | 2 | 2.8 | 1 | 3.9 | 1 | 14.1 |
| Prostate (C61) | 4 | 15.3 | 9 | 12.4 | 3 | 11.8 | 1 | 14.1 |
| Kidney & renal pelvis (C64-C65) | — | — | 2 | 2.8 | 1 | 3.9 | — | — |
| Bladder (C67) | 3 | 11.5 | 4 | 5.5 | — | — | 1 | 14.1 |
| Brain (C70-C72) | — | — | 1 | 1.4 | 1 | 3.9 | 2 | 28.2 |
| Lymphatic (C81-C96) | 5 | 19.1 | 19 | 26.1 | 11 | 43.1 | 3 | 42.3 |
| Non-Hodgkin's lymphoma (C82-C85) | 2 | 7.6 | 6 | 8.3 | 6 | 23.5 | 1 | 14.1 |
| Leukemia (C91-C95) | 2 | 7.6 | 6 | 8.3 | 4 | 15.7 | 2 | 28.2 |
| Benign & uncertain neoplasms (D00-D48) | — | — | 5 | 6.9 | 2 | 7.8 | — | — |
| Diabetes mellitus (E10-E14) | 5 | 19.1 | 33 | 45.4 | 3 | 11.8 | 3 | 42.3 |
| Organic dementia (F01 F03) | 9 | 34.4 | 22 | 30.3 | 20 | 78.4 | 9 | 127.0 |
| Parkinson's disease (G20-G21) | 2 | 7.6 | 7 | 9.6 | 3 | 11.8 | — | — |
| Alzheimer's disease (G30) | 8 | 30.6 | 20 | 27.5 | 9 | 35.3 | 3 | 42.3 |
| Diseases of the circulatory system (I00-I99) | 80 | 305.7 | 182 | 250.3 | 72 | 282.4 | 19 | 268.2 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 55 | 210.2 | 119 | 163.6 | 48 | 188.3 | 14 | 197.6 |
| Ischemic heart disease (I20-I25) | 29 | 110.8 | 81 | 111.4 | 32 | 125.5 | 9 | 127.0 |
| Cerebrovascular disease (I60-I69) | 19 | 72.6 | 40 | 55.0 | 16 | 62.8 | 5 | 70.6 |
| Intracerebral hemorrhage, etc. (I61-I62) | 6 | 22.9 | 13 | 17.9 | 2 | 7.8 | 1 | 14.1 |
| Cerebral infarction (I63) | 1 | 3.8 | 1 | 1.4 | 1 | 3.9 | — | — |
| Stroke of unspecified type (I64) | 8 | 30.6 | 18 | 24.8 | 10 | 39.2 | 3 | 42.3 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 1 | 3.8 | 17 | 23.4 | 7 | 27.5 | — | — |
| Aortic aneurysm (I71) | — | — | 3 | 4.1 | — | — | — | — |
| Influenza & pneumonia (J09-J18) | 4 | 15.3 | 6 | 8.3 | 5 | 19.6 | 1 | 14.1 |
| Chronic lower respiratory diseases (J40-J47) | 20 | 76.4 | 41 | 56.4 | 10 | 39.2 | 6 | 84.7 |
| Diseases of the digestive system (K00-K92) | 17 | 65.0 | 23 | 31.6 | 14 | 54.9 | — | — |
| Diseases of the genitourinary sys. (N00-N99) | 3 | 11.5 | 16 | 22.0 | 4 | 15.7 | 2 | 28.2 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 2 | 7.6 | 11 | 15.1 | 3 | 11.8 | 2 | 28.2 |
| Perinatal conditions (P00-P96) | — | — | 2 | 2.8 | — | — | — | — |
| Congenital malformations (Q00-Q99) | 1 | 3.8 | 2 | 2.8 | — | — | — | — |
| Sudden infant death syndrome (R95) | 1 | 3.8 | 1 | 1.4 | — | — | — | — |
| Unintentional injuries (V01-X59, Y85-Y86) | 17 | 65.0 | 37 | 50.9 | 12 | 47.1 | 7 | 98.8 |
| Suicide (X60-X84, Y87.0) | 9 | 34.4 | 16 | 22.0 | 6 | 23.5 | 2 | 28.2 |
| Homicide (X85-Y09, Y87.1) | 3 | 11.5 | 4 | 5.5 | — | — | — | — |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | — | — | 3 | 4.1 | 1 | 3.9 | — | — |
| <i>Alcohol-induced</i> ² | 8 | 30.6 | 9 | 12.4 | 3 | 11.8 | — | — |
| <i>Drug-induced</i> ² | 2 | 7.6 | 9 | 12.4 | 6 | 23.5 | — | — |
| <i>Injury by firearms</i> ² | 8 | 30.6 | 11 | 15.1 | 7 | 27.5 | 2 | 28.2 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.

TABLE 6-41. Selected Causes of Death by County, Oregon Residents, 2010 — Continued

| Selected Causes of Death (and their ICD-10 codes) | Wasco | | Washington | | Wheeler | | Yamhill | |
|--|-------|-------------------|------------|-------------------|---------|-------------------|---------|-------------------|
| | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ | No. | Rate ¹ |
| Total | 292 | 1202.6 | 2,897 | 543.9 | 17 | 1069.2 | 778 | 811.1 |
| Infections & parasitic disease (A00-B99) | 4 | 16.5 | 53 | 10.0 | — | — | 19 | 19.8 |
| Septicemia (A40-A41) | 1 | 4.1 | 15 | 2.8 | — | — | 6 | 6.3 |
| Viral Hepatitis (B15-B19) | 1 | 4.1 | 12 | 2.3 | — | — | 5 | 5.2 |
| HIV disease (B20-B24) | — | — | 8 | 1.5 | — | — | — | — |
| Malignant neoplasms (C00-C97) | 64 | 263.6 | 702 | 131.8 | 4 | 251.6 | 215 | 224.1 |
| Colon (C18) | 3 | 12.4 | 56 | 10.5 | — | — | 10 | 10.4 |
| Pancreas (C25) | 2 | 8.2 | 45 | 8.4 | 1 | 62.9 | 14 | 14.6 |
| Bronchus & lung (C34) | 24 | 98.8 | 163 | 30.6 | — | — | 45 | 46.9 |
| Skin (C43-44) | — | — | 16 | 3.0 | — | — | 5 | 5.2 |
| Breast (C50) | 4 | 16.5 | 70 | 13.1 | 1 | 62.9 | 15 | 15.6 |
| Cervical (C53) | — | — | 1 | 0.2 | — | — | 1 | 1.0 |
| Uterine (C54-C55) | 2 | 8.2 | 8 | 1.5 | — | — | 3 | 3.1 |
| Ovarian (C56) | 3 | 12.4 | 21 | 3.9 | 1 | 62.9 | 12 | 12.5 |
| Prostate (C61) | 5 | 20.6 | 31 | 5.8 | — | — | 11 | 11.5 |
| Kidney & renal pelvis (C64-C65) | 1 | 4.1 | 20 | 3.8 | — | — | 9 | 9.4 |
| Bladder (C67) | — | — | 19 | 3.6 | — | — | 8 | 8.3 |
| Brain (C70-C72) | 2 | 8.2 | 24 | 4.5 | 1 | 62.9 | 10 | 10.4 |
| Lymphatic (C81-C96) | 6 | 24.7 | 78 | 14.6 | — | — | 20 | 20.8 |
| Non-Hodgkin's lymphoma (C82-C85) | 3 | 12.4 | 32 | 6.0 | — | — | 8 | 8.3 |
| Leukemia (C91-C95) | 3 | 12.4 | 25 | 4.7 | — | — | 6 | 6.3 |
| Benign & uncertain neoplasms (D00-D48) | 1 | 4.1 | 20 | 3.8 | — | — | 5 | 5.2 |
| Diabetes mellitus (E10-E14) | 6 | 24.7 | 92 | 17.3 | — | — | 24 | 25.0 |
| Organic dementia (F01 F03) | 32 | 131.8 | 182 | 34.2 | — | — | 58 | 60.5 |
| Parkinson's disease (G20-G21) | 1 | 4.1 | 41 | 7.7 | — | — | 7 | 7.3 |
| Alzheimer's disease (G30) | 17 | 70.0 | 112 | 21.0 | — | — | 34 | 35.4 |
| Diseases of the circulatory system (I00-I99) | 82 | 337.7 | 833 | 156.4 | 4 | 251.6 | 222 | 231.4 |
| Heart Disease (I00-I09, I11, I13, I20-I51) | 62 | 255.4 | 600 | 112.7 | 4 | 251.6 | 152 | 158.5 |
| Ischemic heart disease (I20-I25) | 36 | 148.3 | 334 | 62.7 | 1 | 62.9 | 83 | 86.5 |
| Cerebrovascular disease (I60-I69) | 15 | 61.8 | 145 | 27.2 | — | — | 44 | 45.9 |
| Intracerebral hemorrhage, etc. (I61-I62) | 1 | 4.1 | 44 | 8.3 | — | — | 10 | 10.4 |
| Cerebral infarction (I63) | — | — | 9 | 1.7 | — | — | 2 | 2.1 |
| Stroke of unspecified type (I64) | 13 | 53.5 | 54 | 10.1 | — | — | 16 | 16.7 |
| Hypertension & hyp. renal dis. (I10, I12, I15) | 1 | 4.1 | 46 | 8.6 | — | — | 16 | 16.7 |
| Aortic aneurysm (I71) | 2 | 8.2 | 11 | 2.1 | — | — | 2 | 2.1 |
| Influenza & pneumonia (J09-J18) | 3 | 12.4 | 35 | 6.6 | — | — | 10 | 10.4 |
| Chronic lower respiratory diseases (J40-J47) | 18 | 74.1 | 135 | 25.3 | 1 | 62.9 | 31 | 32.3 |
| Diseases of the digestive system (K00-K92) | 13 | 53.5 | 104 | 19.5 | — | — | 34 | 35.4 |
| Diseases of the genitourinary sys. (N00-N99) | 3 | 12.4 | 59 | 11.1 | 1 | 62.9 | 6 | 6.3 |
| Nephritis (N00-N07, N17-N19, N25-N27) | 2 | 8.2 | 42 | 7.9 | 1 | 62.9 | 3 | 3.1 |
| Perinatal conditions (P00-P96) | 1 | 4.1 | 21 | 3.9 | — | — | 1 | 1.0 |
| Congenital malformations (Q00-Q99) | 4 | 16.5 | 16 | 3.0 | — | — | 3 | 3.1 |
| Sudden infant death syndrome (R95) | — | — | 7 | 1.3 | — | — | 1 | 1.0 |
| Unintentional injuries (V01-X59, Y85-Y86) | 14 | 57.7 | 135 | 25.3 | 2 | 125.8 | 30 | 31.3 |
| Suicide (X60-X84, Y87.0) | 3 | 12.4 | 72 | 13.5 | 1 | 62.9 | 15 | 15.6 |
| Homicide (X85-Y09, Y87.1) | 2 | 8.2 | 6 | 1.1 | — | — | 2 | 2.1 |
| Undetermined intent (Y10-Y34, Y87.2, Y89.9) | 1 | 4.1 | 12 | 2.3 | — | — | 3 | 3.1 |
| <i>Alcohol-induced</i> ² | 3 | 12.4 | 37 | 6.9 | — | — | 9 | 9.4 |
| <i>Drug-induced</i> ² | 4 | 16.5 | 45 | 8.4 | — | — | 12 | 12.5 |
| <i>Injury by firearms</i> ² | 3 | 12.4 | 37 | 6.9 | 1 | 62.9 | 12 | 12.5 |

¹ Rate per 100,000 population. WARNING: Rates based on less than 5 events are unreliable.

² See Table 6-6, footnotes 35-39, for a list of included conditions and their ICD codes.

— Quantity is zero.