

**TABLE 6-53. Crude Death Rates<sup>1</sup> for Selected Leading Causes of Mortality, United States, 1996-2010<sup>2</sup>**

Year	Total	Heart Disease	Cancer	CLRD	Cerebrovascular Disease	Unintentional Injuries	Alzheimer's Disease	Diabetes	Pneumonia & Influenza
1996 .....	872.5	272.4	205.3	41.6	63.3	36.7	13.4	23.7	22.3
1997 .....	864.7	267.6	203.5	42.4	62.7	36.6	13.8	23.9	22.5
1998 .....	864.2	263.7	202.1	43.1	58.9	37.1	13.8	24.4	23.7
1999 .....	857.0	259.9	197.0	44.5	60.0	35.1	16.0	24.5	22.8
2000 .....	854.0	252.6	196.5	43.4	59.6	34.8	17.6	24.6	23.2
2001 .....	846.9	245.4	194.1	43.1	57.3	35.6	18.9	25.0	21.7
2002 .....	847.3	241.7	193.2	43.3	56.4	37.0	20.4	25.4	22.8
2003 .....	841.9	235.6	191.5	43.5	54.2	37.6	21.8	25.5	22.4
2004 .....	816.5	222.2	188.6	41.5	51.1	38.1	22.5	24.9	20.3
2005 .....	825.9	220.0	188.7	44.2	48.4	39.7	24.2	25.3	21.3
2006 .....	810.4	211.0	187.0	41.6	45.8	40.6	24.2	24.2	18.8
2007 .....	803.6	204.3	186.6	42.4	45.1	41.0	24.7	23.7	17.5
2008 .....	813.0	202.9	186.0	46.4	44.1	40.1	27.1	23.2	18.5
2009 .....	793.8	195.2	184.9	44.7	42.0	38.4	25.7	22.4	17.5
2010 .....	799.5	193.6	186.2	44.7	41.9	39.1	27.0	22.4	16.2

  

Year	Suicide	Hypertension	Alcohol <sup>3</sup>	Parkinson's Disease	Homicide	Congenital Anomalies	HIV/AIDS	Arterio-sclerosis <sup>4</sup>	ALS
1996 .....	11.6	5.5	7.3	4.5	7.8	4.0	12.7	6.1	1.6
1997 .....	11.4	5.7	7.2	4.6	7.3	3.9	6.7	5.8	1.6
1998 .....	11.3	5.9	7.1	4.9	6.6	3.9	5.4	5.5	1.6
1999 .....	10.5	6.1	7.0	5.2	6.1	3.7	5.3	5.4	1.8
2000 .....	10.4	6.4	7.0	5.6	6.0	3.8	5.1	5.1	1.9
2001 .....	10.7	6.7	7.0	5.8	7.1	3.7	5.0	4.9	1.9
2002 .....	11.0	7.0	7.0	5.9	6.1	3.7	4.9	4.8	2.0
2003 .....	10.8	7.5	7.1	6.2	6.1	3.6	4.7	4.5	2.0
2004 .....	11.0	7.9	7.2	6.1	5.9	3.6	4.4	4.0	1.9
2005 .....	11.0	8.4	7.3	6.6	6.1	3.5	4.2	4.0	2.0
2006 .....	11.1	8.0	7.4	6.5	6.2	3.5	4.0	2.9	2.0
2007 .....	11.5	7.9	7.7	6.7	6.1	3.5	3.7	2.7	2.0
2008 .....	11.9	8.5	8.0	6.7	5.9	3.4	3.4	2.6	2.0
2009 .....	12.0	8.4	8.0	6.7	5.5	3.2	3.1	2.4	2.1
2010 .....	12.4	8.6	8.3	7.1	5.3	3.1	2.7	2.3	2.2

<sup>1</sup> All rates per 100,000 population.

<sup>2</sup> Most recent year for which final data are available.

<sup>3</sup> See footnote for this cause in table 6-6. Prior to 1999, alcohol-induced deaths included ICD-9 codes 291, 303, 305.0, 357.5, 425.5, 535.5, and 571.0-571.3.

<sup>4</sup> Beginning in 2006, the National Center for Health Statistics changed the ICD-10 codes for arteriosclerosis to include only ICD-10 code I70.

NOTE: Beginning in 1999, causes of death were classified using the rubrics and methodology of the tenth revision of the International Classification of Diseases (which supplanted the ninth revision). Final ICD-9/ICD-10 comparability ratios have been applied to all rates prior to 1999, except ALS and alcohol-induced deaths, where ratios were not calculated. See Appendix B.