

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total *	32,475	239	40	60	283	473	738	2,011	4,175	5,504	7,605	11,347
Male	16,340	135	23	32	198	326	436	1,254	2,550	3,189	3,861	4,336
Female	16,135	104	17	28	85	147	302	757	1,625	2,315	3,744	7,011
Infections & Parasitic Disease (A00-B99)	596	2	3	2	2	12	16	78	165	99	92	125
Male	331	1	2	1	1	8	8	51	108	54	47	50
Female	265	1	1	1	1	4	8	27	57	45	45	75
Tuberculosis (A16-A19)	6	-	-	-	-	-	-	1	2	2	1	-
Male	4	-	-	-	-	-	-	1	1	1	1	-
Female	2	-	-	-	-	-	-	-	1	1	-	-
Meningococcal infection (A39)	4	-	1	-	2	-	-	1	-	-	-	-
Male	2	-	1	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-
Septicemia (A40-A41)	172	-	1	1	-	4	2	11	32	29	38	54
Male	87	-	1	-	-	3	1	7	18	15	20	22
Female	85	-	-	1	-	1	1	4	14	14	18	32
Creutzfeldt-Jacob disease (A81.0)	5	-	-	-	-	-	-	-	1	4	-	-
Male	5	-	-	-	-	-	-	-	1	4	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)	160	-	-	-	-	-	4	34	95	23	4	-
Male	108	-	-	-	-	-	1	24	65	15	3	-
Female	52	-	-	-	-	-	3	10	30	8	1	-
HIV/AIDS (B20-B24) ²	57	-	-	1	-	6	6	24	12	5	3	-
Male	43	-	-	1	-	5	4	18	8	5	2	-
Female	14	-	-	-	-	1	2	6	4	-	1	-
Malignant Neoplasms (C00-C97)	7,761	1	1	13	21	41	140	481	1,561	2,008	2,056	1,438
Male	4,103	-	1	6	12	24	64	270	849	1,115	1,053	709
Female	3,658	1	-	7	9	17	76	211	712	893	1,003	729
Lip, oral cavity & pharynx (C00-C14)	119	-	-	-	-	-	3	9	44	22	24	17
Male	83	-	-	-	-	-	2	7	32	19	15	8
Female	36	-	-	-	-	-	1	2	12	3	9	9
Digestive Organs (C15-C26)	1,911	-	-	-	2	8	37	147	452	480	474	311
Male	1,127	-	-	-	1	4	16	108	301	309	247	141
Female	784	-	-	-	1	4	21	39	151	171	227	170
Esophagus (C15)	221	-	-	-	-	1	1	21	67	61	49	21
Male	175	-	-	-	-	1	1	16	54	54	35	14
Female	46	-	-	-	-	-	-	5	13	7	14	7

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	124	—	—	—	—	—	6	14	22	38	25	19
Male	68	—	—	—	—	—	1	8	13	24	13	9
Female	56	—	—	—	—	—	5	6	9	14	12	10
Colon, rectum & anus (C18-C21)	633	—	—	—	—	4	15	48	110	140	171	145
Male	329	—	—	—	—	2	6	33	59	83	83	63
Female	304	—	—	—	—	2	9	15	51	57	88	82
Colon (C18)	484	—	—	—	—	2	14	33	75	104	138	118
Male	245	—	—	—	—	1	5	23	41	63	66	46
Female	239	—	—	—	—	1	9	10	34	41	72	72
Rectosigmoid junction (C19)	39	—	—	—	—	1	1	1	9	9	11	7
Male	24	—	—	—	—	—	1	1	3	5	9	5
Female	15	—	—	—	—	1	—	—	6	4	2	2
Rectum (C20)	95	—	—	—	—	1	—	9	24	22	20	19
Male	56	—	—	—	—	1	—	8	15	14	7	11
Female	39	—	—	—	—	—	—	1	9	8	13	8
Liver & intrahepatic bile ducts (C22)	334	—	—	—	—	2	5	30	122	83	62	30
Male	234	—	—	—	—	—	4	28	87	61	41	13
Female	100	—	—	—	—	2	1	2	35	22	21	17
Pancreas (C25)	514	—	—	—	1	1	9	31	115	144	139	74
Male	275	—	—	—	—	1	3	20	75	80	62	34
Female	239	—	—	—	1	—	6	11	40	64	77	40
Respiratory, intrathoracic organs (C30-C39) ...	2,125	1	—	—	1	3	14	108	395	665	632	306
Male	1,115	—	—	—	1	2	10	57	215	361	316	153
Female	1,010	1	—	—	—	1	4	51	180	304	316	153
Larynx (C32)	26	—	—	—	—	—	—	—	8	7	8	3
Male	21	—	—	—	—	—	—	—	8	6	6	1
Female	5	—	—	—	—	—	—	—	—	1	2	2
Trachea, bronchus & lung (C33-C34)	2,084	—	—	—	1	3	12	107	384	656	622	299
Male	1,087	—	—	—	1	2	8	57	206	354	309	150
Female	997	—	—	—	—	1	4	50	178	302	313	149
Bronchus & lung (C34)	2,083	—	—	—	1	3	11	107	384	656	622	299
Male	1,087	—	—	—	1	2	8	57	206	354	309	150
Female	996	—	—	—	—	1	3	50	178	302	313	149
Skin (C43-C44)	192	—	—	—	2	1	9	21	52	40	37	30
Male	132	—	—	—	2	1	8	9	37	31	25	19
Female	60	—	—	—	—	—	1	12	15	9	12	11

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Melanoma of skin (C43)	156	—	—	—	2	1	8	19	46	32	27	21
Male	102	—	—	—	2	1	7	7	31	24	16	14
Female	54	—	—	—	—	—	1	12	15	8	11	7
Mesothelioma (C45)	49	—	—	—	—	—	—	3	5	8	16	17
Male	37	—	—	—	—	—	—	1	5	6	13	12
Female	12	—	—	—	—	—	—	2	—	2	3	5
Breast (C50)	510	—	—	—	—	4	24	41	136	123	108	74
Male	5	—	—	—	—	—	—	—	2	2	1	—
Female	505	—	—	—	—	4	24	41	134	121	107	74
Female genital organs (C51-C58)	392	—	—	—	1	2	13	31	80	98	96	71
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	392	—	—	—	1	2	13	31	80	98	96	71
Cervix uteri (C53)	25	—	—	—	—	1	3	7	7	2	4	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	25	—	—	—	—	1	3	7	7	2	4	1
Corpus uteri (C54-C55) ³	109	—	—	—	—	—	2	5	20	29	33	20
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	109	—	—	—	—	—	2	5	20	29	33	20
Ovary (C56)	222	—	—	—	1	1	6	18	49	58	50	39
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	222	—	—	—	1	1	6	18	49	58	50	39
Male genital organs (C60-C63)	417	—	—	—	—	3	1	10	38	77	131	157
Male	417	—	—	—	—	3	1	10	38	77	131	157
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	410	—	—	—	—	—	1	10	38	77	130	154
Male	410	—	—	—	—	—	1	10	38	77	130	154
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	167	—	—	—	—	1	2	17	34	48	37	28
Male	108	—	—	—	—	—	2	12	24	33	26	11
Female	59	—	—	—	—	1	—	5	10	15	11	17
Bladder (C67)	219	—	—	—	—	—	—	6	29	48	69	67
Male	154	—	—	—	—	—	—	5	23	34	48	44
Female	65	—	—	—	—	—	—	1	6	14	21	23
Brain, etc. (C70-C72) ⁴	226	—	1	8	3	8	15	18	64	58	38	13
Male	129	—	1	4	2	5	10	10	40	34	18	5
Female	97	—	—	4	1	3	5	8	24	24	20	8

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Thyroid/endocrine gland (C73-C75)	28	—	—	1	1	—	3	3	4	7	6	3
Male	13	—	—	—	1	—	—	—	3	3	5	1
Female	15	—	—	1	—	—	3	3	1	4	1	2
Lymphoid & hematopoietic (C81-C96)	791	—	—	1	7	7	7	31	121	196	233	188
Male	456	—	—	—	3	5	6	25	66	125	138	88
Female	335	—	—	1	4	2	1	6	55	71	95	100
Hodgkin's disease (C81)	14	—	—	—	1	1	1	—	4	2	3	2
Male	9	—	—	—	—	1	1	—	2	1	3	1
Female	5	—	—	—	1	—	—	—	2	1	—	1
Non-Hodgkin's lymphoma (C82-C85)	303	—	—	—	1	2	1	12	48	71	87	81
Male	170	—	—	—	1	2	1	11	26	44	52	33
Female	133	—	—	—	—	—	—	1	22	27	35	48
Leukemia (C91-C95)	304	—	—	1	5	4	4	15	39	75	90	71
Male	186	—	—	—	2	2	3	11	23	50	56	39
Female	118	—	—	1	3	2	1	4	16	25	34	32
Lymphoid leukemia (C91)	96	—	—	1	4	1	1	5	9	22	22	31
Male	61	—	—	—	1	1	1	4	7	19	12	16
Female	35	—	—	1	3	—	—	1	2	3	10	15
Myeloid leukemia (C92)	150	—	—	—	—	2	3	9	23	40	47	26
Male	94	—	—	—	—	1	2	6	14	25	29	17
Female	56	—	—	—	—	1	1	3	9	15	18	9
Multiple myeloma (C88, C90) ⁵	168	—	—	—	—	—	1	4	30	48	53	32
Male	90	—	—	—	—	—	1	3	15	30	27	14
Female	78	—	—	—	—	—	—	1	15	18	26	18
Neoplas. Not Specif. as Malig. (D00-D48)⁶ ..	235	—	—	1	3	4	3	10	28	39	69	78
Male	116	—	—	1	3	—	2	2	15	22	37	34
Female	119	—	—	—	—	4	1	8	13	17	32	44
Myelodysplastic syndromes (D46)	100	—	—	—	—	—	—	1	10	16	32	41
Male	54	—	—	—	—	—	—	—	3	11	21	19
Female	46	—	—	—	—	—	—	1	7	5	11	22
Diseases of the Blood (D50-89)⁷	125	1	2	—	1	1	3	3	14	21	30	49
Male	57	1	2	—	—	1	1	2	8	7	13	22
Female	68	—	—	—	1	—	2	1	6	14	17	27
Anemias (D50-D64)	73	—	—	—	—	1	—	1	4	7	16	44
Male	32	—	—	—	—	1	—	1	2	2	8	18
Female	41	—	—	—	—	—	—	—	2	5	8	26

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Endocrine & Nutritional Dis. (E00-E88)⁸	1,626	3	1	4	7	16	49	127	244	356	382	437
Male	891	1	1	2	5	7	32	74	151	227	213	178
Female	735	2	—	2	2	9	17	53	93	129	169	259
Diabetes mellitus (E10-E14)	1,122	—	—	—	5	6	23	85	169	265	282	287
Male	618	—	—	—	3	3	15	52	110	175	150	110
Female	504	—	—	—	2	3	8	33	59	90	132	177
Nutritional deficiencies (E40-E64)	37	—	—	—	—	—	1	—	2	5	6	23
Male	15	—	—	—	—	—	—	—	—	3	3	9
Female	22	—	—	—	—	—	1	—	2	2	3	14
Malnutrition (E40-E46)	34	—	—	—	—	—	1	—	2	4	5	22
Male	12	—	—	—	—	—	—	—	—	2	2	8
Female	22	—	—	—	—	—	1	—	2	2	3	14
Mental Disorders (F01-F99)⁹	2,628	—	1	—	7	10	32	82	146	184	563	1,603
Male	1,013	—	1	—	4	5	22	62	98	112	236	473
Female	1,615	—	—	—	3	5	10	20	48	72	327	1,130
Organic dementia (F01, F03)¹⁰	2,189	—	—	—	—	1	—	3	25	98	513	1,549
Male	715	—	—	—	—	—	—	3	11	46	208	447
Female	1,474	—	—	—	—	1	—	—	14	52	305	1,102
Due to alcohol (F10)¹¹	231	—	—	—	—	6	16	55	81	44	16	13
Male	179	—	—	—	—	3	13	43	64	37	11	8
Female	52	—	—	—	—	3	3	12	17	7	5	5
Due to psychoactive substance (F11-F19)	81	—	—	—	5	2	9	13	23	22	5	2
Male	56	—	—	—	3	1	6	9	15	18	3	1
Female	25	—	—	—	2	1	3	4	8	4	2	1
Nervous System Disease (G00-G99)	2,284	5	1	2	12	16	19	81	135	248	632	1,133
Male	959	3	1	2	7	12	13	46	68	131	309	367
Female	1,325	2	—	—	5	4	6	35	67	117	323	766
Meningitis (G00, G03)	12	1	—	—	—	1	—	2	—	4	2	2
Male	3	—	—	—	—	1	—	—	—	1	1	—
Female	9	1	—	—	—	—	—	2	—	3	1	2
Amyotrophic lateral sclerosis (G12.2)	128	—	—	—	—	—	2	11	27	48	24	16
Male	69	—	—	—	—	—	2	5	17	26	12	7
Female	59	—	—	—	—	—	—	6	10	22	12	9
Parkinson's disease (G20-G21)	362	—	—	—	—	—	—	2	10	41	145	164
Male	220	—	—	—	—	—	—	1	6	28	92	93
Female	142	—	—	—	—	—	—	1	4	13	53	71

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Alzheimer's disease (G30)	1,320	—	—	—	—	—	—	4	19	60	364	873
Male	421	—	—	—	—	—	—	2	8	29	143	239
Female	899	—	—	—	—	—	—	2	11	31	221	634
Multiple sclerosis (G35)	73	—	—	—	—	—	4	12	20	25	5	7
Male	27	—	—	—	—	—	1	6	6	10	3	1
Female	46	—	—	—	—	—	3	6	14	15	2	6
Epilepsy (G40-G41)	24	—	—	—	2	2	3	1	6	1	6	3
Male	12	—	—	—	1	—	3	1	2	—	3	2
Female	12	—	—	—	1	2	—	—	4	1	3	1
Diseases of the Eye & Adnexa (H00-H59) ..	2	—	—	—	—	—	—	—	—	—	1	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	2	—	—	—	—	—	—	—	—	—	1	1
Ear & Mastoid Process Dis. (H60-H95)	—	—	—	—	—	—	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Circulatory System Diseases (I00-I99)	8,724	3	—	3	11	30	99	353	850	1,215	2,066	4,094
Male	4,407	2	—	3	7	22	55	254	595	794	1,113	1,562
Female	4,317	1	—	—	4	8	44	99	255	421	953	2,532
Major cardiovascular disease (I00-I78)	8,666	3	—	3	11	27	95	351	841	1,204	2,059	4,072
Male	4,379	2	—	3	7	21	55	254	590	788	1,108	1,551
Female	4,287	1	—	—	4	6	40	97	251	416	951	2,521
Heart disease (I00-I09, I11, I13, I20-I51)	6,109	3	—	3	8	21	72	272	623	842	1,420	2,845
Male	3,253	2	—	3	6	15	43	205	453	577	802	1,147
Female	2,856	1	—	—	2	6	29	67	170	265	618	1,698
Rheumatic heart disease (I00-I09) ¹²	67	—	—	—	—	1	—	2	3	13	15	33
Male	27	—	—	—	—	1	—	2	1	9	5	9
Female	40	—	—	—	—	—	—	—	2	4	10	24
Hypertensive heart disease (I11)	213	—	—	—	—	1	3	6	12	22	41	128
Male	79	—	—	—	—	—	1	5	8	14	15	36
Female	134	—	—	—	—	1	2	1	4	8	26	92
Hypertensive heart & renal dis. (I13)	51	—	—	—	—	—	—	—	5	3	8	35
Male	16	—	—	—	—	—	—	—	3	2	3	8
Female	35	—	—	—	—	—	—	—	2	1	5	27
Ischemic heart disease (I20-I25)	3,278	—	—	—	1	5	44	178	446	543	813	1,248
Male	2,030	—	—	—	1	3	30	141	342	394	525	594
Female	1,248	—	—	—	—	2	14	37	104	149	288	654

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Myocardial infarction (I21-I22)	968	—	—	—	—	1	8	55	134	179	249	342
Male	573	—	—	—	—	—	6	42	104	121	156	144
Female	395	—	—	—	—	1	2	13	30	58	93	198
Other acute ischemic hrt. dis. (I24)	14	—	—	—	—	—	—	1	—	3	4	6
Male	5	—	—	—	—	—	—	—	—	1	2	2
Female	9	—	—	—	—	—	—	1	—	2	2	4
Chronic isch. heart dis. (I20, I25)	2,296	—	—	—	1	4	36	122	312	361	560	900
Male	1,452	—	—	—	1	3	24	99	238	272	367	448
Female	844	—	—	—	—	1	12	23	74	89	193	452
Atheroscler. cardiovascular dis. ¹³ ...	167	—	—	—	—	1	2	9	23	30	41	61
Male	112	—	—	—	—	1	2	7	16	23	30	33
Female	55	—	—	—	—	—	—	2	7	7	11	28
Other chr. ischemic heart dis. ¹⁴	2,129	—	—	—	1	3	34	113	289	331	519	839
Male	1,340	—	—	—	1	2	22	92	222	249	337	415
Female	789	—	—	—	—	1	12	21	67	82	182	424
Nonrheumatic mitral valve dis. (I34)	50	—	—	—	—	—	—	1	1	4	14	30
Male	20	—	—	—	—	—	—	1	1	1	6	11
Female	30	—	—	—	—	—	—	—	—	3	8	19
Nonrheumatic aortic valve dis. (I35)	448	—	—	—	—	—	1	5	15	26	90	311
Male	191	—	—	—	—	—	1	3	7	16	43	121
Female	257	—	—	—	—	—	—	2	8	10	47	190
Cardiomyopathy (I42)	218	1	—	2	2	6	7	22	40	37	50	51
Male	134	1	—	2	1	6	4	21	29	24	29	17
Female	84	—	—	—	1	—	3	1	11	13	21	34
Heart failure (I50)	742	—	—	—	—	—	3	13	31	61	166	468
Male	335	—	—	—	—	—	1	7	19	40	87	181
Female	407	—	—	—	—	—	2	6	12	21	79	287
Congestive heart failure (I50.0)	654	—	—	—	—	—	3	8	26	48	141	428
Male	294	—	—	—	—	—	1	5	16	34	74	164
Female	360	—	—	—	—	—	2	3	10	14	67	264
Left ventricular heart failure (I50.1)	5	—	—	—	—	—	—	—	1	—	2	2
Male	4	—	—	—	—	—	—	—	1	—	2	1
Female	1	—	—	—	—	—	—	—	—	—	—	1
Heart failure, unspecified (I50.9)	83	—	—	—	—	—	—	5	4	13	23	38
Male	37	—	—	—	—	—	—	2	2	6	11	16
Female	46	—	—	—	—	—	—	3	2	7	12	22

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
HBP (I10, I12, I15) ¹⁵	500	—	—	—	—	2	1	22	55	70	91	259
Male	208	—	—	—	—	2	1	12	36	45	47	65
Female	292	—	—	—	—	—	—	10	19	25	44	194
Cerebrovascular disease (I60-I69) ¹⁰	1,745	—	—	—	2	4	18	44	129	234	469	845
Male	744	—	—	—	1	4	7	29	76	126	219	282
Female	1,001	—	—	—	1	—	11	15	53	108	250	563
Subarachnoid hemorrhage (I60)	72	—	—	—	1	3	5	10	23	8	13	9
Male	24	—	—	—	1	3	1	5	8	1	3	2
Female	48	—	—	—	—	—	4	5	15	7	10	7
Intracerebral hemorrhage (I61-I62) ¹⁶	301	—	—	—	—	1	7	20	35	55	87	96
Male	163	—	—	—	—	1	3	16	25	30	48	40
Female	138	—	—	—	—	—	4	4	10	25	39	56
Cerebral infarction (I63)	78	—	—	—	—	—	1	2	6	14	24	31
Male	32	—	—	—	—	—	—	1	3	8	10	10
Female	46	—	—	—	—	—	1	1	3	6	14	21
Stroke (type not specified) (I64)	935	—	—	—	1	—	2	8	50	115	243	516
Male	370	—	—	—	—	—	2	5	28	63	113	159
Female	565	—	—	—	1	—	—	3	22	52	130	357
Atherosclerosis (I70)	53	—	—	—	—	—	—	—	3	5	11	34
Male	29	—	—	—	—	—	—	—	1	3	5	20
Female	24	—	—	—	—	—	—	—	2	2	6	14
Aortic aneurysm & dissection (I71)	150	—	—	—	1	—	3	10	17	33	36	50
Male	90	—	—	—	—	—	3	8	14	25	18	22
Female	60	—	—	—	1	—	—	2	3	8	18	28
Diseases of arteries (I72-I78) ¹⁷	109	—	—	—	—	—	1	3	14	20	32	39
Male	55	—	—	—	—	—	1	—	10	12	17	15
Female	54	—	—	—	—	—	—	3	4	8	15	24
Respiratory System Diseases (J00-J99)	2,791	2	6	—	2	8	18	107	268	603	891	886
Male	1,326	—	4	—	2	1	5	42	150	298	448	376
Female	1,465	2	2	—	—	7	13	65	118	305	443	510
Influenza & pneumonia (J09-J18)	379	—	4	—	—	4	3	11	29	44	88	196
Male	176	—	3	—	—	1	1	2	20	24	45	80
Female	203	—	1	—	—	3	2	9	9	20	43	116
Influenza (J09-J11)	19	—	1	—	—	1	—	1	3	4	6	3
Male	11	—	1	—	—	—	—	1	2	3	2	2
Female	8	—	—	—	—	1	—	—	1	1	4	1

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Pneumonia (J12-J18)	360	—	3	—	—	3	3	10	26	40	82	193
Male	165	—	2	—	—	1	1	1	18	21	43	78
Female	195	—	1	—	—	2	2	9	8	19	39	115
Other acute lower resp. infect'ns (J20-J22)	1	—	—	—	—	—	—	—	—	—	—	1
Male	1	—	—	—	—	—	—	—	—	—	—	1
Female	—	—	—	—	—	—	—	—	—	—	—	—
Acute bronchitis (J20-J21) ¹⁸	1	—	—	—	—	—	—	—	—	—	—	1
Male	1	—	—	—	—	—	—	—	—	—	—	1
Female	—	—	—	—	—	—	—	—	—	—	—	—
Chronic lower respiratory dis. (J40-J47) ¹⁹	1,901	—	—	—	—	1	10	75	176	474	682	483
Male	872	—	—	—	—	—	2	27	93	223	337	190
Female	1,029	—	—	—	—	1	8	48	83	251	345	293
Bronchitis, chronic & unspec. (J40-J42)	11	—	—	—	—	—	—	—	2	2	4	3
Male	3	—	—	—	—	—	—	—	—	1	2	—
Female	8	—	—	—	—	—	—	—	2	1	2	3
Emphysema (J43)	154	—	—	—	—	—	—	5	23	34	58	34
Male	70	—	—	—	—	—	—	1	12	13	33	11
Female	84	—	—	—	—	—	—	4	11	21	25	23
Asthma (J45-J46)	55	—	—	—	—	1	4	16	3	10	4	17
Male	18	—	—	—	—	—	1	5	2	4	2	4
Female	37	—	—	—	—	1	3	11	1	6	2	13
Other CLRD (J44, J47)	1,681	—	—	—	—	—	6	54	148	428	616	429
Male	781	—	—	—	—	—	1	21	79	205	300	175
Female	900	—	—	—	—	—	5	33	69	223	316	254
Bronchiectasis (J47)	29	—	—	—	—	—	—	1	1	3	10	14
Male	6	—	—	—	—	—	—	—	—	1	3	2
Female	23	—	—	—	—	—	—	1	1	2	7	12
Pneumoconioses (J60-J66, J68) ²⁰	12	—	—	—	—	—	—	—	—	1	6	5
Male	10	—	—	—	—	—	—	—	—	1	5	4
Female	2	—	—	—	—	—	—	—	—	—	1	1
Pneumonitis due to solids & liquids (J69)	130	—	—	—	2	—	1	4	7	10	31	75
Male	79	—	—	—	2	—	1	3	4	6	18	45
Female	51	—	—	—	—	—	—	1	3	4	13	30
Digestive System Diseases (K00-K92)	1,351	2	—	—	1	14	53	198	289	256	229	309
Male	707	1	—	—	1	9	29	119	187	138	104	119
Female	644	1	—	—	—	5	24	79	102	118	125	190

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Peptic ulcer (K25-K28)	45	—	—	—	—	—	—	6	5	11	11	12
Male	28	—	—	—	—	—	—	3	3	6	10	6
Female	17	—	—	—	—	—	—	3	2	5	1	6
Diseases of the appendix (K35-K38)	1	—	—	—	—	—	—	—	—	—	—	1
Male	1	—	—	—	—	—	—	—	—	—	—	1
Female	—	—	—	—	—	—	—	—	—	—	—	—
Appendicitis (K35-K37)	1	—	—	—	—	—	—	—	—	—	—	1
Male	1	—	—	—	—	—	—	—	—	—	—	1
Female	—	—	—	—	—	—	—	—	—	—	—	—
Hernia (K40-K46)	35	—	—	—	—	1	—	4	3	2	11	14
Male	14	—	—	—	—	1	—	1	1	2	3	6
Female	21	—	—	—	—	—	—	3	2	—	8	8
Vascular disorders of the intestine (K55)	104	—	—	—	—	—	1	3	12	21	29	38
Male	28	—	—	—	—	—	1	1	2	3	11	10
Female	76	—	—	—	—	—	—	2	10	18	18	28
Chronic liver disease (K70, K73-K74) ²¹	524	—	—	—	—	8	40	143	188	107	27	11
Male	332	—	—	—	—	3	23	86	126	73	12	9
Female	192	—	—	—	—	5	17	57	62	34	15	2
Alcoholic liver disease (K70) ²²	396	—	—	—	—	7	34	129	141	71	12	2
Male	262	—	—	—	—	2	19	78	98	58	6	1
Female	134	—	—	—	—	5	15	51	43	13	6	1
Cholelithiasis (K80-K82) ²³	45	—	—	—	—	—	—	2	2	4	15	22
Male	14	—	—	—	—	—	—	—	1	2	6	5
Female	31	—	—	—	—	—	—	2	1	2	9	17
Diseases of the Skin (L00-L98)²⁴	60	—	—	1	—	1	—	1	7	12	13	25
Male	25	—	—	—	—	—	—	1	3	9	5	7
Female	35	—	—	1	—	1	—	—	4	3	8	18
Musculoskeletal Disease (M00-M99)²⁵	246	—	—	2	—	1	3	7	24	47	61	101
Male	90	—	—	2	—	—	2	4	11	14	22	35
Female	156	—	—	—	—	1	1	3	13	33	39	66
Genitourinary System Dis. (N00-N99)	557	1	1	—	—	4	3	19	30	86	144	269
Male	271	1	—	—	—	3	2	10	16	44	68	127
Female	286	—	1	—	—	1	1	9	14	42	76	142
Nephritis (N00-N07, N17-N19, N25-N27) ²⁶	318	1	1	—	—	3	2	11	16	52	86	146
Male	171	1	—	—	—	3	1	7	11	27	42	79
Female	147	—	1	—	—	—	1	4	5	25	44	67

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Acute nephrotic syndr. (N00-N01, N04) ²⁷ ..	3	1	—	—	—	—	—	—	—	—	1	—	1
Male	2	1	—	—	—	—	—	—	—	—	—	—	1
Female	1	—	—	—	—	—	—	—	—	—	1	—	—
Chr. nephritis (N02-N03, N05-N07, N26) ²⁸	6	—	—	—	—	—	—	—	—	—	3	2	1
Male	3	—	—	—	—	—	—	—	—	—	2	1	—
Female	3	—	—	—	—	—	—	—	—	—	1	1	1
Renal failure (N17-N19)	308	—	1	—	—	3	2	11	16	48	84	143	
Male	165	—	—	—	—	3	1	7	11	25	41	77	
Female	143	—	1	—	—	—	1	4	5	23	43	66	
Other disorders of kidney (N25, N27)	1	—	—	—	—	—	—	—	—	—	—	1	
Male	1	—	—	—	—	—	—	—	—	—	—	1	
Female	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney infect'ns (N10-N12, N13.6, N15.1)	11	—	—	—	—	—	—	1	—	3	1	6	
Male	4	—	—	—	—	—	—	—	—	1	1	2	
Female	7	—	—	—	—	—	—	1	—	2	—	4	
Urinary tract infection (N39.0)	155	—	—	—	—	—	—	5	8	21	41	80	
Male	54	—	—	—	—	—	—	1	2	9	17	25	
Female	101	—	—	—	—	—	—	4	6	12	24	55	
Hyperplasia of prostate (N40)	10	—	—	—	—	—	—	—	—	1	—	9	
Male	10	—	—	—	—	—	—	—	—	1	—	9	
Female	—	—	—	—	—	—	—	—	—	—	—	—	
Female pelvic inflam. dis. (N70-N76) ²⁹	2	—	—	—	—	—	—	—	—	—	2	—	
Male	—	—	—	—	—	—	—	—	—	—	—	—	
Female	2	—	—	—	—	—	—	—	—	—	2	—	
Pregnancy & Childbirth (O00-O99)³⁰	7	—	—	—	1	3	3	—	—	—	—	—	
Male	—	—	—	—	—	—	—	—	—	—	—	—	
Female	7	—	—	—	1	3	3	—	—	—	—	—	
Perinatal Conditions (P00-P96)	113	113	—	—	—	—	—	—	—	—	—	—	
Male	66	66	—	—	—	—	—	—	—	—	—	—	
Female	47	47	—	—	—	—	—	—	—	—	—	—	
Congenital Malformations (Q00-Q99)³¹	121	50	4	—	11	4	7	4	12	16	7	6	
Male	60	22	2	—	7	4	4	—	5	11	4	1	
Female	61	28	2	—	4	—	3	4	7	5	3	5	
Malformation of the heart (Q20-Q24)	30	11	3	—	5	1	3	1	2	3	1	—	
Male	15	5	2	—	4	1	1	—	—	2	—	—	
Female	15	6	1	—	1	—	2	1	2	1	1	—	

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other malf. of the circul. sys. (Q25-Q28)	14	2	—	—	2	—	—	1	1	3	—	5
Male	6	2	—	—	2	—	—	—	—	1	—	1
Female	8	—	—	—	—	—	—	1	1	2	—	4
Malf. of the respiratory system (Q30-Q34)	7	5	—	—	1	1	—	—	—	—	—	—
Male	6	4	—	—	1	1	—	—	—	—	—	—
Female	1	1	—	—	—	—	—	—	—	—	—	—
Symptoms & Signs (R00-R99)³²	616	28	1	2	2	2	10	24	53	74	92	328
Male	261	21	—	1	2	1	5	17	41	46	39	88
Female	355	7	1	1	—	1	5	7	12	28	53	240
Senility (R54)	66	—	—	—	—	—	—	—	—	1	9	56
Male	14	—	—	—	—	—	—	—	—	1	3	10
Female	52	—	—	—	—	—	—	—	—	—	6	46
Sudden infant death syndrome (R95)	25	25	—	—	—	—	—	—	—	—	—	—
Male	19	19	—	—	—	—	—	—	—	—	—	—
Female	6	6	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	2,632	28	19	30	202	306	280	436	349	240	277	465
Male	1,657	16	9	14	147	229	192	300	245	167	150	188
Female	975	12	10	16	55	77	88	136	104	73	127	277
Accidents (V01-X59, Y85-Y86)	1,659	22	16	16	106	151	160	205	195	149	212	427
Male	961	13	8	9	75	107	102	137	141	101	104	164
Female	698	9	8	7	31	44	58	68	54	48	108	263
Transport accidents (V01-V99, Y85)	401	—	6	8	53	64	52	58	75	43	25	17
Male	276	—	4	5	34	45	36	42	52	31	16	11
Female	125	—	2	3	19	19	16	16	23	12	9	6
Motor vehicle acc. (Many codes) ³³	356	—	6	6	50	57	43	49	66	38	24	17
Male	239	—	4	4	33	39	28	35	44	26	15	11
Female	117	—	2	2	17	18	15	14	22	12	9	6
Motor veh. traf. acc. (Many codes) ³⁴	326	—	3	5	48	53	38	46	62	34	23	14
Male	214	—	2	3	32	36	23	33	40	22	14	9
Female	112	—	1	2	16	17	15	13	22	12	9	5
Water transport accidents (V90-V94)	14	—	—	—	2	2	5	2	—	3	—	—
Male	11	—	—	—	1	2	4	1	—	3	—	—
Female	3	—	—	—	1	—	1	1	—	—	—	—
Air transport accidents (V95-V97)	6	—	—	—	—	1	2	3	—	—	—	—
Male	6	—	—	—	—	1	2	3	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Nontransport accidents (W00-X59,Y86)	1,258	22	10	8	53	87	108	147	120	106	187	410
Male	685	13	4	4	41	62	66	95	89	70	88	153
Female	573	9	6	4	12	25	42	52	31	36	99	257
Falls (W00-W19)	613	—	—	—	4	1	5	13	39	62	153	336
Male	279	—	—	—	3	1	4	10	34	39	70	118
Female	334	—	—	—	1	—	1	3	5	23	83	218
Firearms (W32-W34)	4	—	—	—	—	1	1	—	2	—	—	—
Male	3	—	—	—	—	1	—	—	2	—	—	—
Female	1	—	—	—	—	—	1	—	—	—	—	—
Drowning & submersion (W65-W74)	56	—	6	7	9	7	6	8	6	6	1	—
Male	46	—	3	4	9	7	4	8	6	5	—	—
Female	10	—	3	3	—	—	2	—	—	1	1	—
Exposure to smoke & fire (X00-X09)	26	—	—	—	—	1	4	2	6	7	3	3
Male	15	—	—	—	—	—	3	2	3	4	1	2
Female	11	—	—	—	—	1	1	—	3	3	2	1
Poisoning (X40-X49) ³⁵	356	—	—	1	38	69	81	105	45	9	4	4
Male	228	—	—	—	29	45	49	65	29	7	2	2
Female	128	—	—	1	9	24	32	40	16	2	2	2
Suicide (X60-X84, Y87.0)	717	—	—	7	66	110	99	186	112	66	45	26
Male	548	—	—	3	50	91	79	135	80	53	38	19
Female	169	—	—	4	16	19	20	51	32	13	7	7
Poisoning (X60-X69)	129	—	—	—	1	15	19	43	30	11	5	5
Male	59	—	—	—	1	7	10	20	12	5	2	2
Female	70	—	—	—	—	8	9	23	18	6	3	3
Hanging/suffocation (X70)	158	—	—	5	29	22	33	34	19	8	5	3
Male	122	—	—	2	21	20	27	27	15	5	3	2
Female	36	—	—	3	8	2	6	7	4	3	2	1
Firearm discharge (X72-X74)	366	—	—	2	32	60	43	81	52	46	33	17
Male	317	—	—	1	25	53	38	67	43	43	32	15
Female	49	—	—	1	7	7	5	14	9	3	1	2
Homicide (X85-Y09, Y87.1)	110	3	3	5	18	29	10	21	13	6	2	—
Male	72	2	1	2	13	21	5	15	8	4	1	—
Female	38	1	2	3	5	8	5	6	5	2	1	—
Firearm discharge (X93-X95)	54	—	2	2	10	19	3	9	5	3	1	—
Male	38	—	—	1	9	16	2	5	3	2	—	—
Female	16	—	2	1	1	3	1	4	2	1	1	—

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2012 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Legal intervention (Y35, Y89.0) ³⁶	14	—	—	—	6	2	2	2	2	—	—	—
Male	12	—	—	—	5	2	1	2	2	—	—	—
Female	2	—	—	—	1	—	1	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	80	3	—	1	6	13	9	19	21	7	1	—
Male	42	1	—	—	4	7	5	10	11	3	1	—
Female	38	2	—	1	2	6	4	9	10	4	—	—
War and its sequelae (Y36, Y89.1) ³⁷	1	—	—	—	—	—	—	—	1	—	—	—
Male	1	—	—	—	—	—	—	—	1	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'tns (Y40-Y84, Y88)	51	—	—	1	—	1	—	3	5	12	17	12
Male	21	—	—	—	—	1	—	1	2	6	6	5
Female	30	—	—	1	—	—	—	2	3	6	11	7
Injury by firearms (Many codes) ³⁸	442	—	2	4	48	82	49	93	62	51	34	17
Male	374	—	—	2	40	72	41	75	51	46	32	15
Female	68	—	2	2	8	10	8	18	11	5	2	2
Alcohol-induced deaths (Many codes) ^{39,40}	670	—	—	—	2	14	55	197	233	121	32	16
Male	474	—	—	—	1	6	35	132	170	100	21	9
Female	196	—	—	—	1	8	20	65	63	21	11	7
Drug-induced deaths (Many codes) ^{41,42}	560	—	—	1	44	88	110	160	99	37	12	9
Male	324	—	—	—	33	53	64	88	53	24	5	4
Female	236	—	—	1	11	35	46	72	46	13	7	5
Injury at work ⁴³	49	—	—	—	3	6	7	9	15	6	2	1
Male	46	—	—	—	1	6	7	9	15	6	2	—
Female	3	—	—	—	2	—	—	—	—	—	—	1

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Human immunodeficiency virus/Acquired immune deficiency syndrome.

³ Includes uterus, part unspecified.

⁴ Includes meninges and other parts of the central nervous system.

⁵ Includes immunoproliferative neoplasms.

⁶ Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁷ Includes diseases of the blood forming-organs and disorders involving the immune mechanism.

⁸ Includes metabolic diseases.

⁹ Includes behavioral disorders.

¹⁰ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia, with a net loss of 111 for the former and a similar gain for the latter.

¹¹ For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

- 12 Includes acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 15 Hypertension with/without Renal Disease.
- 16 Includes other intracranial hemorrhages.
- 17 Includes diseases of the arterioles and capillaries.
- 18 Includes acute bronchiolitis.
- 19 Formerly chronic obstructive pulmonary disease (COPD).
- 20 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
- 21 Includes liver cirrhosis.
- 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 23 Includes other diseases of the gallbladder.
- 24 Includes subcutaneous tissues.
- 25 Includes connective tissue.
- 26 Includes nephrotic syndrome and nephrosis.
- 27 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
- 28 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 29 Inflammatory diseases of female pelvic organs.
- 30 Includes the puerperium.
- 31 Includes congenital deformations and chromosomal abnormalities.
- 32 Includes abnormal clinical and laboratory findings not elsewhere classified.
- 33 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 34 Includes the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 35 Includes exposure to noxious substances.
- 36 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 37 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 38 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note this category includes injuries included in other cause of death categories.
- 39 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note disorders included here are also included in other cause of death categories.
- 40 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively. (Components of this category were revised beginning in 2004, resulting in the inclusion of additional codes/deaths.)
- 41 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as, drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note disorders included here are also included in other cause of death categories.
- 42 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Components of this category were revised beginning in 2004 resulting in the inclusion of additional codes/deaths.)
- 43 Recorded as a separate item on the death certificate by the Medical Examiner.
- * Includes unknown age and sex.
- Quantity is 0.