

**TABLE 7-8. Early Neonatal Deaths¹ by Weeks of Gestation and Weight
Oregon Residents, Birth Cohort 2011**

Birthweight (In Grams)	Total	Weeks of Gestation									N.S.
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+	
Total ²	119	11	51	23	3	8	3	10	4	6	—
001-349	27	11	14	2	—	—	—	—	—	—	—
350-499	24	—	23	1	—	—	—	—	—	—	—
<500	51	11	37	3	—	—	—	—	—	—	—
500-749	25	—	13	12	—	—	—	—	—	—	—
750-999	6	—	—	5	1	—	—	—	—	—	—
1000-1249	4	—	—	3	1	—	—	—	—	—	—
1250-1499	1	—	—	—	1	—	—	—	—	—	—
1500-1999	7	—	—	—	—	4	2	1	—	—	—
2000-2499	3	—	—	—	—	1	1	1	—	—	—
<2500	97	11	50	23	3	5	3	2	—	—	—
2500+	19	—	—	—	—	3	—	7	4	5	—
2500-2999	5	—	—	—	—	1	—	3	—	1	—
3000-3499	6	—	—	—	—	2	—	2	1	1	—
3500-3999	4	—	—	—	—	—	—	1	1	2	—
4000-4499	2	—	—	—	—	—	—	—	2	—	—
4500+	2	—	—	—	—	—	—	1	—	1	—

¹ Early neonatal deaths occur through day 6 after birth.

² Includes unknown weight.

— Quantity is zero.

NOTE: Calculated gestation from reported date of last menses. If calculated gestation is unknown, the clinical estimate of gestation is used. Total includes reports with unknown birthweight and/or gestation.