

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total *	33,931	225	39	51	292	468	751	1,950	4,405	6,065	8,010	11,675
Male	17,171	109	28	26	209	323	481	1,180	2,701	3,441	4,102	4,571
Female	16,760	116	11	25	83	145	270	770	1,704	2,624	3,908	7,104
Infections & parasitic disease (A00-B99)	724	8	1	2	2	7	22	85	225	109	131	132
Male	424	5	–	2	1	6	19	57	166	58	54	56
Female	300	3	1	–	1	1	3	28	59	51	77	76
Tuberculosis (A16-A19)	8	–	–	–	–	–	–	1	–	2	3	2
Male	5	–	–	–	–	–	–	1	–	1	2	1
Female	3	–	–	–	–	–	–	–	–	1	1	1
Meningococcal infection (A39)	3	1	1	–	–	–	–	1	–	–	–	–
Male	1	1	–	–	–	–	–	–	–	–	–	–
Female	2	–	1	–	–	–	–	1	–	–	–	–
Septicemia (A40-A41)	222	2	–	1	1	–	2	9	40	41	64	62
Male	118	1	–	1	–	–	2	4	28	21	29	32
Female	104	1	–	–	1	–	–	5	12	20	35	30
Creutzfeldt-Jacob disease (A81.0)	4	–	–	–	–	–	–	–	–	3	1	–
Male	1	–	–	–	–	–	–	–	–	–	1	–
Female	3	–	–	–	–	–	–	–	–	3	–	–
Viral hepatitis (B15-B19)	234	–	–	–	–	1	5	50	147	24	6	1
Male	167	–	–	–	–	1	4	35	110	16	1	–
Female	67	–	–	–	–	–	1	15	37	8	5	1
HIV/AIDS (B20-B24) ²	50	–	–	–	–	4	12	14	18	1	1	–
Male	44	–	–	–	–	4	10	13	16	–	1	–
Female	6	–	–	–	–	–	2	1	2	1	–	–
Malignant neoplasms (C00-C97)	7,798	–	5	6	18	42	133	479	1,502	2,142	2,048	1,423
Male	4,115	–	4	2	9	23	59	227	818	1,174	1,091	708
Female	3,683	–	1	4	9	19	74	252	684	968	957	715
Lip, oral cavity & pharynx (C00-C14)	118	–	–	–	–	1	–	7	36	31	28	15
Male	80	–	–	–	–	–	–	7	26	24	14	9
Female	38	–	–	–	–	1	–	–	10	7	14	6
Digestive organs (C15-C26)	1,906	–	–	–	1	6	39	141	443	480	452	344
Male	1,110	–	–	–	1	4	21	87	295	308	250	144
Female	796	–	–	–	–	2	18	54	148	172	202	200
Esophagus (C15)	213	–	–	–	–	–	3	17	40	67	55	31
Male	177	–	–	–	–	–	3	14	36	59	48	17
Female	36	–	–	–	–	–	–	3	4	8	7	14

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	109	—	—	—	1	1	7	12	26	26	22	14
Male	73	—	—	—	1	1	5	6	17	21	17	5
Female	36	—	—	—	—	—	2	6	9	5	5	9
Colon, rectum & anus (C18-C21)	682	—	—	—	—	4	19	52	127	147	168	165
Male	341	—	—	—	—	3	7	32	71	86	74	68
Female	341	—	—	—	—	1	12	20	56	61	94	97
Colon (C18)	523	—	—	—	—	3	13	35	91	109	139	133
Male	253	—	—	—	—	2	5	20	50	66	60	50
Female	270	—	—	—	—	1	8	15	41	43	79	83
Rectosigmoid junction (C19)	39	—	—	—	—	—	1	4	8	10	11	5
Male	20	—	—	—	—	—	1	2	5	5	5	2
Female	19	—	—	—	—	—	—	2	3	5	6	3
Rectum (C20)	103	—	—	—	—	1	5	11	21	25	15	25
Male	62	—	—	—	—	1	1	9	13	14	8	16
Female	41	—	—	—	—	—	4	2	8	11	7	9
Liver & intrahepatic bile ducts (C22)	343	—	—	—	—	—	3	27	126	96	60	31
Male	225	—	—	—	—	—	3	15	95	63	40	9
Female	118	—	—	—	—	—	—	12	31	33	20	22
Pancreas (C25)	462	—	—	—	—	1	6	26	109	121	122	77
Male	241	—	—	—	—	—	2	16	71	65	55	32
Female	221	—	—	—	—	1	4	10	38	56	67	45
Respiratory, intrathoracic organs (C30-C39) ...	2,052	—	—	—	1	—	11	95	362	674	633	276
Male	1,079	—	—	—	—	—	5	52	197	370	324	131
Female	973	—	—	—	1	—	6	43	165	304	309	145
Larynx (C32)	38	—	—	—	—	—	—	2	9	13	11	3
Male	31	—	—	—	—	—	—	1	7	13	8	2
Female	7	—	—	—	—	—	—	1	2	—	3	1
Trachea, bronchus & lung (C33-C34)	2,001	—	—	—	1	—	11	93	349	656	620	271
Male	1,037	—	—	—	—	—	5	51	187	352	314	128
Female	964	—	—	—	1	—	6	42	162	304	306	143
Bronchus & lung (C34)	2,001	—	—	—	1	—	11	93	349	656	620	271
Male	1,037	—	—	—	—	—	5	51	187	352	314	128
Female	964	—	—	—	1	—	6	42	162	304	306	143
Skin (C43-C44)	182	—	—	—	1	3	8	12	32	46	40	40
Male	129	—	—	—	—	2	6	7	24	35	27	28
Female	53	—	—	—	1	1	2	5	8	11	13	12

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Melanoma of skin (C43)	143	—	—	—	1	3	7	11	27	38	33	23
Male	100	—	—	—	—	2	5	6	20	29	22	16
Female	43	—	—	—	1	1	2	5	7	9	11	7
Mesothelioma (C45)	36	—	—	—	—	1	—	1	7	10	11	6
Male	23	—	—	—	—	—	—	—	4	7	8	4
Female	13	—	—	—	—	1	—	1	3	3	3	2
Breast (C50)	522	—	—	—	—	2	15	59	126	144	88	88
Male	4	—	—	—	—	—	—	—	1	2	—	1
Female	518	—	—	—	—	2	15	59	125	142	88	87
Female genital organs (C51-C58)	422	—	—	—	—	4	15	42	97	132	83	49
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	422	—	—	—	—	4	15	42	97	132	83	49
Cervix uteri (C53)	41	—	—	—	—	2	7	13	10	5	3	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	41	—	—	—	—	2	7	13	10	5	3	1
Corpus uteri (C54-C55) ³	130	—	—	—	—	—	5	10	37	38	24	16
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	130	—	—	—	—	—	5	10	37	38	24	16
Ovary (C56)	219	—	—	—	—	1	2	18	44	76	52	26
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	219	—	—	—	—	1	2	18	44	76	52	26
Male genital organs (C60-C63)	399	—	—	—	—	2	—	5	37	90	115	150
Male	399	—	—	—	—	2	—	5	37	90	115	150
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	391	—	—	—	—	—	—	4	37	87	113	150
Male	391	—	—	—	—	—	—	4	37	87	113	150
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	182	—	1	2	—	2	4	10	34	48	46	35
Male	123	—	—	—	—	2	3	8	22	34	34	20
Female	59	—	1	2	—	—	1	2	12	14	12	15
Bladder (C67)	206	—	—	—	—	—	1	2	25	43	64	71
Male	151	—	—	—	—	—	—	2	22	33	50	44
Female	55	—	—	—	—	—	1	—	3	10	14	27
Brain, etc. (C70-C72) ⁴	251	—	1	2	4	8	13	27	56	61	59	20
Male	133	—	1	2	2	5	7	17	32	30	24	13
Female	118	—	—	—	2	3	6	10	24	31	35	7

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Thyroid/endocrine gland (C73-C75)	36	—	1	—	—	1	—	2	8	7	14	3
Male	25	—	1	—	—	1	—	2	7	3	10	1
Female	11	—	—	—	—	—	—	—	1	4	4	2
Lymphoid & hematopoietic (C81-C96)	817	—	2	2	5	8	16	28	116	205	255	180
Male	492	—	2	—	4	4	9	20	76	142	148	87
Female	325	—	—	2	1	4	7	8	40	63	107	93
Hodgkin's disease (C81)	10	—	—	—	2	—	1	—	2	2	2	1
Male	6	—	—	—	1	—	—	—	1	2	1	1
Female	4	—	—	—	1	—	1	—	1	—	1	—
Non-Hodgkin's lymphoma (C82-C85)	297	—	—	1	—	3	6	8	37	82	86	74
Male	175	—	—	—	—	2	5	5	24	56	52	31
Female	122	—	—	1	—	1	1	3	13	26	34	43
Leukemia (C91-C95)	324	—	2	1	2	5	8	13	52	70	105	66
Male	202	—	2	—	2	2	4	10	35	50	62	35
Female	122	—	—	1	—	3	4	3	17	20	43	31
Lymphoid leukemia (C91)	87	—	1	—	1	—	4	1	14	19	22	25
Male	57	—	1	—	1	—	2	1	10	13	16	13
Female	30	—	—	—	—	—	2	—	4	6	6	12
Myeloid leukemia (C92)	184	—	—	—	—	2	4	11	34	41	67	25
Male	116	—	—	—	—	—	2	8	23	31	39	13
Female	68	—	—	—	—	2	2	3	11	10	28	12
Multiple myeloma (C88, C90) ⁵	186	—	—	—	1	—	1	7	25	51	62	39
Male	109	—	—	—	1	—	—	5	16	34	33	20
Female	77	—	—	—	—	—	1	2	9	17	29	19
Neoplas. not specif. as malign. (D00-D48)⁶ ...	248	—	2	2	—	3	3	8	20	41	77	92
Male	132	—	1	—	—	1	2	7	14	23	43	41
Female	116	—	1	2	—	2	1	1	6	18	34	51
Myelodysplastic syndromes (D46)	90	—	—	1	—	—	1	2	4	13	24	45
Male	51	—	—	—	—	—	—	2	4	7	13	25
Female	39	—	—	1	—	—	1	—	—	6	11	20
Diseases of the blood (D50-89)⁷	131	1	1	1	1	1	3	11	14	18	35	45
Male	50	—	—	1	1	—	3	4	6	7	15	13
Female	81	1	1	—	—	1	—	7	8	11	20	32
Anemias (D50-D64)	62	—	—	—	—	—	—	2	1	5	21	33
Male	25	—	—	—	—	—	—	2	1	3	10	9
Female	37	—	—	—	—	—	—	—	—	2	11	24

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Endocrine & nutritional dis. (E00-E88)⁸	1,603	1	2	2	7	23	38	125	258	347	358	442
Male	879	1	1	—	5	12	26	72	161	210	205	186
Female	724	—	1	2	2	11	12	53	97	137	153	256
Diabetes mellitus (E10-E14)	1,111	—	—	1	2	13	26	86	175	241	272	295
Male	634	—	—	—	1	8	17	48	112	153	165	130
Female	477	—	—	1	1	5	9	38	63	88	107	165
Nutritional deficiencies (E40-E64)	46	—	—	—	—	—	1	—	5	5	17	18
Male	21	—	—	—	—	—	—	—	2	4	9	6
Female	25	—	—	—	—	—	1	—	3	1	8	12
Malnutrition (E40-E46)	38	—	—	—	—	—	1	—	4	3	15	15
Male	16	—	—	—	—	—	—	—	2	2	8	4
Female	22	—	—	—	—	—	1	—	2	1	7	11
Mental disorders (F01-F99)⁹	2,760	—	—	—	3	6	22	87	153	202	572	1,715
Male	1,068	—	—	—	2	4	14	63	115	115	238	517
Female	1,692	—	—	—	1	2	8	24	38	87	334	1,198
Organic dementia (F01, F03)¹⁰	2,352	—	—	—	—	—	—	1	21	117	535	1,678
Male	797	—	—	—	—	—	—	1	17	55	219	505
Female	1,555	—	—	—	—	—	—	—	4	62	316	1,173
Due to alcohol (F10)¹¹	239	—	—	—	1	1	12	63	93	52	14	3
Male	186	—	—	—	1	1	8	49	77	38	11	1
Female	53	—	—	—	—	—	4	14	16	14	3	2
Due to psychoactive substance (F11-F19)	90	—	—	—	1	3	7	16	27	18	10	8
Male	57	—	—	—	1	3	4	9	17	15	5	3
Female	33	—	—	—	—	—	3	7	10	3	5	5
Nervous system disease (G00-G99)	2,370	1	2	3	15	8	29	47	154	280	674	1,157
Male	982	1	2	2	10	5	22	23	80	138	308	391
Female	1,388	—	—	1	5	3	7	24	74	142	366	766
Meningitis (G00, G03)	6	—	—	—	1	2	—	—	—	2	—	1
Male	4	—	—	—	1	2	—	—	—	1	—	—
Female	2	—	—	—	—	—	—	—	—	1	—	1
Amyotrophic lateral sclerosis (G12.2)	139	—	—	—	—	—	4	10	30	52	35	8
Male	75	—	—	—	—	—	4	6	20	23	18	4
Female	64	—	—	—	—	—	—	4	10	29	17	4
Parkinson's disease (G20-G21)	394	—	—	—	—	—	—	—	10	46	166	172
Male	235	—	—	—	—	—	—	—	7	32	106	90
Female	159	—	—	—	—	—	—	—	3	14	60	82

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Alzheimer's disease (G30)	1,311	—	—	—	—	—	—	—	1	8	68	353	881
Male	401	—	—	—	—	—	—	—	—	3	24	120	254
Female	910	—	—	—	—	—	—	—	1	5	44	233	627
Multiple sclerosis (G35)	88	—	—	—	—	—	—	2	12	26	23	18	7
Male	34	—	—	—	—	—	—	2	5	13	6	7	1
Female	54	—	—	—	—	—	—	—	7	13	17	11	6
Epilepsy (G40-G41)	26	—	—	1	5	—	—	2	4	7	2	3	2
Male	13	—	—	1	2	—	—	2	3	3	1	1	—
Female	13	—	—	—	3	—	—	—	1	4	1	2	2
Diseases of the eye & adnexa (H00-H59) ...	—	—	—	—	—	—	—	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—	—
Ear & mastoid process dis. (H60-H95)	1	—	—	—	—	—	—	—	—	—	—	—	1
Male	1	—	—	—	—	—	—	—	—	—	—	—	1
Female	—	—	—	—	—	—	—	—	—	—	—	—	—
Circulatory system diseases (I00-I99)	9,195	3	1	2	9	31	79	355	855	1,439	2,254	4,167	
Male	4,741	2	1	1	5	23	57	257	612	919	1,200	1,664	
Female	4,454	1	—	1	4	8	22	98	243	520	1,054	2,503	
Major cardiovascular disease (I00-I78)	9,143	2	1	2	8	31	78	349	842	1,432	2,248	4,150	
Male	4,719	1	1	1	5	23	57	254	604	915	1,197	1,661	
Female	4,424	1	—	1	3	8	21	95	238	517	1,051	2,489	
Heart disease (I00-I09, I11, I13, I20-I51)	6,497	1	1	2	7	24	65	251	613	1,044	1,539	2,950	
Male	3,509	1	1	1	5	18	48	178	452	694	872	1,239	
Female	2,988	—	—	1	2	6	17	73	161	350	667	1,711	
Rheumatic heart disease (I00-I09) ¹²	84	—	—	—	—	2	—	2	6	11	25	38	
Male	22	—	—	—	—	2	—	1	1	3	6	9	
Female	62	—	—	—	—	—	—	1	5	8	19	29	
Hypertensive heart disease (I11)	203	—	—	—	—	1	2	7	16	11	43	123	
Male	89	—	—	—	—	1	—	6	14	7	19	42	
Female	114	—	—	—	—	—	2	1	2	4	24	81	
Hypertensive heart & renal dis. (I13)	59	—	—	—	—	—	—	—	3	10	14	32	
Male	23	—	—	—	—	—	—	—	1	5	6	11	
Female	36	—	—	—	—	—	—	—	2	5	8	21	
Ischemic heart disease (I20-I25)	3,421	—	—	—	1	7	38	172	426	657	846	1,274	
Male	2,120	—	—	—	1	4	33	126	325	465	531	635	
Female	1,301	—	—	—	—	3	5	46	101	192	315	639	

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Myocardial infarction (I21-I22)	1,029	—	—	—	—	3	13	57	143	227	262	324
Male	604	—	—	—	—	1	10	41	97	153	150	152
Female	425	—	—	—	—	2	3	16	46	74	112	172
Other acute ischemic hrt. dis. (I24)	21	—	—	—	—	—	—	—	4	5	4	8
Male	10	—	—	—	—	—	—	—	1	4	3	2
Female	11	—	—	—	—	—	—	—	3	1	1	6
Chronic isch. heart dis. (I20, I25)	2,371	—	—	—	1	4	25	115	279	425	580	942
Male	1,506	—	—	—	1	3	23	85	227	308	378	481
Female	865	—	—	—	—	1	2	30	52	117	202	461
Atheroscler. cardiovascular dis. ¹³ ...	190	—	—	—	—	—	3	5	33	28	44	77
Male	116	—	—	—	—	—	2	5	27	24	27	31
Female	74	—	—	—	—	—	1	—	6	4	17	46
Other chr. ischemic heart dis. ¹⁴	2,181	—	—	—	1	4	22	110	246	397	536	865
Male	1,390	—	—	—	1	3	21	80	200	284	351	450
Female	791	—	—	—	—	1	1	30	46	113	185	415
Nonrheumatic mitral valve dis. (I34)	42	—	—	—	—	—	1	—	1	3	14	23
Male	14	—	—	—	—	—	—	—	1	1	4	8
Female	28	—	—	—	—	—	1	—	—	2	10	15
Nonrheumatic aortic valve dis. (I35)	496	—	—	—	—	—	1	7	11	45	108	324
Male	222	—	—	—	—	—	1	3	10	27	58	123
Female	274	—	—	—	—	—	—	4	1	18	50	201
Cardiomyopathy (I42)	243	1	1	—	3	2	6	23	42	51	56	58
Male	159	1	1	—	2	2	5	18	34	33	31	32
Female	84	—	—	—	1	—	1	5	8	18	25	26
Heart failure (I50)	830	—	—	—	—	3	2	6	30	93	195	501
Male	363	—	—	—	—	2	—	4	22	58	94	183
Female	467	—	—	—	—	1	2	2	8	35	101	318
Congestive heart failure (I50.0)	719	—	—	—	—	1	1	5	24	76	170	442
Male	310	—	—	—	—	1	—	4	16	46	79	164
Female	409	—	—	—	—	—	1	1	8	30	91	278
Left ventricular heart failure (I50.1)	3	—	—	—	—	—	—	—	—	—	1	2
Male	1	—	—	—	—	—	—	—	—	—	1	—
Female	2	—	—	—	—	—	—	—	—	—	—	2
Heart failure, unspecified (I50.9)	108	—	—	—	—	2	1	1	6	17	24	57
Male	52	—	—	—	—	1	—	—	6	12	14	19
Female	56	—	—	—	—	1	1	1	—	5	10	38

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
HBP (I10, I12, I15) ¹⁵	523	–	–	–	–	1	–	34	60	76	103	249
Male	255	–	–	–	–	1	–	30	42	47	47	88
Female	268	–	–	–	–	–	–	4	18	29	56	161
Cerebrovascular disease (I60-I69) ¹⁰	1,769	1	–	–	–	6	10	56	129	245	506	816
Male	756	–	–	–	–	4	6	39	78	132	224	273
Female	1,013	1	–	–	–	2	4	17	51	113	282	543
Subarachnoid hemorrhage (I60)	53	–	–	–	–	–	2	7	13	12	14	5
Male	19	–	–	–	–	–	1	4	7	3	3	1
Female	34	–	–	–	–	–	1	3	6	9	11	4
Intracerebral hemorrhage (I61-I62) ¹⁶	356	–	–	–	–	3	4	29	45	59	116	100
Male	177	–	–	–	–	3	3	21	29	31	54	36
Female	179	–	–	–	–	–	1	8	16	28	62	64
Cerebral infarction (I63)	87	–	–	–	–	1	–	–	9	16	24	37
Male	55	–	–	–	–	–	–	–	6	13	16	20
Female	32	–	–	–	–	1	–	–	3	3	8	17
Stroke (type not specified) (I64)	911	–	–	–	–	1	1	12	47	111	245	494
Male	352	–	–	–	–	–	1	9	28	57	106	151
Female	559	–	–	–	–	1	–	3	19	54	139	343
Atherosclerosis (I70)	59	–	–	–	–	–	–	–	6	9	13	31
Male	32	–	–	–	–	–	–	–	5	7	5	15
Female	27	–	–	–	–	–	–	–	1	2	8	16
Aortic aneurysm & dissection (I71)	155	–	–	–	–	–	3	5	18	30	47	52
Male	92	–	–	–	–	–	3	5	14	18	27	25
Female	63	–	–	–	–	–	–	–	4	12	20	27
Diseases of arteries (I72-I78) ¹⁷	139	–	–	–	1	–	–	3	16	28	39	52
Male	74	–	–	–	–	–	–	2	13	17	21	21
Female	65	–	–	–	1	–	–	1	3	11	18	31
Respiratory system diseases (J00-J99)	3,131	–	2	1	5	7	19	104	339	699	981	974
Male	1,514	–	2	1	2	5	9	45	174	342	498	436
Female	1,617	–	–	–	3	2	10	59	165	357	483	538
Influenza & pneumonia (J09-J18)	501	–	1	1	1	2	5	23	38	62	125	243
Male	229	–	1	1	1	1	2	5	18	28	64	108
Female	272	–	–	–	–	1	3	18	20	34	61	135
Influenza (J09-J11)	69	–	–	1	1	–	1	6	5	4	23	28
Male	25	–	–	1	1	–	–	1	2	2	10	8
Female	44	–	–	–	–	–	1	5	3	2	13	20

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Pneumonia (J12-J18)	432	—	1	—	—	2	4	17	33	58	102	215
Male	204	—	1	—	—	1	2	4	16	26	54	100
Female	228	—	—	—	—	1	2	13	17	32	48	115
Other acute lower resp. infect'ns (J20-J22)	1	—	—	—	—	—	—	—	1	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	1	—	—	—
Acute bronchitis (J20-J21) ¹⁸	—	—	—	—	—	—	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Chronic lower respiratory dis. (J40-J47) ¹⁹	2,025	—	1	—	3	3	9	52	236	539	671	511
Male	965	—	1	—	1	2	3	26	119	259	325	229
Female	1,060	—	—	—	2	1	6	26	117	280	346	282
Bronchitis, chronic & unspec. (J40-J42)	8	—	—	—	—	—	—	—	—	3	3	2
Male	4	—	—	—	—	—	—	—	—	1	3	—
Female	4	—	—	—	—	—	—	—	—	2	—	2
Emphysema (J43)	162	—	—	—	—	—	—	2	27	50	44	39
Male	81	—	—	—	—	—	—	1	16	26	20	18
Female	81	—	—	—	—	—	—	1	11	24	24	21
Asthma (J45-J46)	62	—	1	—	2	2	4	9	9	9	7	19
Male	20	—	1	—	1	1	2	3	3	1	3	5
Female	42	—	—	—	1	1	2	6	6	8	4	14
Other CLRD (J44, J47)	1,793	—	—	—	1	1	5	41	200	477	617	451
Male	860	—	—	—	—	1	1	22	100	231	299	206
Female	933	—	—	—	1	—	4	19	100	246	318	245
Bronchiectasis (J47)	11	—	—	—	—	—	—	—	—	2	5	4
Male	2	—	—	—	—	—	—	—	—	—	1	1
Female	9	—	—	—	—	—	—	—	—	2	4	3
Pneumoconioses (J60-J66, J68) ²⁰	8	—	—	—	—	—	—	—	—	2	2	4
Male	7	—	—	—	—	—	—	—	—	2	2	3
Female	1	—	—	—	—	—	—	—	—	—	—	1
Pneumonitis due to solids & liquids (J69)	156	—	—	—	1	1	4	6	13	16	41	74
Male	84	—	—	—	—	1	3	2	7	10	25	36
Female	72	—	—	—	1	—	1	4	6	6	16	38
Digestive system diseases (K00-K92)	1,498	4	1	—	3	16	60	195	333	277	249	360
Male	780	1	1	—	3	8	40	126	197	156	130	118
Female	718	3	—	—	—	8	20	69	136	121	119	242

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Peptic ulcer (K25-K28)	46	—	—	—	—	—	1	4	8	5	13	15
Male	18	—	—	—	—	—	1	2	2	1	7	5
Female	28	—	—	—	—	—	—	2	6	4	6	10
Diseases of the appendix (K35-K38)	13	—	—	—	1	—	—	1	1	4	1	5
Male	7	—	—	—	1	—	—	—	—	4	1	1
Female	6	—	—	—	—	—	—	1	1	—	—	4
Appendicitis (K35-K37)	13	—	—	—	1	—	—	1	1	4	1	5
Male	7	—	—	—	1	—	—	—	—	4	1	1
Female	6	—	—	—	—	—	—	1	1	—	—	4
Hernia (K40-K46)	45	—	—	—	—	—	1	1	4	6	6	27
Male	17	—	—	—	—	—	1	—	2	2	4	8
Female	28	—	—	—	—	—	—	1	2	4	2	19
Vascular disorders of the intestine (K55)	124	1	—	—	—	—	—	7	14	27	28	47
Male	41	—	—	—	—	—	—	6	6	13	8	8
Female	83	1	—	—	—	—	—	1	8	14	20	39
Chronic liver disease (K70, K73-K74) ²¹	547	—	—	—	—	12	38	133	192	117	45	10
Male	362	—	—	—	—	5	26	86	127	83	31	4
Female	185	—	—	—	—	7	12	47	65	34	14	6
Alcoholic liver disease (K70) ²²	402	—	—	—	—	11	35	117	150	72	15	2
Male	279	—	—	—	—	5	24	75	103	58	14	—
Female	123	—	—	—	—	6	11	42	47	14	1	2
Cholelithiasis (K80-K82) ²³	58	—	—	—	—	—	1	1	5	10	15	26
Male	32	—	—	—	—	—	—	—	3	5	10	14
Female	26	—	—	—	—	—	1	1	2	5	5	12
Diseases of the skin (L00-L98) ²⁴	65	—	1	—	—	—	4	4	13	13	11	19
Male	39	—	1	—	—	—	2	2	7	8	8	11
Female	26	—	—	—	—	—	2	2	6	5	3	8
Musculoskeletal disease (M00-M99) ²⁵	239	—	—	1	1	1	5	13	20	42	64	92
Male	78	—	—	—	—	1	2	6	10	20	18	21
Female	161	—	—	1	1	—	3	7	10	22	46	71
Genitourinary system dis. (N00-N99)	549	—	—	—	—	4	5	21	47	85	144	243
Male	250	—	—	—	—	2	1	12	26	34	69	106
Female	299	—	—	—	—	2	4	9	21	51	75	137
Nephritis (N00-N07, N17-N19, N25-N27) ²⁶	327	—	—	—	—	1	5	9	32	56	87	137
Male	156	—	—	—	—	1	1	5	19	23	44	63
Female	171	—	—	—	—	—	4	4	13	33	43	74

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Acute nephrotic syndr. (N00-N01, N04) ²⁷ ..	5	–	–	–	–	–	–	1	–	1	1	2
Male	4	–	–	–	–	–	–	1	–	1	1	1
Female	1	–	–	–	–	–	–	–	–	–	–	1
Chr. nephritis (N02-N03, N05-N07, N26) ²⁸	7	–	–	–	–	–	1	–	–	1	4	1
Male	4	–	–	–	–	–	–	–	–	–	3	1
Female	3	–	–	–	–	–	1	–	–	1	1	–
Renal failure (N17-N19)	314	–	–	–	–	1	4	8	32	54	81	134
Male	147	–	–	–	–	1	1	4	19	22	39	61
Female	167	–	–	–	–	–	3	4	13	32	42	73
Other disorders of kidney (N25, N27)	1	–	–	–	–	–	–	–	–	–	1	–
Male	1	–	–	–	–	–	–	–	–	–	1	–
Female	–	–	–	–	–	–	–	–	–	–	–	–
Kidney infect'ns (N10-N12, N13.6, N15.1)	8	–	–	–	–	–	–	–	–	4	1	3
Male	1	–	–	–	–	–	–	–	–	–	–	1
Female	7	–	–	–	–	–	–	–	–	4	1	2
Urinary tract infection (N39.0)	139	–	–	–	–	–	–	5	12	15	37	70
Male	48	–	–	–	–	–	–	3	6	7	13	19
Female	91	–	–	–	–	–	–	2	6	8	24	51
Hyperplasia of prostate (N40)	20	–	–	–	–	–	–	–	–	1	5	14
Male	20	–	–	–	–	–	–	–	–	1	5	14
Female	–	–	–	–	–	–	–	–	–	–	–	–
Female pelvic inflam. dis. (N70-N76) ²⁹	5	–	–	–	–	–	–	2	–	1	1	1
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	5	–	–	–	–	–	–	2	–	1	1	1
Pregnancy & childbirth (O00-O99)³⁰	12	–	–	–	2	5	4	–	1	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	12	–	–	–	2	5	4	–	1	–	–	–
Perinatal conditions (P00-P96)	124	122	–	–	–	–	1	–	–	1	–	–
Male	59	59	–	–	–	–	–	–	–	–	–	–
Female	65	63	–	–	–	–	1	–	–	1	–	–
Congenital malformations (Q00-Q99)³¹	140	44	4	3	5	12	10	15	13	11	15	8
Male	74	18	4	2	4	7	7	8	11	4	6	3
Female	66	26	–	1	1	5	3	7	2	7	9	5
Malformation of the heart (Q20-Q24)	52	19	1	1	4	4	2	7	2	2	8	2
Male	28	11	1	1	3	2	2	5	1	–	2	–
Female	24	8	–	–	1	2	–	2	1	2	6	2

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other malf. of the circul. sys. (Q25-Q28)	18	5	—	—	—	—	2	—	1	2	3	5
Male	11	4	—	—	—	—	2	—	1	1	1	2
Female	7	1	—	—	—	—	—	—	—	1	2	3
Malf. of the respiratory system (Q30-Q34)	1	1	—	—	—	—	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	1	—	—	—	—	—	—	—	—	—	—
Symptoms & signs (R00-R99)³²	701	29	2	1	5	13	13	35	82	92	115	314
Male	322	13	1	1	2	8	11	21	49	63	52	101
Female	379	16	1	—	3	5	2	14	33	29	63	213
Senility (R54)	58	—	—	—	—	—	—	—	—	1	4	53
Male	17	—	—	—	—	—	—	—	—	1	1	15
Female	41	—	—	—	—	—	—	—	—	—	3	38
Sudden infant death syndrome (R95)	23	23	—	—	—	—	—	—	—	—	—	—
Male	9	9	—	—	—	—	—	—	—	—	—	—
Female	14	14	—	—	—	—	—	—	—	—	—	—
External causes of death (V01-Y89)	2,638	11	15	27	215	289	301	365	376	267	281	491
Male	1,661	8	10	14	164	218	207	250	255	170	167	198
Female	977	3	5	13	51	71	94	115	121	97	114	293
Accidents (V01-X59, Y85-Y86)	1,732	8	11	17	104	153	171	205	211	187	215	450
Male	996	5	9	10	73	112	111	139	136	113	117	171
Female	736	3	2	7	31	41	60	66	75	74	98	279
Transport accidents (V01-V99, Y85)	405	—	1	10	64	64	45	65	53	59	26	18
Male	295	—	1	5	41	49	38	56	36	41	20	8
Female	110	—	—	5	23	15	7	9	17	18	6	10
Motor vehicle acc. (Many codes) ³³	354	—	1	9	61	62	38	51	47	48	21	16
Male	255	—	1	4	38	47	32	45	33	31	16	8
Female	99	—	—	5	23	15	6	6	14	17	5	8
Motor veh. traf. acc. (Many codes) ³⁴ ...	324	—	1	6	58	58	34	47	46	41	20	13
Male	229	—	1	3	36	43	28	41	32	25	15	5
Female	95	—	—	3	22	15	6	6	14	16	5	8
Water transport accidents (V90-V94)	13	—	—	—	1	1	2	5	1	3	—	—
Male	10	—	—	—	1	1	2	3	—	3	—	—
Female	3	—	—	—	—	—	—	2	1	—	—	—
Air transport accidents (V95-V97)	2	—	—	—	—	—	—	1	1	—	—	—
Male	2	—	—	—	—	—	—	1	1	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Nontransport accidents (W00-X59,Y86)	1,327	8	10	7	40	89	126	140	158	128	189	432
Male	701	5	8	5	32	63	73	83	100	72	97	163
Female	626	3	2	2	8	26	53	57	58	56	92	269
Falls (W00-W19)	639	1	1	—	1	7	6	14	33	70	139	367
Male	286	1	—	—	1	6	6	9	17	40	66	140
Female	353	—	1	—	—	1	—	5	16	30	73	227
Firearms (W32-W34)	8	—	1	—	2	2	1	2	—	—	—	—
Male	7	—	1	—	2	1	1	2	—	—	—	—
Female	1	—	—	—	—	1	—	—	—	—	—	—
Drowning & submersion (W65-W74)	56	1	4	3	7	5	7	10	11	5	2	1
Male	38	1	4	2	7	1	3	5	10	3	2	—
Female	18	—	—	1	—	4	4	5	1	2	—	1
Exposure to smoke & fire (X00-X09)	38	1	2	2	1	2	1	7	8	7	3	4
Male	25	—	2	2	1	2	1	4	4	3	3	3
Female	13	1	—	—	—	—	—	3	4	4	—	1
Poisoning (X40-X49) ³⁵	382	—	—	—	25	62	92	91	76	23	9	4
Male	224	—	—	—	17	42	50	50	47	11	4	3
Female	158	—	—	—	8	20	42	41	29	12	5	1
Suicide (X60-X84, Y87.0)	697	—	—	7	85	98	102	130	136	66	47	26
Male	536	—	—	4	71	78	77	94	101	49	39	23
Female	161	—	—	3	14	20	25	36	35	17	8	3
Poisoning (X60-X69)	112	—	—	—	6	10	20	31	27	12	5	1
Male	58	—	—	—	5	7	10	15	12	6	3	—
Female	54	—	—	—	1	3	10	16	15	6	2	1
Hanging/suffocation (X70)	142	—	—	4	27	30	23	27	18	8	3	2
Male	108	—	—	3	20	23	19	20	12	7	2	2
Female	34	—	—	1	7	7	4	7	6	1	1	—
Firearm discharge (X72-X74)	388	—	—	3	46	46	46	64	80	43	39	21
Male	332	—	—	1	43	40	39	53	69	34	34	19
Female	56	—	—	2	3	6	7	11	11	9	5	2
Homicide (X85-Y09, Y87.1)	90	1	2	2	16	23	14	9	14	4	4	1
Male	60	1	—	—	12	18	12	6	8	2	1	—
Female	30	—	2	2	4	5	2	3	6	2	3	1
Firearm discharge (X93-X95)	54	—	—	2	13	12	9	6	8	2	2	—
Male	37	—	—	—	9	11	8	3	4	1	1	—
Female	17	—	—	2	4	1	1	3	4	1	1	—

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2013 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Legal intervention (Y35, Y89.0) ³⁶	7	—	—	—	1	3	—	2	—	—	1	—
Male	6	—	—	—	1	3	—	1	—	—	1	—
Female	1	—	—	—	—	—	—	1	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	68	2	2	1	8	12	14	14	7	3	2	3
Male	39	2	1	—	6	7	7	7	5	2	1	1
Female	29	—	1	1	2	5	7	7	2	1	1	2
War and its sequelae (Y36, Y89.1) ³⁷	1	—	—	—	—	—	—	—	—	1	—	—
Male	1	—	—	—	—	—	—	—	—	1	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88)	43	—	—	—	1	—	—	5	8	6	12	11
Male	23	—	—	—	1	—	—	3	5	3	8	3
Female	20	—	—	—	—	—	—	2	3	3	4	8
Injury by firearms (Many codes) ³⁸	461	—	1	5	64	64	56	74	88	46	42	21
Male	386	—	1	1	57	56	48	59	73	36	36	19
Female	75	—	—	4	7	8	8	15	15	10	6	2
Alcohol-induced deaths (Many codes) ^{39,40}	713	—	1	—	1	14	61	202	263	134	32	5
Male	516	—	—	—	1	7	42	137	197	105	26	1
Female	197	—	1	—	—	7	19	65	66	29	6	4
Drug-induced deaths (Many codes) ^{41,42}	535	—	2	—	30	73	111	125	118	46	18	12
Male	303	—	2	—	21	49	55	67	69	26	9	5
Female	232	—	—	—	9	24	56	58	49	20	9	7
Injury at work ⁴³	50	—	—	—	4	8	7	8	9	7	5	2
Male	41	—	—	—	4	7	6	6	7	5	5	1
Female	9	—	—	—	—	1	1	2	2	2	—	1

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Human immunodeficiency virus/ acquired immune deficiency syndrome.

³ Includes uterus, part unspecified.

⁴ Includes meninges and other parts of the central nervous system.

⁵ Includes immunoproliferative neoplasms.

⁶ Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁷ Includes diseases of the blood forming-organs and disorders involving the immune mechanism.

⁸ Includes metabolic diseases.

⁹ Includes behavioral disorders.

¹⁰ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia, with a net loss of 111 for the former and a similar gain for the latter.

¹¹ For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

- 12 Includes acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 15 Hypertension with/without renal disease.
- 16 Includes other intracranial hemorrhages.
- 17 Includes diseases of the arterioles and capillaries.
- 18 Includes acute bronchiolitis.
- 19 Formerly chronic obstructive pulmonary disease (COPD).
- 20 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
- 21 Includes liver cirrhosis.
- 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 23 Includes other diseases of the gallbladder.
- 24 Includes subcutaneous tissues.
- 25 Includes connective tissue.
- 26 Includes nephrotic syndrome and nephrosis.
- 27 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
- 28 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 29 Inflammatory diseases of female pelvic organs.
- 30 Includes the puerperium.
- 31 Includes congenital deformations and chromosomal abnormalities.
- 32 Includes abnormal clinical and laboratory findings not elsewhere classified.
- 33 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 34 Includes the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 35 Includes exposure to noxious substances.
- 36 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 37 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 38 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note this category includes injuries included in other cause of death categories.
- 39 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note disorders included here are also included in other cause of death categories.
- 40 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively. (Components of this category were revised beginning in 2004, resulting in the inclusion of additional codes/deaths.)
- 41 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as, drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note disorders included here are also included in other cause of death categories.
- 42 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Components of this category were revised beginning in 2004 resulting in the inclusion of additional codes/deaths.)
- 43 Recorded as a separate item on the death certificate by the medical examiner.
- * Includes unknown age and sex.
- Quantity is 0.