

**TABLE 7-8. Early neonatal deaths¹ by weeks of gestation and weight
Oregon residents, birth cohort 2012**

Birthweight (in grams)	Total	Weeks of gestation									
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+	N.S.
Total ²	135	14	53	21	2	12	3	17	7	5	1
001-349	22	11	11	–	–	–	–	–	–	–	–
350-499	32	2	29	1	–	–	–	–	–	–	–
<500	54	13	40	1	–	–	–	–	–	–	–
500-749	26	–	13	13	–	–	–	–	–	–	–
750-999	8	–	–	6	–	2	–	–	–	–	–
1000-1249	1	–	–	–	1	–	–	–	–	–	–
1250-1499	5	–	–	–	–	4	–	1	–	–	–
1500-1999	4	–	–	1	–	1	–	2	–	–	–
2000-2499	10	–	–	–	1	5	1	–	2	1	–
<2500	108	13	53	21	2	12	1	3	2	1	–
2500+	24	–	–	–	–	–	2	14	4	4	–
2500-2999	5	–	–	–	–	–	1	3	1	–	–
3000-3499	11	–	–	–	–	–	–	6	2	3	–
3500-3999	6	–	–	–	–	–	1	3	1	1	–
4000-4499	1	–	–	–	–	–	–	1	–	–	–
4500+	1	–	–	–	–	–	–	1	–	–	–

¹ Early neonatal deaths occur through day 6 after birth.

² Includes unknown weight.

– Quantity is zero.

NOTE: Calculated gestation from reported date of last menses. If calculated gestation is unknown, the clinical estimate of gestation is used. Total includes reports with unknown birthweight and/or gestation.