

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Total *</b> .....	34,160	234	35	57	320	493	813	1,972	4,534	6,233	7,865	11,604
Male ....	17,438	131	18	35	219	339	496	1,170	2,768	3,563	4,084	4,615
Female ....	16,722	103	17	22	101	154	317	802	1,766	2,670	3,781	6,989
<b>Infections &amp; parasitic disease (A00-B99)</b> ....	663	5	4	2	4	3	17	77	166	121	112	152
Male ....	367	4	2	1	2	1	13	52	110	74	56	52
Female ....	296	1	2	1	2	2	4	25	56	47	56	100
Tuberculosis (A16-A19) .....	3	–	–	–	–	–	1	–	1	1	–	–
Male ....	3	–	–	–	–	–	1	–	1	1	–	–
Female ....	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (A39) .....	–	–	–	–	–	–	–	–	–	–	–	–
Male ....	–	–	–	–	–	–	–	–	–	–	–	–
Female ....	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (A40-A41) .....	197	1	2	1	1	–	4	14	21	35	49	69
Male ....	92	–	1	1	1	–	1	7	13	20	27	21
Female ....	105	1	1	–	–	–	3	7	8	15	22	48
Creutzfeldt-Jacob disease (A81.0) .....	6	–	–	–	–	–	–	–	2	2	1	1
Male ....	3	–	–	–	–	–	–	–	1	2	–	–
Female ....	3	–	–	–	–	–	–	–	1	–	1	1
Viral hepatitis (B15-B19) .....	210	–	–	–	–	–	4	41	108	40	14	3
Male ....	140	–	–	–	–	–	4	30	72	24	9	1
Female ....	70	–	–	–	–	–	–	11	36	16	5	2
HIV/AIDS (B20-B24) <sup>2</sup> .....	34	–	–	–	1	–	3	16	9	3	1	1
Male ....	29	–	–	–	1	–	3	12	8	3	1	1
Female ....	5	–	–	–	–	–	–	4	1	–	–	–
<b>Malignant neoplasms (C00-C97)</b> .....	7,862	–	3	7	14	55	146	493	1,540	2,202	1,999	1,403
Male ....	4,117	–	3	4	9	28	65	229	832	1,187	1,027	733
Female ....	3,745	–	–	3	5	27	81	264	708	1,015	972	670
Lip, oral cavity & pharynx (C00-C14) .....	138	–	–	–	1	1	2	13	35	41	28	17
Male ....	94	–	–	–	–	1	2	9	28	28	18	8
Female ....	44	–	–	–	1	–	–	4	7	13	10	9
Digestive organs (C15-C26) .....	1,995	–	1	–	–	10	39	143	462	542	478	320
Male ....	1,178	–	1	–	–	5	24	87	315	331	253	162
Female ....	817	–	–	–	–	5	15	56	147	211	225	158
Esophagus (C15) .....	239	–	–	–	–	1	4	19	53	74	60	28
Male ....	181	–	–	–	–	1	4	15	44	58	41	18
Female ....	58	–	–	–	–	–	–	4	9	16	19	10

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16) .....	139	—	—	—	—	3	6	19	29	35	29	18
Male ....	89	—	—	—	—	1	2	13	19	26	18	10
Female ....	50	—	—	—	—	2	4	6	10	9	11	8
Colon, rectum & anus (C18-C21) .....	623	—	—	—	—	6	21	55	104	143	155	139
Male ....	342	—	—	—	—	3	12	30	60	83	85	69
Female ....	281	—	—	—	—	3	9	25	44	60	70	70
Colon (C18) .....	480	—	—	—	—	5	17	37	69	105	129	118
Male ....	260	—	—	—	—	3	10	19	40	62	72	54
Female ....	220	—	—	—	—	2	7	18	29	43	57	64
Rectosigmoid junction (C19) .....	33	—	—	—	—	1	—	3	10	11	4	4
Male ....	19	—	—	—	—	—	—	2	5	5	3	4
Female ....	14	—	—	—	—	1	—	1	5	6	1	—
Rectum (C20) .....	97	—	—	—	—	—	4	12	22	25	18	16
Male ....	53	—	—	—	—	—	2	7	13	14	7	10
Female ....	44	—	—	—	—	—	2	5	9	11	11	6
Liver & intrahepatic bile ducts (C22) .....	323	—	—	—	—	—	2	15	141	93	48	24
Male ....	228	—	—	—	—	—	2	9	117	62	27	11
Female ....	95	—	—	—	—	—	—	6	24	31	21	13
Pancreas (C25) .....	569	—	1	—	—	—	6	28	116	164	160	94
Male ....	299	—	1	—	—	—	4	19	67	89	71	48
Female ....	270	—	—	—	—	—	2	9	49	75	89	46
Respiratory, intrathoracic organs (C30-C39) ...	2,038	—	—	—	—	2	11	92	385	677	589	282
Male ....	1,055	—	—	—	—	2	6	45	210	367	277	148
Female ....	983	—	—	—	—	—	5	47	175	310	312	134
Larynx (C32) .....	37	—	—	—	—	—	1	2	12	9	8	5
Male ....	29	—	—	—	—	—	1	2	9	8	5	4
Female ....	8	—	—	—	—	—	—	—	3	1	3	1
Trachea, bronchus & lung (C33-C34) .....	1,982	—	—	—	—	2	10	88	368	661	576	277
Male ....	1,014	—	—	—	—	2	5	42	196	355	270	144
Female ....	968	—	—	—	—	—	5	46	172	306	306	133
Bronchus & lung (C34) .....	1,981	—	—	—	—	2	10	88	368	661	575	277
Male ....	1,013	—	—	—	—	2	5	42	196	355	269	144
Female ....	968	—	—	—	—	—	5	46	172	306	306	133
Skin (C43-C44) .....	183	—	—	—	—	3	7	15	33	45	49	31
Male ....	120	—	—	—	—	—	3	9	20	32	39	17
Female ....	63	—	—	—	—	3	4	6	13	13	10	14

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Melanoma of skin (C43) .....	114	—	—	—	—	2	6	15	26	23	27	15
Male ....	71	—	—	—	—	—	2	9	14	15	22	9
Female ....	43	—	—	—	—	2	4	6	12	8	5	6
Mesothelioma (C45) .....	48	—	—	—	—	—	—	1	5	16	15	11
Male ....	35	—	—	—	—	—	—	1	2	12	11	9
Female ....	13	—	—	—	—	—	—	—	3	4	4	2
Breast (C50) .....	544	—	—	—	—	3	22	53	123	161	98	84
Male ....	6	—	—	—	—	—	—	—	2	—	2	2
Female ....	538	—	—	—	—	3	22	53	121	161	96	82
Female genital organs (C51-C58) .....	443	—	—	—	—	5	11	50	106	116	108	47
Male ....	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	443	—	—	—	—	5	11	50	106	116	108	47
Cervix uteri (C53) .....	51	—	—	—	—	4	7	10	12	12	5	1
Male ....	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	51	—	—	—	—	4	7	10	12	12	5	1
Corpus uteri (C54-C55) <sup>3</sup> .....	124	—	—	—	—	—	3	11	33	35	32	10
Male ....	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	124	—	—	—	—	—	3	11	33	35	32	10
Ovary (C56) .....	239	—	—	—	—	1	1	26	60	64	58	29
Male ....	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	239	—	—	—	—	1	1	26	60	64	58	29
Male genital organs (C60-C63) .....	425	—	—	—	1	—	1	7	42	88	120	166
Male ....	425	—	—	—	1	—	1	7	42	88	120	166
Female ....	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61) .....	419	—	—	—	—	—	—	7	42	87	118	165
Male ....	419	—	—	—	—	—	—	7	42	87	118	165
Female ....	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65) .....	182	—	—	—	1	1	2	12	37	54	37	38
Male ....	122	—	—	—	1	1	—	9	23	41	21	26
Female ....	60	—	—	—	—	—	2	3	14	13	16	12
Bladder (C67) .....	178	—	—	—	—	—	—	6	16	35	48	73
Male ....	139	—	—	—	—	—	—	5	13	30	39	52
Female ....	39	—	—	—	—	—	—	1	3	5	9	21
Brain, etc. (C70-C72) <sup>4</sup> .....	257	—	—	2	2	9	18	28	69	65	48	16
Male ....	158	—	—	2	2	8	11	17	41	40	32	5
Female ....	99	—	—	—	—	1	7	11	28	25	16	11

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Thyroid/endocrine gland (C73-C75) .....	36	—	2	1	—	—	1	2	8	11	7	4
Male ....	19	—	2	1	—	—	1	2	3	6	4	—
Female ....	17	—	—	—	—	—	—	—	5	5	3	4
Lymphoid & hematopoietic (C81-C96) .....	777	—	—	—	5	6	15	36	103	185	235	192
Male ....	429	—	—	—	3	3	8	18	61	117	134	85
Female ....	348	—	—	—	2	3	7	18	42	68	101	107
Hodgkin's disease (C81) .....	21	—	—	—	1	—	—	2	4	9	4	1
Male ....	15	—	—	—	1	—	—	1	4	6	2	1
Female ....	6	—	—	—	—	—	—	1	—	3	2	—
Non-Hodgkin's lymphoma (C82-C85) .....	317	—	—	—	—	—	7	15	41	67	101	86
Male ....	162	—	—	—	—	—	3	7	17	45	57	33
Female ....	155	—	—	—	—	—	4	8	24	22	44	53
Leukemia (C91-C95) .....	264	—	—	—	4	6	6	15	32	58	78	65
Male ....	157	—	—	—	2	3	3	9	23	37	49	31
Female ....	107	—	—	—	2	3	3	6	9	21	29	34
Lymphoid leukemia (C91) .....	83	—	—	—	1	3	2	5	9	12	22	29
Male ....	52	—	—	—	1	2	1	4	7	8	16	13
Female ....	31	—	—	—	—	1	1	1	2	4	6	16
Myeloid leukemia (C92) .....	140	—	—	—	2	2	4	10	19	39	43	21
Male ....	81	—	—	—	1	—	2	5	14	25	26	8
Female ....	59	—	—	—	1	2	2	5	5	14	17	13
Multiple myeloma (C88, C90) <sup>5</sup> .....	175	—	—	—	—	—	2	4	26	51	52	40
Male ....	95	—	—	—	—	—	2	1	17	29	26	20
Female ....	80	—	—	—	—	—	—	3	9	22	26	20
<b>Neoplas. not specif. as malign. (D00-D48)<sup>6</sup> ...</b>	<b>248</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>—</b>	<b>3</b>	<b>3</b>	<b>10</b>	<b>23</b>	<b>53</b>	<b>67</b>	<b>86</b>
Male ....	133	1	—	1	—	3	2	4	14	33	37	38
Female ....	115	—	1	—	—	—	1	6	9	20	30	48
Myelodysplastic syndromes (D46) .....	91	—	—	—	—	—	—	1	5	17	29	39
Male ....	64	—	—	—	—	—	—	1	4	13	23	23
Female ....	27	—	—	—	—	—	—	—	1	4	6	16
<b>Diseases of the blood (D50-89)<sup>7</sup> .....</b>	<b>129</b>	<b>2</b>	<b>1</b>	<b>—</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>7</b>	<b>18</b>	<b>16</b>	<b>32</b>	<b>48</b>
Male ....	63	1	1	—	1	1	1	2	10	6	19	21
Female ....	66	1	—	—	—	—	2	5	8	10	13	27
Anemias (D50-D64) .....	65	—	—	—	—	—	—	2	2	6	20	35
Male ....	29	—	—	—	—	—	—	—	1	3	11	14
Female ....	36	—	—	—	—	—	—	2	1	3	9	21

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Endocrine &amp; nutritional dis. (E00-E88)<sup>8</sup></b> .....	1,633	2	2	4	10	13	52	129	270	397	364	390
Male ....	882	1	—	3	4	6	28	73	174	231	203	159
Female ....	751	1	2	1	6	7	24	56	96	166	161	231
<b>Diabetes mellitus (E10-E14)</b> .....	1,083	—	—	—	3	7	37	85	177	279	257	238
Male ....	612	—	—	—	1	1	18	51	118	175	146	102
Female ....	471	—	—	—	2	6	19	34	59	104	111	136
<b>Nutritional deficiencies (E40-E64)</b> .....	66	—	—	—	—	—	—	2	6	10	14	34
Male ....	29	—	—	—	—	—	—	1	1	4	6	17
Female ....	37	—	—	—	—	—	—	1	5	6	8	17
Malnutrition (E40-E46) .....	63	—	—	—	—	—	—	2	5	10	14	32
Male ....	29	—	—	—	—	—	—	1	1	4	6	17
Female ....	34	—	—	—	—	—	—	1	4	6	8	15
<b>Mental disorders (F01-F99)<sup>9</sup></b> .....	2,652	—	—	—	6	18	22	69	136	207	553	1,641
Male ....	1,039	—	—	—	4	13	13	48	98	114	233	516
Female ....	1,613	—	—	—	2	5	9	21	38	93	320	1,125
<b>Organic dementia (F01, F03)<sup>10</sup></b> .....	2,244	—	—	—	—	—	—	2	20	125	503	1,594
Male ....	774	—	—	—	—	—	—	—	12	62	205	495
Female ....	1,470	—	—	—	—	—	—	2	8	63	298	1,099
<b>Due to alcohol (F10)<sup>11</sup></b> .....	199	—	—	—	1	5	11	49	79	33	12	9
Male ....	156	—	—	—	1	5	8	35	64	27	10	6
Female ....	43	—	—	—	—	—	3	14	15	6	2	3
<b>Due to psychoactive substance (F11-F19)</b> .....	93	—	—	—	2	12	7	14	18	28	8	4
Male ....	60	—	—	—	2	7	4	11	11	18	5	2
Female ....	33	—	—	—	—	5	3	3	7	10	3	2
<b>Nervous system disease (G00-G99)</b> .....	2,520	6	3	5	11	10	26	46	157	303	689	1,264
Male ....	1,080	4	1	3	10	7	16	31	82	162	343	421
Female ....	1,440	2	2	2	1	3	10	15	75	141	346	843
<b>Meningitis (G00, G03)</b> .....	16	2	1	—	1	—	1	2	2	6	—	1
Male ....	9	—	—	—	1	—	1	1	1	5	—	—
Female ....	7	2	1	—	—	—	—	1	1	1	—	1
<b>Amyotrophic lateral sclerosis (G12.2)</b> .....	129	—	—	—	—	—	1	5	9	29	43	14
Male ....	75	—	—	—	—	—	—	4	9	15	20	8
Female ....	54	—	—	—	—	—	1	1	—	14	23	6
<b>Parkinson's disease (G20-G21)</b> .....	381	—	—	—	—	—	1	1	—	9	49	156
Male ....	229	—	—	—	—	—	1	1	—	6	24	86
Female ....	152	—	—	—	—	—	—	—	—	3	25	70

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Alzheimer's disease (G30) .....	1,412	—	—	—	—	—	1	—	17	71	345	978
Male ....	449	—	—	—	—	—	—	—	7	32	136	274
Female ....	963	—	—	—	—	—	1	—	10	39	209	704
Multiple sclerosis (G35) .....	95	—	—	—	—	—	3	6	23	30	25	8
Male ....	38	—	—	—	—	—	2	4	9	13	8	2
Female ....	57	—	—	—	—	—	1	2	14	17	17	6
Epilepsy (G40-G41) .....	30	—	1	1	5	1	3	2	5	4	3	5
Male ....	20	—	1	—	4	—	3	2	2	3	2	3
Female ....	10	—	—	1	1	1	—	—	3	1	1	2
<b>Diseases of the eye &amp; adnexa (H00-H59) ...</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
Male ....	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—
<b>Ear &amp; mastoid process dis. (H60-H95) .....</b>	<b>4</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>—</b>	<b>1</b>
Male ....	2	—	—	—	—	—	—	1	—	1	—	—
Female ....	2	—	—	—	—	—	—	—	1	—	—	1
<b>Circulatory system diseases (I00-I99) .....</b>	<b>9,212</b>	<b>3</b>	<b>2</b>	<b>7</b>	<b>16</b>	<b>28</b>	<b>98</b>	<b>329</b>	<b>884</b>	<b>1,400</b>	<b>2,210</b>	<b>4,235</b>
Male ....	4,737	2	—	1	8	19	62	225	603	890	1,238	1,689
Female ....	4,475	1	2	6	8	9	36	104	281	510	972	2,546
Major cardiovascular disease (I00-I78) .....	9,153	3	2	7	16	26	92	322	875	1,391	2,200	4,219
Male ....	4,711	2	—	1	8	19	59	221	598	886	1,233	1,684
Female ....	4,442	1	2	6	8	7	33	101	277	505	967	2,535
Heart disease (I00-I09, I11, I13, I20-I51) ....	6,523	1	2	3	14	18	63	240	645	991	1,524	3,022
Male ....	3,522	1	—	—	8	13	41	168	468	651	913	1,259
Female ....	3,001	—	2	3	6	5	22	72	177	340	611	1,763
Rheumatic heart disease (I00-I09) <sup>12</sup> .....	79	—	—	—	—	—	—	2	3	14	29	31
Male ....	30	—	—	—	—	—	—	—	2	5	15	8
Female ....	49	—	—	—	—	—	—	2	1	9	14	23
Hypertensive heart disease (I11) .....	226	—	—	—	—	2	—	7	15	15	39	148
Male ....	90	—	—	—	—	2	—	7	11	11	20	39
Female ....	136	—	—	—	—	—	—	—	4	4	19	109
Hypertensive heart & renal dis. (I13) .....	55	—	—	—	—	—	—	1	3	9	12	30
Male ....	28	—	—	—	—	—	—	1	2	4	10	11
Female ....	27	—	—	—	—	—	—	—	1	5	2	19
Ischemic heart disease (I20-I25) .....	3,316	—	—	—	3	6	32	147	412	618	833	1,265
Male ....	2,079	—	—	—	2	6	23	111	320	439	540	638
Female ....	1,237	—	—	—	1	—	9	36	92	179	293	627

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Myocardial infarction (I21-I22) .....	1,003	—	—	—	—	2	9	53	136	213	242	348
Male ....	605	—	—	—	—	2	7	41	105	146	144	160
Female ....	398	—	—	—	—	—	2	12	31	67	98	188
Other acute ischemic hrt. dis. (I24) .....	17	—	—	—	—	—	—	—	3	3	4	7
Male ....	8	—	—	—	—	—	—	—	2	2	1	3
Female ....	9	—	—	—	—	—	—	—	1	1	3	4
Chronic isch. heart dis. (I20, I25) .....	2,296	—	—	—	3	4	23	94	273	402	587	910
Male ....	1,466	—	—	—	2	4	16	70	213	291	395	475
Female ....	830	—	—	—	1	—	7	24	60	111	192	435
Atheroscler. cardiovascular dis. <sup>13</sup> ...	139	—	—	—	1	1	4	12	14	23	37	47
Male ....	85	—	—	—	—	1	3	9	12	14	23	23
Female ....	54	—	—	—	1	—	1	3	2	9	14	24
Other chr. ischemic heart dis. <sup>14</sup> .....	2,157	—	—	—	2	3	19	82	259	379	550	863
Male ....	1,381	—	—	—	2	3	13	61	201	277	372	452
Female ....	776	—	—	—	—	—	6	21	58	102	178	411
Nonrheumatic mitral valve dis. (I34) .....	60	—	—	—	—	—	—	1	4	4	8	43
Male ....	20	—	—	—	—	—	—	—	1	1	5	13
Female ....	40	—	—	—	—	—	—	1	3	3	3	30
Nonrheumatic aortic valve dis. (I35) .....	535	—	—	—	—	—	1	9	22	35	118	350
Male ....	218	—	—	—	—	—	—	5	13	22	60	118
Female ....	317	—	—	—	—	—	1	4	9	13	58	232
Cardiomyopathy (I42) .....	225	—	1	—	3	4	6	19	39	39	51	63
Male ....	140	—	—	—	2	2	3	14	29	27	33	30
Female ....	85	—	1	—	1	2	3	5	10	12	18	33
Heart failure (I50) .....	898	—	—	—	—	—	3	18	46	116	178	537
Male ....	431	—	—	—	—	—	3	7	30	67	105	219
Female ....	467	—	—	—	—	—	—	11	16	49	73	318
Congestive heart failure (I50.0) .....	750	—	—	—	—	—	2	11	36	89	137	475
Male ....	361	—	—	—	—	—	2	7	26	51	82	193
Female ....	389	—	—	—	—	—	—	4	10	38	55	282
Left ventricular heart failure (I50.1) .....	4	—	—	—	—	—	—	—	—	—	—	4
Male ....	1	—	—	—	—	—	—	—	—	—	—	1
Female ....	3	—	—	—	—	—	—	—	—	—	—	3
Heart failure, unspecified (I50.9) .....	144	—	—	—	—	—	1	7	10	27	41	58
Male ....	69	—	—	—	—	—	1	—	4	16	23	25
Female ....	75	—	—	—	—	—	—	7	6	11	18	33

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
HBP (I10, I12, I15) <sup>15</sup> .....	499	–	–	–	–	3	2	20	62	73	86	253
Male ....	213	–	–	–	–	2	2	17	38	43	33	78
Female ....	286	–	–	–	–	1	–	3	24	30	53	175
Cerebrovascular disease (I60-I69) <sup>10</sup> .....	1,821	2	–	4	2	3	20	56	139	265	489	841
Male ....	818	1	–	1	–	2	10	30	76	152	236	310
Female ....	1,003	1	–	3	2	1	10	26	63	113	253	531
Subarachnoid hemorrhage (I60) .....	57	–	–	–	–	2	9	14	6	10	7	9
Male ....	23	–	–	–	–	1	5	3	2	7	2	3
Female ....	34	–	–	–	–	1	4	11	4	3	5	6
Intracerebral hemorrhage (I61-I62) <sup>16</sup> .....	358	–	–	–	1	1	5	19	59	59	109	105
Male ....	178	–	–	–	–	1	3	9	34	31	51	49
Female ....	180	–	–	–	1	–	2	10	25	28	58	56
Cerebral infarction (I63) .....	84	1	–	–	–	–	1	6	9	19	23	25
Male ....	40	–	–	–	–	–	–	4	6	11	11	8
Female ....	44	1	–	–	–	–	1	2	3	8	12	17
Stroke (type not specified) (I64) .....	911	–	–	1	–	–	3	12	49	125	246	475
Male ....	374	–	–	–	–	–	–	10	27	76	114	147
Female ....	537	–	–	1	–	–	3	2	22	49	132	328
Atherosclerosis (I70) .....	41	–	–	–	–	–	1	–	2	10	9	19
Male ....	18	–	–	–	–	–	1	–	1	6	5	5
Female ....	23	–	–	–	–	–	–	–	1	4	4	14
Aortic aneurysm & dissection (I71) .....	143	–	–	–	–	2	5	4	19	31	52	30
Male ....	77	–	–	–	–	2	4	4	9	20	25	13
Female ....	66	–	–	–	–	–	1	–	10	11	27	17
Diseases of arteries (I72-I78) <sup>17</sup> .....	126	–	–	–	–	–	1	2	8	21	40	54
Male ....	63	–	–	–	–	–	1	2	6	14	21	19
Female ....	63	–	–	–	–	–	–	–	2	7	19	35
<b>Respiratory system diseases (J00-J99) .....</b>	<b>3,044</b>	–	1	1	11	12	29	99	384	700	892	915
Male ....	1,535	–	1	1	6	7	11	41	227	364	457	420
Female ....	1,509	–	–	–	5	5	18	58	157	336	435	495
Influenza & pneumonia (J09-J18) .....	449	–	1	–	5	3	10	23	69	59	88	191
Male ....	206	–	1	–	3	1	1	7	46	25	42	80
Female ....	243	–	–	–	2	2	9	16	23	34	46	111
Influenza (J09-J11) .....	41	–	–	–	1	1	1	9	12	10	5	2
Male ....	18	–	–	–	1	–	–	2	6	4	4	1
Female ....	23	–	–	–	–	1	1	7	6	6	1	1

See footnotes at end of table.



**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Pneumonia (J12-J18) .....	408	—	1	—	4	2	9	14	57	49	83	189
Male ....	188	—	1	—	2	1	1	5	40	21	38	79
Female ....	220	—	—	—	2	1	8	9	17	28	45	110
Other acute lower resp. infect'ns (J20-J22) ....	5	—	—	—	—	—	2	—	—	—	1	2
Male ....	2	—	—	—	—	—	1	—	—	—	—	1
Female ....	3	—	—	—	—	—	1	—	—	—	1	1
Acute bronchitis (J20-J21) <sup>18</sup> .....	4	—	—	—	—	—	2	—	—	—	—	2
Male ....	2	—	—	—	—	—	1	—	—	—	—	1
Female ....	2	—	—	—	—	—	1	—	—	—	—	1
Chronic lower respiratory dis. (J40-J47) <sup>19</sup> .....	1,958	—	—	—	4	7	10	54	250	513	619	501
Male ....	970	—	—	—	2	5	5	23	142	265	313	215
Female ....	988	—	—	—	2	2	5	31	108	248	306	286
Bronchitis, chronic & unspec. (J40-J42) ....	4	—	—	—	—	—	—	—	2	—	1	1
Male ....	1	—	—	—	—	—	—	—	1	—	—	—
Female ....	3	—	—	—	—	—	—	—	1	—	1	1
Emphysema (J43) .....	134	—	—	—	—	1	1	3	20	33	43	33
Male ....	70	—	—	—	—	1	1	—	12	13	23	20
Female ....	64	—	—	—	—	—	—	3	8	20	20	13
Asthma (J45-J46) .....	78	—	—	—	4	5	7	8	12	15	10	17
Male ....	27	—	—	—	2	4	3	2	4	5	3	4
Female ....	51	—	—	—	2	1	4	6	8	10	7	13
Other CLRD (J44, J47) .....	1,742	—	—	—	—	1	2	43	216	465	565	450
Male ....	872	—	—	—	—	—	1	21	125	247	287	191
Female ....	870	—	—	—	—	1	1	22	91	218	278	259
Bronchiectasis (J47) .....	17	—	—	—	—	1	—	—	—	2	5	9
Male ....	4	—	—	—	—	—	—	—	—	—	1	3
Female ....	13	—	—	—	—	1	—	—	—	2	4	6
Pneumoconioses (J60-J66, J68) <sup>20</sup> .....	12	—	—	—	—	—	—	—	—	2	7	3
Male ....	11	—	—	—	—	—	—	—	—	2	7	2
Female ....	1	—	—	—	—	—	—	—	—	—	—	1
Pneumonitis due to solids & liquids (J69) .....	155	—	—	—	1	—	—	4	13	25	37	75
Male ....	88	—	—	—	1	—	—	2	7	17	21	40
Female ....	67	—	—	—	—	—	—	2	6	8	16	35
<b>Digestive system diseases (K00-K92) .....</b>	<b>1,621</b>	<b>2</b>	<b>—</b>	<b>—</b>	<b>3</b>	<b>11</b>	<b>69</b>	<b>212</b>	<b>351</b>	<b>269</b>	<b>314</b>	<b>390</b>
Male ....	843	1	—	—	1	6	42	130	220	158	142	143
Female ....	778	1	—	—	2	5	27	82	131	111	172	247

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Peptic ulcer (K25-K28) .....	55	—	—	—	1	—	—	4	4	9	15	22
Male ....	32	—	—	—	1	—	—	2	1	6	9	13
Female ....	23	—	—	—	—	—	—	2	3	3	6	9
Diseases of the appendix (K35-K38) .....	4	—	—	—	—	—	—	—	1	2	—	1
Male ....	1	—	—	—	—	—	—	—	—	1	—	—
Female ....	3	—	—	—	—	—	—	—	1	1	—	1
Appendicitis (K35-K37) .....	4	—	—	—	—	—	—	—	1	2	—	1
Male ....	1	—	—	—	—	—	—	—	—	1	—	—
Female ....	3	—	—	—	—	—	—	—	1	1	—	1
Hernia (K40-K46) .....	43	—	—	—	—	—	—	1	3	2	8	29
Male ....	17	—	—	—	—	—	—	1	—	1	3	12
Female ....	26	—	—	—	—	—	—	—	3	1	5	17
Vascular disorders of the intestine (K55) .....	135	—	—	—	—	—	2	6	21	30	39	37
Male ....	43	—	—	—	—	—	2	1	11	11	11	7
Female ....	92	—	—	—	—	—	—	5	10	19	28	30
Chronic liver disease (K70, K73-K74) <sup>21</sup> .....	600	—	—	—	1	8	49	155	208	100	58	21
Male ....	389	—	—	—	—	4	29	99	150	69	29	9
Female ....	211	—	—	—	1	4	20	56	58	31	29	12
Alcoholic liver disease (K70) <sup>22</sup> .....	491	—	—	—	1	8	49	145	176	73	32	7
Male ....	332	—	—	—	—	4	29	95	126	54	21	3
Female ....	159	—	—	—	1	4	20	50	50	19	11	4
Cholelithiasis (K80-K82) <sup>23</sup> .....	76	—	—	—	—	—	—	1	6	13	20	36
Male ....	34	—	—	—	—	—	—	1	3	7	10	13
Female ....	42	—	—	—	—	—	—	—	3	6	10	23
Diseases of the skin (L00-L98) <sup>24</sup> .....	88	—	—	—	—	—	1	3	17	12	18	37
Male ....	35	—	—	—	—	—	—	1	7	5	8	14
Female ....	53	—	—	—	—	—	1	2	10	7	10	23
Musculoskeletal disease (M00-M99) <sup>25</sup> .....	241	—	—	—	2	2	2	16	25	53	53	88
Male ....	89	—	—	—	2	1	2	5	13	23	17	26
Female ....	152	—	—	—	—	1	—	11	12	30	36	62
Genitourinary system dis. (N00-N99) .....	611	—	—	—	1	—	6	12	58	113	175	246
Male ....	302	—	—	—	1	—	2	7	29	60	84	119
Female ....	309	—	—	—	—	—	4	5	29	53	91	127
Nephritis (N00-N07, N17-N19, N25-N27) <sup>26</sup> ....	378	—	—	—	—	—	4	7	37	74	107	149
Male ....	207	—	—	—	—	—	1	6	20	43	56	81
Female ....	171	—	—	—	—	—	3	1	17	31	51	68

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Acute nephrotic syndr. (N00-N01, N04) <sup>27</sup> ..	3	—	—	—	—	—	—	—	—	—	—	1	2
Male ....	1	—	—	—	—	—	—	—	—	—	—	1	—
Female ....	2	—	—	—	—	—	—	—	—	—	—	—	2
Chr. nephritis (N02-N03, N05-N07, N26) <sup>28</sup>	6	—	—	—	—	—	—	—	2	3	1	—	—
Male ....	4	—	—	—	—	—	—	—	2	1	1	—	—
Female ....	2	—	—	—	—	—	—	—	—	2	—	—	—
Renal failure (N17-N19) .....	368	—	—	—	—	—	4	7	35	70	105	147	—
Male ....	202	—	—	—	—	—	1	6	18	42	54	81	—
Female ....	166	—	—	—	—	—	3	1	17	28	51	66	—
Other disorders of kidney (N25, N27) .....	1	—	—	—	—	—	—	—	—	1	—	—	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	1	—	—	—	—	—	—	—	—	1	—	—	—
Kidney infect'ns (N10-N12, N13.6, N15.1) .....	14	—	—	—	—	—	—	1	—	3	7	3	—
Male ....	3	—	—	—	—	—	—	—	—	1	2	—	—
Female ....	11	—	—	—	—	—	—	1	—	2	5	3	—
Urinary tract infection (N39.0) .....	148	—	—	—	—	—	1	2	15	23	43	64	—
Male ....	53	—	—	—	—	—	1	—	6	11	16	19	—
Female ....	95	—	—	—	—	—	—	2	9	12	27	45	—
Hyperplasia of prostate (N40) .....	16	—	—	—	—	—	—	—	1	1	6	8	—
Male ....	16	—	—	—	—	—	—	—	1	1	6	8	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) <sup>29</sup> .....	1	—	—	—	—	—	—	—	—	—	—	—	1
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	1	—	—	—	—	—	—	—	—	—	—	—	1
<b>Pregnancy &amp; childbirth (O00-O99)<sup>30</sup> .....</b>	<b>9</b>	—	—	—	4	2	2	—	1	—	—	—	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	9	—	—	—	4	2	2	—	1	—	—	—	—
<b>Perinatal conditions (P00-P96) .....</b>	<b>129</b>	129	—	—	—	—	—	—	—	—	—	—	—
Male ....	76	76	—	—	—	—	—	—	—	—	—	—	—
Female ....	53	53	—	—	—	—	—	—	—	—	—	—	—
<b>Congenital malformations (Q00-Q99)<sup>31</sup> .....</b>	<b>99</b>	37	3	1	7	6	3	11	12	10	5	4	—
Male ....	45	17	2	—	2	3	2	6	7	3	1	2	—
Female ....	54	20	1	1	5	3	1	5	5	7	4	2	—
Malformation of the heart (Q20-Q24) .....	24	7	—	1	1	3	—	3	2	7	—	—	—
Male ....	12	3	—	—	1	2	—	1	2	3	—	—	—
Female ....	12	4	—	1	—	1	—	2	—	4	—	—	—

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other malf. of the circul. sys. (Q25-Q28) .....	7	2	—	—	—	—	1	—	1	1	2	—
Male ....	1	1	—	—	—	—	—	—	—	—	—	—
Female ....	6	1	—	—	—	—	1	—	1	1	2	—
Malf. of the respiratory system (Q30-Q34) .....	2	1	1	—	—	—	—	—	—	—	—	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	2	1	1	—	—	—	—	—	—	—	—	—
<b>Symptoms &amp; signs (R00-R99)<sup>32</sup> .....</b>	<b>602</b>	<b>29</b>	<b>2</b>	<b>—</b>	<b>6</b>	<b>14</b>	<b>11</b>	<b>34</b>	<b>72</b>	<b>92</b>	<b>98</b>	<b>244</b>
Male ....	284	15	1	—	5	9	9	18	46	59	51	71
Female ....	318	14	1	—	1	5	2	16	26	33	47	173
Senility (R54) .....	46	—	1	—	—	—	—	—	—	—	4	41
Male ....	12	—	—	—	—	—	—	—	—	—	1	11
Female ....	34	—	1	—	—	—	—	—	—	—	3	30
Sudden infant death syndrome (R95) .....	25	25	—	—	—	—	—	—	—	—	—	—
Male ....	13	13	—	—	—	—	—	—	—	—	—	—
Female ....	12	12	—	—	—	—	—	—	—	—	—	—
<b>External causes of death (V01-Y89) .....</b>	<b>2,793</b>	<b>18</b>	<b>13</b>	<b>29</b>	<b>224</b>	<b>315</b>	<b>323</b>	<b>424</b>	<b>419</b>	<b>284</b>	<b>284</b>	<b>460</b>
Male ....	1,809	9	7	21	164	235	228	297	296	193	168	191
Female ....	984	9	6	8	60	80	95	127	123	91	116	269
Accidents (V01-X59, Y85-Y86) .....	1,796	14	9	19	112	177	165	247	233	173	228	419
Male ....	1,063	7	5	13	79	132	110	167	156	113	125	156
Female ....	733	7	4	6	33	45	55	80	77	60	103	263
Transport accidents (V01-V99, Y85) .....	445	1	—	11	60	54	57	77	83	45	30	27
Male ....	322	—	—	8	39	41	42	54	63	38	20	17
Female ....	123	1	—	3	21	13	15	23	20	7	10	10
Motor vehicle acc. (Many codes) <sup>33</sup> .....	379	1	—	10	56	47	48	65	66	33	27	26
Male ....	267	—	—	7	36	35	33	43	51	28	17	17
Female ....	112	1	—	3	20	12	15	22	15	5	10	9
Motor veh. traf. acc. (Many codes) <sup>34</sup> ...	355	1	—	9	53	47	45	60	62	30	23	25
Male ....	252	—	—	6	35	35	30	43	49	25	13	16
Female ....	103	1	—	3	18	12	15	17	13	5	10	9
Water transport accidents (V90-V94) .....	9	—	—	—	—	2	2	—	2	3	—	—
Male ....	9	—	—	—	—	2	2	—	2	3	—	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—
Air transport accidents (V95-V97) .....	9	—	—	—	—	2	2	2	1	1	1	—
Male ....	9	—	—	—	—	2	2	2	1	1	1	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Nontransport accidents (W00-X59,Y86) .....	1,351	13	9	8	52	123	108	170	150	128	198	392
Male ....	741	7	5	5	40	91	68	113	93	75	105	139
Female ....	610	6	4	3	12	32	40	57	57	53	93	253
Falls (W00-W19) .....	615	—	2	2	4	6	6	15	22	70	149	339
Male ....	269	—	2	1	4	5	5	10	17	40	69	116
Female ....	346	—	—	1	—	1	1	5	5	30	80	223
Firearms (W32-W34) .....	6	—	—	—	3	—	1	1	—	1	—	—
Male ....	5	—	—	—	2	—	1	1	—	1	—	—
Female ....	1	—	—	—	1	—	—	—	—	—	—	—
Drowning & submersion (W65-W74) .....	59	—	3	3	5	6	6	11	7	9	7	2
Male ....	44	—	1	3	5	3	4	8	4	8	6	2
Female ....	15	—	2	—	—	3	2	3	3	1	1	—
Exposure to smoke & fire (X00-X09) .....	39	—	3	1	2	1	3	5	10	7	3	4
Male ....	24	—	1	1	—	—	3	4	5	5	2	3
Female ....	15	—	2	—	2	1	—	1	5	2	1	1
Poisoning (X40-X49) <sup>35</sup> .....	426	—	—	—	37	96	80	115	74	18	5	1
Male ....	268	—	—	—	28	69	48	71	42	8	2	—
Female ....	158	—	—	—	9	27	32	44	32	10	3	1
Suicide (X60-X84, Y87.0) .....	781	—	—	7	90	109	122	139	145	85	48	36
Male ....	614	—	—	5	70	86	97	104	112	68	39	33
Female ....	167	—	—	2	20	23	25	35	33	17	9	3
Poisoning (X60-X69) .....	117	—	—	—	7	14	23	23	28	14	4	4
Male ....	63	—	—	—	3	7	15	13	15	5	2	3
Female ....	54	—	—	—	4	7	8	10	13	9	2	1
Hanging/suffocation (X70) .....	182	—	—	3	31	33	35	34	31	7	5	3
Male ....	138	—	—	1	22	24	32	26	24	4	2	3
Female ....	44	—	—	2	9	9	3	8	7	3	3	—
Firearm discharge (X72-X74) .....	422	—	—	4	45	52	50	67	77	62	37	28
Male ....	365	—	—	4	40	47	38	54	66	57	33	26
Female ....	57	—	—	—	5	5	12	13	11	5	4	2
Homicide (X85-Y09, Y87.1) .....	99	2	3	2	15	15	18	13	20	9	1	1
Male ....	65	1	1	2	10	9	9	11	15	6	1	—
Female ....	34	1	2	—	5	6	9	2	5	3	—	1
Firearm discharge (X93-X95) .....	53	—	1	1	8	11	11	8	8	4	1	—
Male ....	34	—	—	1	6	7	5	6	6	2	1	—
Female ....	19	—	1	—	2	4	6	2	2	2	—	—

See footnotes at end of table.

**TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2014 — Continued**

Causes of death (and their ICD-10 codes) <sup>1</sup>	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Legal intervention (Y35, Y89.0) <sup>36</sup> .....	16	—	—	—	1	6	4	2	2	1	—	—
Male ....	14	—	—	—	1	4	4	2	2	1	—	—
Female ....	2	—	—	—	—	2	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9) .....	71	2	1	1	6	6	13	19	16	5	2	—
Male ....	39	1	1	1	4	3	7	10	8	2	2	—
Female ....	32	1	—	—	2	3	6	9	8	3	—	—
War and its sequelae (Y36, Y89.1) <sup>37</sup> .....	1	—	—	—	—	—	—	—	—	1	—	—
Male ....	1	—	—	—	—	—	—	—	—	1	—	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'tns (Y40-Y84, Y88) .....	29	—	—	—	—	2	1	4	3	10	5	4
Male ....	13	—	—	—	—	1	1	3	3	2	1	2
Female ....	16	—	—	—	—	1	—	1	—	8	4	2
Injury by firearms (Many codes) <sup>38</sup> .....	497	—	1	5	57	69	66	78	87	68	38	28
Male ....	418	—	—	5	49	58	48	63	74	61	34	26
Female ....	79	—	1	—	8	11	18	15	13	7	4	2
Alcohol-induced deaths (Many codes) <sup>39,40</sup> .....	760	—	—	—	2	17	72	215	274	113	48	19
Male ....	536	—	—	—	1	12	43	146	201	86	35	12
Female ....	224	—	—	—	1	5	29	69	73	27	13	7
Drug-induced deaths (Many codes) <sup>41,42</sup> .....	604	1	1	—	45	116	106	142	115	56	15	7
Male ....	355	—	1	—	30	80	62	81	63	27	8	3
Female ....	249	1	—	—	15	36	44	61	52	29	7	4
Injury at work <sup>43</sup> .....	62	—	—	—	4	10	12	10	16	5	5	—
Male ....	54	—	—	—	4	9	11	9	14	4	3	—
Female ....	8	—	—	—	—	1	1	1	2	1	2	—

<sup>1</sup> International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

<sup>2</sup> Human immunodeficiency virus/ acquired immune deficiency syndrome.

<sup>3</sup> Includes uterus, part unspecified.

<sup>4</sup> Includes meninges and other parts of the central nervous system.

<sup>5</sup> Includes immunoproliferative neoplasms.

<sup>6</sup> Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

<sup>7</sup> Includes diseases of the blood forming-organs and disorders involving the immune mechanism.

<sup>8</sup> Includes metabolic diseases.

<sup>9</sup> Includes behavioral disorders.

<sup>10</sup> In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia, with a net loss of 111 for the former and a similar gain for the latter.

<sup>11</sup> For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

- 12 Includes acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 15 Hypertension with/without renal disease.
- 16 Includes other intracranial hemorrhages.
- 17 Includes diseases of the arterioles and capillaries.
- 18 Includes acute bronchiolitis.
- 19 Formerly chronic obstructive pulmonary disease (COPD).
- 20 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
- 21 Includes liver cirrhosis.
- 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 23 Includes other diseases of the gallbladder.
- 24 Includes subcutaneous tissues.
- 25 Includes connective tissue.
- 26 Includes nephrotic syndrome and nephrosis.
- 27 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
- 28 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 29 Inflammatory diseases of female pelvic organs.
- 30 Includes the puerperium.
- 31 Includes congenital deformations and chromosomal abnormalities.
- 32 Includes abnormal clinical and laboratory findings not elsewhere classified.
- 33 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 34 Includes the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 35 Includes exposure to noxious substances.
- 36 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 37 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 38 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note this category includes injuries included in other cause of death categories.
- 39 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note disorders included here are also included in other cause of death categories.
- 40 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively. (Components of this category were revised beginning in 2004, resulting in the inclusion of additional codes/deaths.)
- 41 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as, drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note disorders included here are also included in other cause of death categories.
- 42 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Components of this category were revised beginning in 2004 resulting in the inclusion of additional codes/deaths.)
- 43 Recorded as a separate item on the death certificate by the medical examiner.
- \* Includes unknown age and sex.
- Quantity is 0.