

TABLE 6-7t. Total death rates for selected causes by age, Oregon residents, 2014

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	862.0	513.6	18.0	11.9	63.1	91.4	156.0	376.5	871.6	1,720.9	4,177.3	14,102.9
Infections & parasitic disease (A00-B99)	16.7	11.0	2.1	0.4	0.8	0.6	3.3	14.7	31.9	33.4	59.5	184.7
Tuberculosis (A16-A19)	0.1	–	–	–	–	–	0.2	–	0.2	0.3	–	–
Meningococcal infection (A39)	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (A40-A41)	5.0	2.2	1.0	0.2	0.2	–	0.8	2.7	4.0	9.7	26.0	83.9
Creutzfeldt-Jacob disease (A81.0)	0.2	–	–	–	–	–	–	–	0.4	0.6	0.5	1.2
Viral hepatitis (B15-B19)	5.3	–	–	–	–	–	0.8	7.8	20.8	11.0	7.4	3.6
HIV/AIDS (B20-B24) ³	0.9	–	–	–	0.2	–	0.6	3.1	1.7	0.8	0.5	1.2
Malignant neoplasms (C00-C97)	198.4	–	1.5	1.5	2.8	10.2	28.0	94.1	296.1	608.0	1,061.7	1,705.1
Lip, oral cavity & pharynx (C00-C14)	3.5	–	–	–	0.2	0.2	0.4	2.5	6.7	11.3	14.9	20.7
Digestive organs (C15-26)	50.3	–	0.5	–	–	1.9	7.5	27.3	88.8	149.6	253.9	388.9
Esophagus (C15)	6.0	–	–	–	–	0.2	0.8	3.6	10.2	20.4	31.9	34.0
Stomach (C16)	3.5	–	–	–	–	0.6	1.2	3.6	5.6	9.7	15.4	21.9
Colon, rectum & anus (C18-C21)	15.7	–	–	–	–	1.1	4.0	10.5	20.0	39.5	82.3	168.9
Colon (C18)	12.1	–	–	–	–	0.9	3.3	7.1	13.3	29.0	68.5	143.4
Rectosigmoid junction (C19)	0.8	–	–	–	–	0.2	–	0.6	1.9	3.0	2.1	4.9
Rectum (C20)	2.4	–	–	–	–	–	0.8	2.3	4.2	6.9	9.6	19.4
Liver & intrahepatic bile ducts (C22)	8.2	–	–	–	–	–	0.4	2.9	27.1	25.7	25.5	29.2
Pancreas (C25)	14.4	–	0.5	–	–	–	1.2	5.3	22.3	45.3	85.0	114.2
Respiratory, intrathoracic org'ns (C30-C39)	51.4	–	–	–	–	0.4	2.1	17.6	74.0	186.9	312.8	342.7
Larynx (C32)	0.9	–	–	–	–	–	0.2	0.4	2.3	2.5	4.2	6.1
Trachea, bronchus & lung (C33-C34)	50.0	–	–	–	–	0.4	1.9	16.8	70.7	182.5	305.9	336.7
Bronchus & lung (C34)	50.0	–	–	–	–	0.4	1.9	16.8	70.7	182.5	305.4	336.7
Skin (C43-C44)	4.6	–	–	–	–	0.6	1.3	2.9	6.3	12.4	26.0	37.7
Melanoma of skin (C43)	2.9	–	–	–	–	0.4	1.2	2.9	5.0	6.4	14.3	18.2
Mesothelioma (C45)	1.2	–	–	–	–	–	–	0.2	1.0	4.4	8.0	13.4
Breast (C50)	13.7	–	–	–	–	0.6	4.2	10.1	23.6	44.5	52.1	102.1
Female genital organs (C51-58)	11.2	–	–	–	–	0.9	2.1	9.5	20.4	32.0	57.4	57.1
Cervix uteri (C53)	1.3	–	–	–	–	0.7	1.3	1.9	2.3	3.3	2.7	1.2
Corpus uteri (C54-C55) ⁴	3.1	–	–	–	–	–	0.6	2.1	6.3	9.7	17.0	12.2
Ovary (C56)	6.0	–	–	–	–	0.2	0.2	5.0	11.5	17.7	30.8	35.2
Male genital organs (C60-C63)	10.7	–	–	–	0.2	–	0.2	1.3	8.1	24.3	63.7	201.7
Prostate (C61)	10.6	–	–	–	–	–	–	1.3	8.1	24.0	62.7	200.5
Kidney & renal pelvis (C64-C65)	4.6	–	–	–	0.2	0.2	0.4	2.3	7.1	14.9	19.7	46.2

See footnotes at end of table.

TABLE 6-7t. Total death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bladder (C67)	4.5	—	—	—	—	—	—	1.1	3.1	9.7	25.5	88.7
Brain, etc. (C70-C72) ⁵	6.5	—	—	0.4	0.4	1.7	3.5	5.3	13.3	17.9	25.5	19.4
Thyroid/endocrine gland (C73-C75)	0.9	—	1.0	0.2	—	—	0.2	0.4	1.5	3.0	3.7	4.9
Lymphoid & hematopoietic (C81-C96)	19.6	—	—	—	1.0	1.1	2.9	6.9	19.8	51.1	124.8	233.3
Hodgkin's disease (C81)	0.5	—	—	—	0.2	—	—	0.4	0.8	2.5	2.1	1.2
Non-Hodgkin's lymphoma (C82-C85)	8.0	—	—	—	—	—	1.3	2.9	7.9	18.5	53.6	104.5
Leukemia (C91-C95)	6.7	—	—	—	0.8	1.1	1.2	2.9	6.2	16.0	41.4	79.0
Lymphoid leukemia (C91)	2.1	—	—	—	0.2	0.6	0.4	1.0	1.7	3.3	11.7	35.2
Myeloid leukemia (C92)	3.5	—	—	—	0.4	0.4	0.8	1.9	3.7	10.8	22.8	25.5
Multiple myeloma (C88, C90) ⁶	4.4	—	—	—	—	—	0.4	0.8	5.0	14.1	27.6	48.6
Neopla. not specif. as malign. (D00-D48)⁷	6.3	2.2	0.5	0.2	—	0.6	0.6	1.9	4.4	14.6	35.6	104.5
Myelodysplastic syndromes (D46)	2.3	—	—	—	—	—	—	0.2	1.0	4.7	15.4	47.4
Diseases of the blood (D50-89)⁸	3.3	4.4	0.5	—	0.2	0.2	0.6	1.3	3.5	4.4	17.0	58.3
Anemias (D50-D64)	1.6	—	—	—	—	—	—	0.4	0.4	1.7	10.6	42.5
Endocrine & nutritional dis. (E00-E88)⁹ ..	41.2	4.4	1.0	0.8	2.0	2.4	10.0	24.6	51.9	109.6	193.3	474.0
Diabetes mellitus (E10-E14)	27.3	—	—	—	0.6	1.3	7.1	16.2	34.0	77.0	136.5	289.3
Nutritional deficiencies (E40-E64)	1.7	—	—	—	—	—	—	0.4	1.2	2.8	7.4	41.3
Malnutrition (E40-E46)	1.6	—	—	—	—	—	—	0.4	1.0	2.8	7.4	38.9
Mental disorders (F01-F99)¹⁰	66.9	—	—	—	1.2	3.3	4.2	13.2	26.1	57.2	293.7	1,994.4
Organic dementia (F01, F03) ¹¹	56.6	—	—	—	—	—	—	0.4	3.8	34.5	267.2	1,937.3
Due to alcohol (F10) ¹²	5.0	—	—	—	0.2	0.9	2.1	9.4	15.2	9.1	6.4	10.9
Due to psychoactive substance (F11-F19)	2.3	—	—	—	0.4	2.2	1.3	2.7	3.5	7.7	4.2	4.9
Nervous system dis. (G00-G99)	63.6	13.2	1.5	1.0	2.2	1.9	5.0	8.8	30.2	83.7	365.9	1,536.2
Meningitis (G00, G03)	0.4	4.4	0.5	—	0.2	—	0.2	0.4	0.4	1.7	—	1.2
Amyotrophic lateral sclerosis (G12.2)	3.3	—	—	—	—	0.2	1.0	1.7	5.6	11.9	14.9	17.0
Parkinson's disease (G20-G21)	9.6	—	—	—	—	0.2	0.2	—	1.7	13.5	87.6	189.6
Alzheimer's disease (G30)	35.6	—	—	—	—	—	0.2	—	3.3	19.6	183.2	1,188.6
Multiple sclerosis (G35)	2.4	—	—	—	—	—	0.6	1.1	4.4	8.3	13.3	9.7
Epilepsy (G40-G41)	0.8	—	0.5	0.2	1.0	0.2	0.6	0.4	1.0	1.1	1.6	6.1
Eye & adnexa dis. (H00-H59)	—	—	—	—	—	—	—	—	—	—	—	—
Ear & mastoid process dis. (H60-H95)	0.1	—	—	—	—	—	—	0.2	0.2	0.3	—	1.2
Circulatory system diseases (I00-I99)	232.5	6.6	1.0	1.5	3.2	5.2	18.8	62.8	169.9	386.5	1,173.8	5,147.0
Major cardiovascular disease (I00-I78)	231.0	6.6	1.0	1.5	3.2	4.8	17.6	61.5	168.2	384.0	1,168.5	5,127.6
Heart disease (I00-I09, I11, I13, I20-I51)	164.6	2.2	1.0	0.6	2.8	3.3	12.1	45.8	124.0	273.6	809.4	3,672.8
Rheumatic heart disease (I00-I09) ¹³ ..	2.0	—	—	—	—	—	—	0.4	0.6	3.9	15.4	37.7

See footnotes at end of table.

TABLE 6-7t. Total death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Hypertensive heart disease (I11)	5.7	—	—	—	—	0.4	—	1.3	2.9	4.1	20.7	179.9
Hypertensive heart & renal dis. (I13) ..	1.4	—	—	—	—	—	—	0.2	0.6	2.5	6.4	36.5
Ischemic heart disease (I20-I25)	83.7	—	—	—	0.6	1.1	6.1	28.1	79.2	170.6	442.4	1,537.4
Myocardial infarction (I21-I22)	25.3	—	—	—	—	0.4	1.7	10.1	26.1	58.8	128.5	422.9
Other acute ischemic hrt. dis. (I24) ..	0.4	—	—	—	—	—	—	—	0.6	0.8	2.1	8.5
Chronic isch. heart dis. (I20, I25)	57.9	—	—	—	0.6	0.7	4.4	17.9	52.5	111.0	311.8	1,106.0
Atheroscler. cardiovascular dis. ¹⁴	3.5	—	—	—	0.2	0.2	0.8	2.3	2.7	6.4	19.7	57.1
Other chr. ischemic heart dis. ¹⁵ ...	54.4	—	—	—	0.4	0.6	3.6	15.7	49.8	104.6	292.1	1,048.8
Nonrheumatic mitral valve dis. (I34) ...	1.5	—	—	—	—	—	—	0.2	0.8	1.1	4.2	52.3
Nonrheumatic aortic valve dis. (I35) ...	13.5	—	—	—	—	—	0.2	1.7	4.2	9.7	62.7	425.4
Cardiomyopathy (I42)	5.7	—	0.5	—	0.6	0.7	1.2	3.6	7.5	10.8	27.1	76.6
Heart failure (I50)	22.7	—	—	—	—	—	0.6	3.4	8.8	32.0	94.5	652.6
Congestive heart failure (I50.0)	18.9	—	—	—	—	—	0.4	2.1	6.9	24.6	72.8	577.3
Left ventricular heart failure (I50.1)	0.1	—	—	—	—	—	—	—	—	—	—	4.9
Heart failure, unspecified (I50.9)	3.6	—	—	—	—	—	0.2	1.3	1.9	7.5	21.8	70.5
HBP (I10, I12, I15) ¹⁶	12.6	—	—	—	—	0.6	0.4	3.8	11.9	20.2	45.7	307.5
Cerebrovascular disease (I60-I69) ¹¹	46.0	4.4	—	0.8	0.4	0.6	3.8	10.7	26.7	73.2	259.7	1,022.1
Subarachnoid hemorrhage (I60)	1.4	—	—	—	—	0.4	1.7	2.7	1.2	2.8	3.7	10.9
Intracerebral hemorrhage (I61-I62) ¹⁷	9.0	—	—	—	0.2	0.2	1.0	3.6	11.3	16.3	57.9	127.6
Cerebral infarction (I63)	2.1	2.2	—	—	—	—	0.2	1.1	1.7	5.2	12.2	30.4
Stroke (type not specified) (I64)	23.0	—	—	0.2	—	—	0.6	2.3	9.4	34.5	130.7	577.3
Atherosclerosis (I70)	1.0	—	—	—	—	—	0.2	—	0.4	2.8	4.8	23.1
Aortic aneurysm & dissection (I71)	3.6	—	—	—	—	0.4	1.0	0.8	3.7	8.6	27.6	36.5
Diseases of arteries (I72-I78) ¹⁸	3.2	—	—	—	—	—	0.2	0.4	1.5	5.8	21.2	65.6
Respiratory system diseases (J00-J99) ..	76.8	—	0.5	0.2	2.2	2.2	5.6	18.9	73.8	193.3	473.8	1,112.0
Influenza & pneumonia (J09-J18)	11.3	—	0.5	—	1.0	0.6	1.9	4.4	13.3	16.3	46.7	232.1
Influenza (J09-J11)	1.0	—	—	—	0.2	0.2	0.2	1.7	2.3	2.8	2.7	2.4
Pneumonia (J12-J18)	10.3	—	0.5	—	0.8	0.4	1.7	2.7	11.0	13.5	44.1	229.7
Other acute lower resp. infect'ns (J20-J22)	0.1	—	—	—	—	—	0.4	—	—	—	0.5	2.4
Acute bronchitis (J20-J21) ¹⁹	0.1	—	—	—	—	—	0.4	—	—	—	—	2.4
Chronic lower respiratory dis. (J40-J47) ²⁰ ..	49.4	—	—	—	0.8	1.3	1.9	10.3	48.1	141.6	328.8	608.9
Bronchitis, chronic & unspec. (J40-J42)	0.1	—	—	—	—	—	—	—	0.4	—	0.5	1.2
Emphysema (J43)	3.4	—	—	—	—	0.2	0.2	0.6	3.8	9.1	22.8	40.1
Asthma (J45-J46)	2.0	—	—	—	0.8	0.9	1.3	1.5	2.3	4.1	5.3	20.7
Other CLRD (J44, J47)	44.0	—	—	—	—	0.2	0.4	8.2	41.5	128.4	300.1	546.9

See footnotes at end of table.

TABLE 6-7t. Total death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bronchiectasis (J47)	0.4	—	—	—	—	0.2	—	—	—	0.6	2.7	10.9
Pneumoconioses (J60-J66, J68) ²¹	0.3	—	—	—	—	—	—	—	—	0.6	3.7	3.6
Pneumonitis due to solids & liquids (J69) ...	3.9	—	—	—	0.2	—	—	0.8	2.5	6.9	19.7	91.2
Digestive system diseases (K00-K92)	40.9	4.4	—	—	0.6	2.0	13.2	40.5	67.5	74.3	166.8	474.0
Peptic ulcer (K25-K28)	1.4	—	—	—	0.2	—	—	0.8	0.8	2.5	8.0	26.7
Diseases of the appendix (K35-K38)	0.1	—	—	—	—	—	—	—	0.2	0.6	—	1.2
Appendicitis (K35-K37)	0.1	—	—	—	—	—	—	—	0.2	0.6	—	1.2
Hernia (K40-K46)	1.1	—	—	—	—	—	—	0.2	0.6	0.6	4.2	35.2
Vascular disorders of the intestine (K55)	3.4	—	—	—	—	—	0.4	1.1	4.0	8.3	20.7	45.0
Chronic liver disease (K70, K73-K74) ²²	15.1	—	—	—	0.2	1.5	9.4	29.6	40.0	27.6	30.8	25.5
Alcoholic liver disease (K70) ²³	12.4	—	—	—	0.2	1.5	9.4	27.7	33.8	20.2	17.0	8.5
Cholelithiasis (K80-K82) ²⁴	1.9	—	—	—	—	—	—	0.2	1.2	3.6	10.6	43.8
Diseases of the skin (L00-L98)²⁵	2.2	—	—	—	—	—	0.2	0.6	3.3	3.3	9.6	45.0
Musculoskeletal disease (M00-M99)²⁶	6.1	—	—	—	0.4	0.4	0.4	3.1	4.8	14.6	28.1	107.0
Genitourinary system dis. (N00-N99)	15.4	—	—	—	0.2	—	1.2	2.3	11.2	31.2	92.9	299.0
Nephritis (N00-N07, N17-N19, N25-N27) ²⁷	9.5	—	—	—	—	—	0.8	1.3	7.1	20.4	56.8	181.1
Acute nephrotic syndrome ²⁸	0.1	—	—	—	—	—	—	—	—	—	0.5	2.4
Chronic nephritis ²⁹	0.2	—	—	—	—	—	—	—	0.4	0.8	0.5	—
Renal failure (N17-N19)	9.3	—	—	—	—	—	0.8	1.3	6.7	19.3	55.8	178.7
Other disorders of kidney (N25, N27)	<0.05	—	—	—	—	—	—	—	—	0.3	—	—
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.4	—	—	—	—	—	—	0.2	—	0.8	3.7	3.6
Urinary tract infection (N59.0)	3.7	—	—	—	—	—	0.2	0.4	2.9	6.4	22.8	77.8
Hyperplasia of prostate (N40)	0.4	—	—	—	—	—	—	—	0.2	0.3	3.2	9.7
Female pelvic inflam. dis. (N70-N76) ³⁰	<0.05	—	—	—	—	—	—	—	—	—	—	1.2
Pregnancy & childbirth (O00-O99)³¹	0.2	—	—	—	0.8	0.4	0.4	—	0.2	—	—	—
Perinatal conditions (P00-P96)	3.3	283.2	—	—	—	—	—	—	—	—	—	—
Congenital malformations (Q00-Q99)³² ..	2.5	81.2	1.5	0.2	1.4	1.1	0.6	2.1	2.3	2.8	2.7	4.9
Malformation of the heart (Q20-Q24)	0.6	15.4	—	0.2	0.2	0.6	—	0.6	0.4	1.9	—	—
Other malf. of the circul. sys. (Q25-Q28)	0.2	4.4	—	—	—	—	0.2	—	0.2	0.3	1.1	—
Malf. of the respiratory system (Q30-Q34)	0.1	2.2	0.5	—	—	—	—	—	—	—	—	—
Symptoms & signs (R00-R99)³³	15.2	63.7	1.0	—	1.2	2.6	2.1	6.5	13.8	25.4	52.1	296.5
Senility (R54)	1.2	—	0.5	—	—	—	—	—	—	—	2.1	49.8
Sudden infant death syndrome (R95)	0.6	54.9	—	—	—	—	—	—	—	—	—	—
External causes of death (V01-Y89)	70.5	39.5	6.7	6.1	44.2	58.4	62.0	80.9	80.5	78.4	150.8	559.1
Accidents (V01-X59, Y85-Y86)	45.3	30.7	4.6	4.0	22.1	32.8	31.7	47.2	44.8	47.8	121.1	509.2

See footnotes at end of table.

TABLE 6-7t. Total death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Transport accidents (V01-V99, Y85)	11.2	2.2	—	2.3	11.8	10.0	10.9	14.7	16.0	12.4	15.9	32.8
Motor vehicle acc. (Many codes) ³⁴	9.6	2.2	—	2.1	11.0	8.7	9.2	12.4	12.7	9.1	14.3	31.6
Motor veh. traf. (Many codes) ³⁵	9.0	2.2	—	1.9	10.4	8.7	8.6	11.5	11.9	8.3	12.2	30.4
Water transport accidents (V90-V94)	0.2	—	—	—	—	0.4	0.4	—	0.4	0.8	—	—
Air transport accidents (V95-V97)	0.2	—	—	—	—	0.4	0.4	0.4	0.2	0.3	0.5	—
Nontransport accidents (W00-X59, Y86)	34.1	28.5	4.6	1.7	10.3	22.8	20.7	32.5	28.8	35.3	105.2	476.4
Falls (W00-W19)	15.5	—	1.0	0.4	0.8	1.1	1.2	2.9	4.2	19.3	79.1	412.0
Firearms (W32-W34)	0.2	—	—	—	0.6	—	0.2	0.2	—	0.3	—	—
Drowning & submersion (W65-W74) ..	1.5	—	1.5	0.6	1.0	1.1	1.2	2.1	1.3	2.5	3.7	2.4
Exposure to smoke & fire (X00-X09) ..	1.0	—	1.5	0.2	0.4	0.2	0.6	1.0	1.9	1.9	1.6	4.9
Poisoning (X40-X49) ³⁶	10.8	—	—	—	7.3	17.8	15.3	22.0	14.2	5.0	2.7	1.2
Suicide (X60-X84, Y87.0)	19.7	—	—	1.5	17.7	20.2	23.4	26.5	27.9	23.5	25.5	43.8
Poisoning (X60-X69)	3.0	—	—	—	1.4	2.6	4.4	4.4	5.4	3.9	2.1	4.9
Hanging/suffocation (X70)	4.6	—	—	0.6	6.1	6.1	6.7	6.5	6.0	1.9	2.7	3.6
Firearm discharge (X72-X74)	10.6	—	—	0.8	8.9	9.6	9.6	12.8	14.8	17.1	19.7	34.0
Homicide (X85-Y09, Y87.1)	2.5	4.4	1.5	0.4	3.0	2.8	3.5	2.5	3.8	2.5	0.5	1.2
Firearm discharge (X93-X95)	1.3	—	0.5	0.2	1.6	2.0	2.1	1.5	1.5	1.1	0.5	—
Legal intervention (Y35, Y89.0) ³⁷	0.4	—	—	—	0.2	1.1	0.8	0.4	0.4	0.3	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	1.8	4.4	0.5	0.2	1.2	1.1	2.5	3.6	3.1	1.4	1.1	—
War and its sequelae (Y36, Y89.1) ³⁸	<0.05	—	—	—	—	—	—	—	—	0.3	—	—
Medical care complica'ns (Y40-Y84, Y88) ..	0.7	—	—	—	—	0.4	0.2	0.8	0.6	2.8	2.7	4.9
<i>Injury by firearms (Many codes)³⁹</i>	12.5	—	0.5	1.0	11.2	12.8	12.7	14.9	16.7	18.8	20.2	34.0
<i>Alcohol-induced deaths (Many codes)^{40,41}</i>	19.2	—	—	—	0.4	3.2	13.8	41.0	52.7	31.2	25.5	23.1
<i>Drug-induced deaths (Many codes)^{42,43}</i>	15.2	2.2	0.5	—	8.9	21.5	20.3	27.1	22.1	15.5	8.0	8.5
<i>Injury at work⁴⁴</i>	1.6	—	—	—	0.8	1.9	2.3	1.9	3.1	1.4	2.7	—

1 International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.
2 Rates per 100,000 population.
3 Human immunodeficiency virus/ acquired immune deficiency syndrome.
4 Includes uterus, part unspecified.
5 Includes meninges and other parts of the central nervous system.
6 Includes immunoproliferative neoplasms.
7 Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
8 Includes diseases of the blood forming-organs and disorders involving the immune mechanism.
9 Includes metabolic diseases.
10 Includes behavioral disorders.
11 In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct

- dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia.
- 12 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 13 Includes acute rheumatic fever.
 - 14 The ICD-10 code is I25.0.
 - 15 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
 - 16 Hypertension with/without renal disease.
 - 17 Includes other intracranial hemorrhages.
 - 18 Includes diseases of the arterioles and capillaries.
 - 19 Includes acute bronchiolitis.
 - 20 Formerly chronic obstructive pulmonary disease (COPD).
 - 21 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
 - 22 Includes liver cirrhosis.
 - 23 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 24 Includes other diseases of the gallbladder.
 - 25 Includes subcutaneous tissues.
 - 26 Includes connective tissue.
 - 27 Includes nephrotic syndrome and nephrosis.
 - 28 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
 - 29 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
 - 30 Inflammatory diseases of female pelvic organs.
 - 31 Includes the puerperium.
 - 32 includes congenital deformations and chromosomal abnormalities.
 - 33 Includes abnormal clinical and laboratory findings not elsewhere classified.
 - 34 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
 - 35 Includes the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
 - 36 Includes exposure to noxious substances.
 - 37 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This category may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
 - 38 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
 - 39 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that injuries included here are also included in other cause of death categories.
 - 40 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
 - 41 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively.
 - 42 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other causes, such as drug-induced hypoglycemia and drug-induced Parkinsonism, are also included here. Note that disorders included here are also included in other cause of death categories.
 - 43 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
 - 44 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.

TABLE 6-7m. Male death rates for selected causes by age, Oregon residents, 2014

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	891.3	563.1	18.0	14.3	84.8	124.8	189.1	450.4	1,097.7	2,062.3	4,904.2	16,049.4
Infections & parasitic disease (A00-B99)	18.8	17.2	2.0	0.4	0.8	0.4	5.0	20.0	43.6	42.8	67.2	180.8
Tuberculosis (A16-A19)	0.2	—	—	—	—	—	0.4	—	0.4	0.6	—	—
Meningococcal infection (A39)	—	—	—	—	—	—	—	—	—	—	—	—
Septicemia (A40-A41)	4.7	—	1.0	0.4	0.4	—	0.4	2.7	5.2	11.6	32.4	73.0
Creutzfeldt-Jacob disease (A81.0)	0.2	—	—	—	—	—	—	—	0.4	1.2	—	—
Viral hepatitis (B15-B19)	7.2	—	—	—	—	—	1.5	11.5	28.6	13.9	10.8	3.5
HIV/AIDS (B20-B24) ³	1.5	—	—	—	0.4	—	1.1	4.6	3.2	1.7	1.2	3.5
Malignant neoplasms (C00-C97)	210.4	—	3.0	1.6	3.5	10.3	24.8	88.2	329.9	687.0	1,233.3	2,549.1
Lip, oral cavity & pharynx (C00-C14)	4.8	—	—	—	—	0.4	0.8	3.5	11.1	16.2	21.6	27.8
Digestive organs (C15-26)	60.2	—	1.0	—	—	1.8	9.2	33.5	124.9	191.6	303.8	563.4
Esophagus (C15)	9.3	—	—	—	—	0.4	1.5	5.8	17.4	33.6	49.2	62.6
Stomach (C16)	4.5	—	—	—	—	0.4	0.8	5.0	7.5	15.0	21.6	34.8
Colon, rectum & anus (C18-C21)	17.5	—	—	—	—	1.1	4.6	11.5	23.8	48.0	102.1	240.0
Colon (C18)	13.3	—	—	—	—	1.1	3.8	7.3	15.9	35.9	86.5	187.8
Rectosigmoid junction (C19)	1.0	—	—	—	—	—	—	0.8	2.0	2.9	3.6	13.9
Rectum (C20)	2.7	—	—	—	—	—	0.8	2.7	5.2	8.1	8.4	34.8
Liver & intrahepatic bile ducts (C22)	11.7	—	—	—	—	—	0.8	3.5	46.4	35.9	32.4	38.3
Pancreas (C25)	15.3	—	1.0	—	—	—	1.5	7.3	26.6	51.5	85.3	166.9
Respiratory, intrathoracic org'ns (C30-C39)	53.9	—	—	—	—	0.7	2.3	17.3	83.3	212.4	332.6	514.7
Larynx (C32)	1.5	—	—	—	—	—	0.4	0.8	3.6	4.6	6.0	13.9
Trachea, bronchus & lung (C33-C34)	51.8	—	—	—	—	0.7	1.9	16.2	77.7	205.5	324.2	500.8
Bronchus & lung (C34)	51.8	—	—	—	—	0.7	1.9	16.2	77.7	205.5	323.0	500.8
Skin (C43-C44)	6.1	—	—	—	—	—	1.1	3.5	7.9	18.5	46.8	59.1
Melanoma of skin (C43)	3.6	—	—	—	—	—	0.8	3.5	5.6	8.7	26.4	31.3
Mesothelioma (C45)	1.8	—	—	—	—	—	—	0.4	0.8	6.9	13.2	31.3
Breast (C50)	0.3	—	—	—	—	—	—	—	0.8	—	2.4	7.0
Female genital organs (C51-58)	—	—	—	—	—	—	—	—	—	—	—	—
Cervix uteri (C53)	—	—	—	—	—	—	—	—	—	—	—	—
Corpus uteri (C54-C55) ⁴	—	—	—	—	—	—	—	—	—	—	—	—
Ovary (C56)	—	—	—	—	—	—	—	—	—	—	—	—
Male genital organs (C60-C63)	21.7	—	—	—	0.4	—	0.4	2.7	16.7	50.9	144.1	577.3
Prostate (C61)	21.4	—	—	—	—	—	—	2.7	16.7	50.4	141.7	573.8
Kidney & renal pelvis (C64-C65)	6.2	—	—	—	0.4	0.4	—	3.5	9.1	23.7	25.2	90.4

See footnotes at end of table.

TABLE 6-7m. Male death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bladder (C67)	7.1	—	—	—	—	—	—	1.9	5.2	17.4	46.8	180.8
Brain, etc. (C70-C72) ⁵	8.1	—	—	0.8	0.8	2.9	4.2	6.5	16.3	23.2	38.4	17.4
Thyroid/endocrine gland (C73-C75)	1.0	—	2.0	0.4	—	—	0.4	0.8	1.2	3.5	4.8	—
Lymphoid & hematopoietic (C81-C96)	21.9	—	—	—	1.2	1.1	3.1	6.9	24.2	67.7	160.9	295.6
Hodgkin's disease (C81)	0.8	—	—	—	0.4	—	—	0.4	1.6	3.5	2.4	3.5
Non-Hodgkin's lymphoma (C82-C85)	8.3	—	—	—	—	—	1.1	2.7	6.7	26.0	68.4	114.8
Leukemia (C91-C95)	8.0	—	—	—	0.8	1.1	1.1	3.5	9.1	21.4	58.8	107.8
Lymphoid leukemia (C91)	2.7	—	—	—	0.4	0.7	0.4	1.5	2.8	4.6	19.2	45.2
Myeloid leukemia (C92)	4.1	—	—	—	0.4	—	0.8	1.9	5.6	14.5	31.2	27.8
Multiple myeloma (C88, C90) ⁶	4.9	—	—	—	—	—	0.8	0.4	6.7	16.8	31.2	69.6
Neopla. not specif. as malign. (D00-D48)⁷	6.8	4.3	—	0.4	—	1.1	0.8	1.5	5.6	19.1	44.4	132.2
Myelodysplastic syndromes (D46)	3.3	—	—	—	—	—	—	0.4	1.6	7.5	27.6	80.0
Diseases of the blood (D50-89)⁸	3.2	4.3	1.0	—	0.4	0.4	0.4	0.8	4.0	3.5	22.8	73.0
Anemias (D50-D64)	1.5	—	—	—	—	—	—	—	0.4	1.7	13.2	48.7
Endocrine & nutritional dis. (E00-E88)⁹ ..	45.1	4.3	—	1.2	1.5	2.2	10.7	28.1	69.0	133.7	243.8	552.9
Diabetes mellitus (E10-E14)	31.3	—	—	—	0.4	0.4	6.9	19.6	46.8	101.3	175.3	354.7
Nutritional deficiencies (E40-E64)	1.5	—	—	—	—	—	—	0.4	0.4	2.3	7.2	59.1
Malnutrition (E40-E46)	1.5	—	—	—	—	—	—	0.4	0.4	2.3	7.2	59.1
Mental disorders (F01-F99)¹⁰	53.1	—	—	—	1.5	4.8	5.0	18.5	38.9	66.0	279.8	1,794.5
Organic dementia (F01, F03) ¹¹	39.6	—	—	—	—	—	—	—	4.8	35.9	246.2	1,721.4
Due to alcohol (F10) ¹²	8.0	—	—	—	0.4	1.8	3.1	13.5	25.4	15.6	12.0	20.9
Due to psychoactive substance (F11-F19) ..	3.1	—	—	—	0.8	2.6	1.5	4.2	4.4	10.4	6.0	7.0
Nervous system dis. (G00-G99)	55.2	17.2	1.0	1.2	3.9	2.6	6.1	11.9	32.5	93.8	411.9	1,464.1
Meningitis (G00, G03)	0.5	—	—	—	0.4	—	0.4	0.4	0.4	2.9	—	—
Amyotrophic lateral sclerosis (G12.2)	3.8	—	—	—	—	—	1.5	3.5	5.9	11.6	22.8	27.8
Parkinson's disease (G20-G21)	11.7	—	—	—	—	0.4	0.4	—	2.4	13.9	133.3	299.1
Alzheimer's disease (G30)	22.9	—	—	—	—	—	—	—	2.8	18.5	163.3	952.9
Multiple sclerosis (G35)	1.9	—	—	—	—	—	0.8	1.5	3.6	7.5	9.6	7.0
Epilepsy (G40-G41)	1.0	—	1.0	—	1.5	—	1.1	0.8	0.8	1.7	2.4	10.4
Eye & adnexa dis. (H00-H59)	—	—	—	—	—	—	—	—	—	—	—	—
Ear & mastoid process dis. (H60-H95)	0.1	—	—	—	—	—	—	0.4	—	0.6	—	—
Circulatory system diseases (I00-I99)	242.1	8.6	—	0.4	3.1	7.0	23.6	86.6	239.1	515.1	1,486.6	5,873.8
Major cardiovascular disease (I00-I78)	240.8	8.6	—	0.4	3.1	7.0	22.5	85.1	237.1	512.8	1,480.6	5,856.4
Heart disease (I00-I09, I11, I13, I20-I51)	180.0	4.3	—	—	3.1	4.8	15.6	64.7	185.6	376.8	1,096.4	4,378.4
Rheumatic heart disease (I00-I09) ¹³ ..	1.5	—	—	—	—	—	—	—	0.8	2.9	18.0	27.8

See footnotes at end of table.

TABLE 6-7m. Male death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Hypertensive heart disease (I11)	4.6	—	—	—	—	0.7	—	2.7	4.4	6.4	24.0	135.6
Hypertensive heart & renal dis. (I13) ..	1.4	—	—	—	—	—	—	0.4	0.8	2.3	12.0	38.3
Ischemic heart disease (I20-I25)	106.3	—	—	—	0.8	2.2	8.8	42.7	126.9	254.1	648.5	2,218.7
Myocardial infarction (I21-I22)	30.9	—	—	—	—	0.7	2.7	15.8	41.6	84.5	172.9	556.4
Other acute ischemic hrt. dis. (I24) ..	0.4	—	—	—	—	—	—	—	0.8	1.2	1.2	10.4
Chronic isch. heart dis. (I20, I25)	74.9	—	—	—	0.8	1.5	6.1	26.9	84.5	168.4	474.3	1,651.9
Atheroscler. cardiovascular dis. ¹⁴	4.3	—	—	—	—	0.4	1.1	3.5	4.8	8.1	27.6	80.0
Other chr. ischemic heart dis. ¹⁵ ...	70.6	—	—	—	0.8	1.1	5.0	23.5	79.7	160.3	446.7	1,571.9
Nonrheumatic mitral valve dis. (I34) ...	1.0	—	—	—	—	—	—	—	0.4	0.6	6.0	45.2
Nonrheumatic aortic valve dis. (I35) ...	11.1	—	—	—	—	—	—	1.9	5.2	12.7	72.1	410.4
Cardiomyopathy (I42)	7.2	—	—	—	0.8	0.7	1.1	5.4	11.5	15.6	39.6	104.3
Heart failure (I50)	22.0	—	—	—	—	—	1.1	2.7	11.9	38.8	126.1	761.6
Congestive heart failure (I50.0)	18.5	—	—	—	—	—	0.8	2.7	10.3	29.5	98.5	671.2
Left ventricular heart failure (I50.1)	0.1	—	—	—	—	—	—	—	—	—	—	3.5
Heart failure, unspecified (I50.9)	3.5	—	—	—	—	—	0.4	—	1.6	9.3	27.6	86.9
HBP (I10, I12, I15) ¹⁶	10.9	—	—	—	—	0.7	0.8	6.5	15.1	24.9	39.6	271.3
Cerebrovascular disease (I60-I69) ¹¹	41.8	4.3	—	0.4	—	0.7	3.8	11.5	30.1	88.0	283.4	1,078.1
Subarachnoid hemorrhage (I60)	1.2	—	—	—	—	0.4	1.9	1.2	0.8	4.1	2.4	10.4
Intracerebral hemorrhage (I61-I62) ¹⁷	9.1	—	—	—	—	0.4	1.1	3.5	13.5	17.9	61.2	170.4
Cerebral infarction (I63)	2.0	—	—	—	—	—	—	1.5	2.4	6.4	13.2	27.8
Stroke (type not specified) (I64)	19.1	—	—	—	—	—	—	3.8	10.7	44.0	136.9	511.2
Atherosclerosis (I70)	0.9	—	—	—	—	—	0.4	—	0.4	3.5	6.0	17.4
Aortic aneurysm & dissection (I71)	3.9	—	—	—	—	0.7	1.5	1.5	3.6	11.6	30.0	45.2
Diseases of arteries (I72-I78) ¹⁸	3.2	—	—	—	—	—	0.4	0.8	2.4	8.1	25.2	66.1
Respiratory system diseases (J00-J99) ..	78.5	—	1.0	0.4	2.3	2.6	4.2	15.8	90.0	210.7	548.8	1,460.6
Influenza & pneumonia (J09-J18)	10.5	—	1.0	—	1.2	0.4	0.4	2.7	18.2	14.5	50.4	278.2
Influenza (J09-J11)	0.9	—	—	—	0.4	—	—	0.8	2.4	2.3	4.8	3.5
Pneumonia (J12-J18)	9.6	—	1.0	—	0.8	0.4	0.4	1.9	15.9	12.2	45.6	274.7
Other acute lower resp. infect'ns (J20-J22)	0.1	—	—	—	—	—	0.4	—	—	—	—	3.5
Acute bronchitis (J20-J21) ¹⁹	0.1	—	—	—	—	—	0.4	—	—	—	—	3.5
Chronic lower respiratory dis. (J40-J47) ²⁰ ..	49.6	—	—	—	0.8	1.8	1.9	8.9	56.3	153.4	375.9	747.7
Bronchitis, chronic & unspec. (J40-J42)	0.1	—	—	—	—	—	—	—	0.4	—	—	—
Emphysema (J43)	3.6	—	—	—	—	0.4	0.4	—	4.8	7.5	27.6	69.6
Asthma (J45-J46)	1.4	—	—	—	0.8	1.5	1.1	0.8	1.6	2.9	3.6	13.9
Other CLRD (J44, J47)	44.6	—	—	—	—	—	0.4	8.1	49.6	143.0	344.6	664.2

See footnotes at end of table.

TABLE 6-7m. Male death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bronchiectasis (J47)	0.2	—	—	—	—	—	—	—	—	—	1.2	10.4
Pneumoconioses (J60-J66, J68) ²¹	0.6	—	—	—	—	—	—	—	—	1.2	8.4	7.0
Pneumonitis due to solids & liquids (J69) ...	4.5	—	—	—	0.4	—	—	0.8	2.8	9.8	25.2	139.1
Digestive system diseases (K00-K92)	43.1	4.3	—	—	0.4	2.2	16.0	50.0	87.2	91.5	170.5	497.3
Peptic ulcer (K25-K28)	1.6	—	—	—	0.4	—	—	0.8	0.4	3.5	10.8	45.2
Diseases of the appendix (K35-K38)	0.1	—	—	—	—	—	—	—	—	0.6	—	—
Appendicitis (K35-K37)	0.1	—	—	—	—	—	—	—	—	0.6	—	—
Hernia (K40-K46)	0.9	—	—	—	—	—	—	0.4	—	0.6	3.6	41.7
Vascular disorders of the intestine (K55)	2.2	—	—	—	—	—	0.8	0.4	4.4	6.4	13.2	24.3
Chronic liver disease (K70, K73-K74) ²²	19.9	—	—	—	—	1.5	11.1	38.1	59.5	39.9	34.8	31.3
Alcoholic liver disease (K70) ²³	17.0	—	—	—	—	1.5	11.1	36.6	50.0	31.3	25.2	10.4
Cholelithiasis (K80-K82) ²⁴	1.7	—	—	—	—	—	—	0.4	1.2	4.1	12.0	45.2
Diseases of the skin (L00-L98)²⁵	1.8	—	—	—	—	—	—	0.4	2.8	2.9	9.6	48.7
Musculoskeletal disease (M00-M99)²⁶	4.5	—	—	—	0.8	0.4	0.8	1.9	5.2	13.3	20.4	90.4
Genitourinary system dis. (N00-N99)	15.4	—	—	—	0.4	—	0.8	2.7	11.5	34.7	100.9	413.8
Nephritis (N00-N07, N17-N19, N25-N27) ²⁷	10.6	—	—	—	—	—	0.4	2.3	7.9	24.9	67.2	281.7
Acute nephrotic syndrome ²⁸	0.1	—	—	—	—	—	—	—	—	—	1.2	—
Chronic nephritis ²⁹	0.2	—	—	—	—	—	—	—	0.8	0.6	1.2	—
Renal failure (N17-N19)	10.3	—	—	—	—	—	0.4	2.3	7.1	24.3	64.8	281.7
Other disorders of kidney (N25, N27)	—	—	—	—	—	—	—	—	—	—	—	—
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.2	—	—	—	—	—	—	—	—	0.6	2.4	—
Urinary tract infection (N59.0)	2.7	—	—	—	—	—	0.4	—	2.4	6.4	19.2	66.1
Hyperplasia of prostate (N40)	0.8	—	—	—	—	—	—	—	0.4	0.6	7.2	27.8
Female pelvic inflam. dis. (N70-N76) ³⁰	—	—	—	—	—	—	—	—	—	—	—	—
Pregnancy & childbirth (O00-O99)³¹	—	—	—	—	—	—	—	—	—	—	—	—
Perinatal conditions (P00-P96)	3.9	326.7	—	—	—	—	—	—	—	—	—	—
Congenital malformations (Q00-Q99)³² ..	2.3	73.1	2.0	—	0.8	1.1	0.8	2.3	2.8	1.7	1.2	7.0
Malformation of the heart (Q20-Q24)	0.6	12.9	—	—	0.4	0.7	—	0.4	0.8	1.7	—	—
Other malf. of the circul. sys. (Q25-Q28)	0.1	4.3	—	—	—	—	—	—	—	—	—	—
Malf. of the respiratory system (Q30-Q34)	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms & signs (R00-R99)³³	14.5	64.5	1.0	—	1.9	3.3	3.4	6.9	18.2	34.1	61.2	246.9
Senility (R54)	0.6	—	—	—	—	—	—	—	—	—	1.2	38.3
Sudden infant death syndrome (R95)	0.7	55.9	—	—	—	—	—	—	—	—	—	—
External causes of death (V01-Y89)	92.5	38.7	7.0	8.6	63.5	86.5	86.9	114.3	117.4	111.7	201.7	664.2
Accidents (V01-X59, Y85-Y86)	54.3	30.1	5.0	5.3	30.6	48.6	41.9	64.3	61.9	65.4	150.1	542.5

See footnotes at end of table.

TABLE 6-7m. Male death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Transport accidents (V01-V99, Y85)	16.5	—	—	3.3	15.1	15.1	16.0	20.8	25.0	22.0	24.0	59.1
Motor vehicle acc. (Many codes) ³⁴	13.6	—	—	2.9	13.9	12.9	12.6	16.6	20.2	16.2	20.4	59.1
Motor veh. traf. (Many codes) ³⁵	12.9	—	—	2.5	13.5	12.9	11.4	16.6	19.4	14.5	15.6	55.6
Water transport accidents (V90-V94)	0.5	—	—	—	—	0.7	0.8	—	0.8	1.7	—	—
Air transport accidents (V95-V97)	0.5	—	—	—	—	0.7	0.8	0.8	0.4	0.6	1.2	—
Nontransport accidents (W00-X59, Y86)	37.9	30.1	5.0	2.0	15.5	33.5	25.9	43.5	36.9	43.4	126.1	483.4
Falls (W00-W19)	13.7	—	2.0	0.4	1.5	1.8	1.9	3.8	6.7	23.2	82.9	403.4
Firearms (W32-W34)	0.3	—	—	—	0.8	—	0.4	0.4	—	0.6	—	—
Drowning & submersion (W65-W74) ..	2.2	—	1.0	1.2	1.9	1.1	1.5	3.1	1.6	4.6	7.2	7.0
Exposure to smoke & fire (X00-X09) ..	1.2	—	1.0	0.4	—	—	1.1	1.5	2.0	2.9	2.4	10.4
Poisoning (X40-X49) ³⁶	13.7	—	—	—	10.8	25.4	18.3	27.3	16.7	4.6	2.4	—
Suicide (X60-X84, Y87.0)	31.4	—	—	2.0	27.1	31.7	37.0	40.0	44.4	39.4	46.8	114.8
Poisoning (X60-X69)	3.2	—	—	—	1.2	2.6	5.7	5.0	5.9	2.9	2.4	10.4
Hanging/suffocation (X70)	7.1	—	—	0.4	8.5	8.8	12.2	10.0	9.5	2.3	2.4	10.4
Firearm discharge (X72-X74)	18.7	—	—	1.6	15.5	17.3	14.5	20.8	26.2	33.0	39.6	90.4
Homicide (X85-Y09, Y87.1)	3.3	4.3	1.0	0.8	3.9	3.3	3.4	4.2	5.9	3.5	1.2	—
Firearm discharge (X93-X95)	1.7	—	—	0.4	2.3	2.6	1.9	2.3	2.4	1.2	1.2	—
Legal intervention (Y35, Y89.0) ³⁷	0.7	—	—	—	0.4	1.5	1.5	0.8	0.8	0.6	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	2.0	4.3	1.0	0.4	1.5	1.1	2.7	3.8	3.2	1.2	2.4	—
War and its sequelae (Y36, Y89.1) ³⁸	0.1	—	—	—	—	—	—	—	—	0.6	—	—
Medical care complica'ns (Y40-Y84, Y88) ..	0.7	—	—	—	—	0.4	0.4	1.2	1.2	1.2	1.2	7.0
<i>Injury by firearms (Many codes)³⁹</i>	21.4	—	—	2.0	19.0	21.4	18.3	24.3	29.3	35.3	40.8	90.4
<i>Alcohol-induced deaths (Many codes)^{40,41}</i>	27.4	—	—	—	0.4	4.4	16.4	56.2	79.7	49.8	42.0	41.7
<i>Drug-induced deaths (Many codes)^{42,43}</i>	18.1	—	1.0	—	11.6	29.5	23.6	31.2	25.0	15.6	9.6	10.4
<i>Injury at work⁴⁴</i>	2.8	—	—	—	1.5	3.3	4.2	3.5	5.6	2.3	3.6	—

1 International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.
2 Rates per 100,000 population.
3 Human immunodeficiency virus/ acquired immune deficiency syndrome.
4 Includes uterus, part unspecified.
5 Includes meninges and other parts of the central nervous system.
6 Includes immunoproliferative neoplasms.
7 Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
8 Includes diseases of the blood forming-organs and disorders involving the immune mechanism.
9 Includes metabolic diseases.
10 Includes behavioral disorders.
11 In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct

- dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia.
- 12 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 13 Includes acute rheumatic fever.
- 14 The ICD-10 code is I25.0.
- 15 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 16 Hypertension with/without renal disease.
- 17 Includes other intracranial hemorrhages.
- 18 Includes diseases of the arterioles and capillaries.
- 19 Includes acute bronchiolitis.
- 20 Formerly chronic obstructive pulmonary disease (COPD).
- 21 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
- 22 Includes liver cirrhosis.
- 23 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 24 Includes other diseases of the gallbladder.
- 25 Includes subcutaneous tissues.
- 26 Includes connective tissue.
- 27 Includes nephrotic syndrome and nephrosis.
- 28 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
- 29 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 30 Inflammatory diseases of female pelvic organs.
- 31 Includes the puerperium.
- 32 includes congenital deformations and chromosomal abnormalities.
- 33 Includes abnormal clinical and laboratory findings not elsewhere classified.
- 34 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 35 Includes the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 36 Includes exposure to noxious substances.
- 37 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This category may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 38 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 39 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that injuries included here are also included in other cause of death categories.
- 40 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
- 41 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively.
- 42 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other causes, such as drug-induced hypoglycemia and drug-induced Parkinsonism, are also included here. Note that disorders included here are also included in other cause of death categories.
- 43 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
- 44 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.

TABLE 6-7f. Female death rates for selected causes by age, Oregon residents, 2014

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	833.5	462.1	17.9	9.4	40.6	57.6	122.4	303.7	658.9	1,409.5	3,600.8	13,057.2
Infections & parasitic disease (A00-B99)	14.8	4.5	2.1	0.4	0.8	0.7	1.5	9.5	20.9	24.8	53.3	186.8
Tuberculosis (A16-A19)	—	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infection (A39)	—	—	—	—	—	—	—	—	—	—	—	—
Septicemia (A40-A41)	5.2	4.5	1.1	—	—	—	1.2	2.7	3.0	7.9	21.0	89.7
Creutzfeldt-Jacob disease (A81.0)	0.1	—	—	—	—	—	—	—	0.4	—	1.0	1.9
Viral hepatitis (B15-B19)	3.5	—	—	—	—	—	—	4.2	13.4	8.4	4.8	3.7
HIV/AIDS (B20-B24) ³	0.2	—	—	—	—	—	—	1.5	0.4	—	—	—
Malignant neoplasms (C00-C97)	186.7	—	—	1.3	2.0	10.1	31.3	100.0	264.2	535.8	925.7	1,251.7
Lip, oral cavity & pharynx (C00-C14)	2.2	—	—	—	0.4	—	—	1.5	2.6	6.9	9.5	16.8
Digestive organs (C15-26)	40.7	—	—	—	—	1.9	5.8	21.2	54.8	111.4	214.3	295.2
Esophagus (C15)	2.9	—	—	—	—	—	—	1.5	3.4	8.4	18.1	18.7
Stomach (C16)	2.5	—	—	—	—	0.7	1.5	2.3	3.7	4.8	10.5	14.9
Colon, rectum & anus (C18-C21)	14.0	—	—	—	—	1.1	3.5	9.5	16.4	31.7	66.7	130.8
Colon (C18)	11.0	—	—	—	—	0.7	2.7	6.8	10.8	22.7	54.3	119.6
Rectosigmoid junction (C19)	0.7	—	—	—	—	0.4	—	0.4	1.9	3.2	1.0	—
Rectum (C20)	2.2	—	—	—	—	—	0.8	1.9	3.4	5.8	10.5	11.2
Liver & intrahepatic bile ducts (C22)	4.7	—	—	—	—	—	—	2.3	9.0	16.4	20.0	24.3
Pancreas (C25)	13.5	—	—	—	—	—	0.8	3.4	18.3	39.6	84.8	85.9
Respiratory, intrathoracic org'ns (C30-C39)	49.0	—	—	—	—	—	1.9	17.8	65.3	163.7	297.1	250.3
Larynx (C32)	0.4	—	—	—	—	—	—	—	1.1	0.5	2.9	1.9
Trachea, bronchus & lung (C33-C34)	48.3	—	—	—	—	—	1.9	17.4	64.2	161.5	291.4	248.5
Bronchus & lung (C34)	48.3	—	—	—	—	—	1.9	17.4	64.2	161.5	291.4	248.5
Skin (C43-C44)	3.1	—	—	—	—	1.1	1.5	2.3	4.9	6.9	9.5	26.2
Melanoma of skin (C43)	2.1	—	—	—	—	0.7	1.5	2.3	4.5	4.2	4.8	11.2
Mesothelioma (C45)	0.6	—	—	—	—	—	—	—	1.1	2.1	3.8	3.7
Breast (C50)	26.8	—	—	—	—	1.1	8.5	20.1	45.1	85.0	91.4	153.2
Female genital organs (C51-58)	22.1	—	—	—	—	1.9	4.2	18.9	39.6	61.2	102.9	87.8
Cervix uteri (C53)	2.5	—	—	—	—	1.5	2.7	3.8	4.5	6.3	4.8	1.9
Corpus uteri (C54-C55) ⁴	6.2	—	—	—	—	—	1.2	4.2	12.3	18.5	30.5	18.7
Ovary (C56)	11.9	—	—	—	—	0.4	0.4	9.8	22.4	33.8	55.2	54.2
Male genital organs (C60-C63)	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	3.0	—	—	—	—	—	0.8	1.1	5.2	6.9	15.2	22.4

See footnotes at end of table.

TABLE 6-7f. Female death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bladder (C67)	1.9	—	—	—	—	—	—	0.4	1.1	2.6	8.6	39.2
Brain, etc. (C70-C72) ⁵	4.9	—	—	—	—	0.4	2.7	4.2	10.4	13.2	15.2	20.6
Thyroid/endocrine gland (C73-C75)	0.8	—	—	—	—	—	—	—	1.9	2.6	2.9	7.5
Lymphoid & hematopoietic (C81-C96)	17.3	—	—	—	0.8	1.1	2.7	6.8	15.7	35.9	96.2	199.9
Hodgkin's disease (C81)	0.3	—	—	—	—	—	—	0.4	—	1.6	1.9	—
Non-Hodgkin's lymphoma (C82-C85)	7.7	—	—	—	—	—	1.5	3.0	9.0	11.6	41.9	99.0
Leukemia (C91-C95)	5.3	—	—	—	0.8	1.1	1.2	2.3	3.4	11.1	27.6	63.5
Lymphoid leukemia (C91)	1.5	—	—	—	—	0.4	0.4	0.4	0.7	2.1	5.7	29.9
Myeloid leukemia (C92)	2.9	—	—	—	0.4	0.7	0.8	1.9	1.9	7.4	16.2	24.3
Multiple myeloma (C88, C90) ⁶	4.0	—	—	—	—	—	—	1.1	3.4	11.6	24.8	37.4
Neopla. not specif. as malign. (D00-D48)⁷	5.7	—	1.1	—	—	—	0.4	2.3	3.4	10.6	28.6	89.7
Myelodysplastic syndromes (D46)	1.3	—	—	—	—	—	—	—	0.4	2.1	5.7	29.9
Diseases of the blood (D50-89)⁸	3.3	4.5	—	—	—	—	0.8	1.9	3.0	5.3	12.4	50.4
Anemias (D50-D64)	1.8	—	—	—	—	—	—	0.8	0.4	1.6	8.6	39.2
Endocrine & nutritional dis. (E00-E88)⁹ ..	37.4	4.5	2.1	0.4	2.4	2.6	9.3	21.2	35.8	87.6	153.3	431.6
Diabetes mellitus (E10-E14)	23.5	—	—	—	0.8	2.2	7.3	12.9	22.0	54.9	105.7	254.1
Nutritional deficiencies (E40-E64)	1.8	—	—	—	—	—	—	0.4	1.9	3.2	7.6	31.8
Malnutrition (E40-E46)	1.7	—	—	—	—	—	—	0.4	1.5	3.2	7.6	28.0
Mental disorders (F01-F99)¹⁰	80.4	—	—	—	0.8	1.9	3.5	8.0	14.2	49.1	304.8	2,101.8
Organic dementia (F01, F03) ¹¹	73.3	—	—	—	—	—	—	0.8	3.0	33.3	283.8	2,053.2
Due to alcohol (F10) ¹²	2.1	—	—	—	—	—	1.2	5.3	5.6	3.2	1.9	5.6
Due to psychoactive substance (F11-F19)	1.6	—	—	—	—	1.9	1.2	1.1	2.6	5.3	2.9	3.7
Nervous system dis. (G00-G99)	71.8	9.0	2.1	0.9	0.4	1.1	3.9	5.7	28.0	74.4	329.5	1,574.9
Meningitis (G00, G03)	0.3	9.0	1.1	—	—	—	—	0.4	0.4	0.5	—	1.9
Amyotrophic lateral sclerosis (G12.2)	2.7	—	—	—	—	0.4	0.4	—	5.2	12.1	8.6	11.2
Parkinson's disease (G20-G21)	7.6	—	—	—	—	—	—	—	1.1	13.2	51.4	130.8
Alzheimer's disease (G30)	48.0	—	—	—	—	—	0.4	—	3.7	20.6	199.0	1,315.2
Multiple sclerosis (G35)	2.8	—	—	—	—	—	0.4	0.8	5.2	9.0	16.2	11.2
Epilepsy (G40-G41)	0.5	—	—	0.4	0.4	0.4	—	—	1.1	0.5	1.0	3.7
Eye & adnexa dis. (H00-H59)	—	—	—	—	—	—	—	—	—	—	—	—
Ear & mastoid process dis. (H60-H95)	0.1	—	—	—	—	—	—	—	0.4	—	—	1.9
Circulatory system diseases (I00-I99)	223.1	4.5	2.1	2.6	3.2	3.4	13.9	39.4	104.8	269.2	925.7	4,756.6
Major cardiovascular disease (I00-I78)	221.4	4.5	2.1	2.6	3.2	2.6	12.7	38.2	103.4	266.6	920.9	4,736.0
Heart disease (I00-I09, I11, I13, I20-I51)	149.6	—	2.1	1.3	2.4	1.9	8.5	27.3	66.0	179.5	581.9	3,293.7
Rheumatic heart disease (I00-I09) ¹³ ..	2.4	—	—	—	—	—	—	0.8	0.4	4.8	13.3	43.0

See footnotes at end of table.

TABLE 6-7f. Female death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Hypertensive heart disease (I11)	6.8	—	—	—	—	—	—	—	1.5	2.1	18.1	203.6
Hypertensive heart & renal dis. (I13) ..	1.3	—	—	—	—	—	—	—	0.4	2.6	1.9	35.5
Ischemic heart disease (I20-I25)	61.7	—	—	—	0.4	—	3.5	13.6	34.3	94.5	279.0	1,171.4
Myocardial infarction (I21-I22)	19.8	—	—	—	—	—	0.8	4.5	11.6	35.4	93.3	351.2
Other acute ischemic hrt. dis. (I24) ..	0.4	—	—	—	—	—	—	—	0.4	0.5	2.9	7.5
Chronic isch. heart dis. (I20, I25)	41.4	—	—	—	0.4	—	2.7	9.1	22.4	58.6	182.9	812.7
Atheroscler. cardiovascular dis. ¹⁴	2.7	—	—	—	0.4	—	0.4	1.1	0.7	4.8	13.3	44.8
Other chr. ischemic heart dis. ¹⁵ ...	38.7	—	—	—	—	—	2.3	8.0	21.6	53.8	169.5	767.9
Nonrheumatic mitral valve dis. (I34) ...	2.0	—	—	—	—	—	—	0.4	1.1	1.6	2.9	56.0
Nonrheumatic aortic valve dis. (I35) ...	15.8	—	—	—	—	—	0.4	1.5	3.4	6.9	55.2	433.4
Cardiomyopathy (I42)	4.2	—	1.1	—	0.4	0.7	1.2	1.9	3.7	6.3	17.1	61.7
Heart failure (I50)	23.3	—	—	—	—	—	—	4.2	6.0	25.9	69.5	594.1
Congestive heart failure (I50.0)	19.4	—	—	—	—	—	—	1.5	3.7	20.1	52.4	526.8
Left ventricular heart failure (I50.1)	0.1	—	—	—	—	—	—	—	—	—	—	5.6
Heart failure, unspecified (I50.9)	3.7	—	—	—	—	—	—	2.7	2.2	5.8	17.1	61.7
HBP (I10, I12, I15) ¹⁶	14.3	—	—	—	—	0.4	—	1.1	9.0	15.8	50.5	326.9
Cerebrovascular disease (I60-I69) ¹¹	50.0	4.5	—	1.3	0.8	0.4	3.9	9.8	23.5	59.7	240.9	992.0
Subarachnoid hemorrhage (I60)	1.7	—	—	—	—	0.4	1.5	4.2	1.5	1.6	4.8	11.2
Intracerebral hemorrhage (I61-I62) ¹⁷	9.0	—	—	—	0.4	—	0.8	3.8	9.3	14.8	55.2	104.6
Cerebral infarction (I63)	2.2	4.5	—	—	—	—	0.4	0.8	1.1	4.2	11.4	31.8
Stroke (type not specified) (I64)	26.8	—	—	0.4	—	—	1.2	0.8	8.2	25.9	125.7	612.8
Atherosclerosis (I70)	1.1	—	—	—	—	—	—	—	0.4	2.1	3.8	26.2
Aortic aneurysm & dissection (I71)	3.3	—	—	—	—	—	0.4	—	3.7	5.8	25.7	31.8
Diseases of arteries (I72-I78) ¹⁸	3.1	—	—	—	—	—	—	—	0.7	3.7	18.1	65.4
Respiratory system diseases (J00-J99) ..	75.2	—	—	—	2.0	1.9	6.9	22.0	58.6	177.4	414.3	924.8
Influenza & pneumonia (J09-J18)	12.1	—	—	—	0.8	0.7	3.5	6.1	8.6	17.9	43.8	207.4
Influenza (J09-J11)	1.1	—	—	—	—	0.4	0.4	2.7	2.2	3.2	1.0	1.9
Pneumonia (J12-J18)	11.0	—	—	—	0.8	0.4	3.1	3.4	6.3	14.8	42.9	205.5
Other acute lower resp. infect'ns (J20-J22)	0.1	—	—	—	—	—	0.4	—	—	—	1.0	1.9
Acute bronchitis (J20-J21) ¹⁹	0.1	—	—	—	—	—	0.4	—	—	—	—	1.9
Chronic lower respiratory dis. (J40-J47) ²⁰ ..	49.2	—	—	—	0.8	0.7	1.9	11.7	40.3	130.9	291.4	534.3
Bronchitis, chronic & unspec. (J40-J42)	0.1	—	—	—	—	—	—	—	0.4	—	1.0	1.9
Emphysema (J43)	3.2	—	—	—	—	—	—	1.1	3.0	10.6	19.0	24.3
Asthma (J45-J46)	2.5	—	—	—	0.8	0.4	1.5	2.3	3.0	5.3	6.7	24.3
Other CLRD (J44, J47)	43.4	—	—	—	—	0.4	0.4	8.3	34.0	115.1	264.8	483.9

See footnotes at end of table.

TABLE 6-7f. Female death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bronchiectasis (J47)	0.6	—	—	—	—	0.4	—	—	—	1.1	3.8	11.2
Pneumoconioses (J60-J66, J68) ²¹	<0.05	—	—	—	—	—	—	—	—	—	—	1.9
Pneumonitis due to solids & liquids (J69) ...	3.3	—	—	—	—	—	—	0.8	2.2	4.2	15.2	65.4
Digestive system diseases (K00-K92)	38.8	4.5	—	—	0.8	1.9	10.4	31.1	48.9	58.6	163.8	461.5
Peptic ulcer (K25-K28)	1.1	—	—	—	—	—	—	0.8	1.1	1.6	5.7	16.8
Diseases of the appendix (K35-K38)	0.1	—	—	—	—	—	—	—	0.4	0.5	—	1.9
Appendicitis (K35-K37)	0.1	—	—	—	—	—	—	—	0.4	0.5	—	1.9
Hernia (K40-K46)	1.3	—	—	—	—	—	—	—	1.1	0.5	4.8	31.8
Vascular disorders of the intestine (K55)	4.6	—	—	—	—	—	—	1.9	3.7	10.0	26.7	56.0
Chronic liver disease (K70, K73-K74) ²²	10.5	—	—	—	0.4	1.5	7.7	21.2	21.6	16.4	27.6	22.4
Alcoholic liver disease (K70) ²³	7.9	—	—	—	0.4	1.5	7.7	18.9	18.7	10.0	10.5	7.5
Cholelithiasis (K80-K82) ²⁴	2.1	—	—	—	—	—	—	—	1.1	3.2	9.5	43.0
Diseases of the skin (L00-L98)²⁵	2.6	—	—	—	—	—	0.4	0.8	3.7	3.7	9.5	43.0
Musculoskeletal disease (M00-M99)²⁶	7.6	—	—	—	—	0.4	—	4.2	4.5	15.8	34.3	115.8
Genitourinary system dis. (N00-N99)	15.4	—	—	—	—	—	1.5	1.9	10.8	28.0	86.7	237.3
Nephritis (N00-N07, N17-N19, N25-N27) ²⁷	8.5	—	—	—	—	—	1.2	0.4	6.3	16.4	48.6	127.0
Acute nephrotic syndrome ²⁸	0.1	—	—	—	—	—	—	—	—	—	—	3.7
Chronic nephritis ²⁹	0.1	—	—	—	—	—	—	—	—	1.1	—	—
Renal failure (N17-N19)	8.3	—	—	—	—	—	1.2	0.4	6.3	14.8	48.6	123.3
Other disorders of kidney (N25, N27)	<0.05	—	—	—	—	—	—	—	—	0.5	—	—
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.5	—	—	—	—	—	—	0.4	—	1.1	4.8	5.6
Urinary tract infection (N59.0)	4.7	—	—	—	—	—	—	0.8	3.4	6.3	25.7	84.1
Hyperplasia of prostate (N40)	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) ³⁰	<0.05	—	—	—	—	—	—	—	—	—	—	1.9
Pregnancy & childbirth (O00-O99)³¹	0.4	—	—	—	1.6	0.7	0.8	—	0.4	—	—	—
Perinatal conditions (P00-P96)	2.6	237.8	—	—	—	—	—	—	—	—	—	—
Congenital malformations (Q00-Q99)³² ..	2.7	89.7	1.1	0.4	2.0	1.1	0.4	1.9	1.9	3.7	3.8	3.7
Malformation of the heart (Q20-Q24)	0.6	17.9	—	0.4	—	0.4	—	0.8	—	2.1	—	—
Other malf. of the circul. sys. (Q25-Q28)	0.3	4.5	—	—	—	—	0.4	—	0.4	0.5	1.9	—
Malf. of the respiratory system (Q30-Q34)	0.1	4.5	1.1	—	—	—	—	—	—	—	—	—
Symptoms & signs (R00-R99)³³	15.9	62.8	1.1	—	0.4	1.9	0.8	6.1	9.7	17.4	44.8	323.2
Senility (R54)	1.7	—	1.1	—	—	—	—	—	—	—	2.9	56.0
Sudden infant death syndrome (R95)	0.6	53.8	—	—	—	—	—	—	—	—	—	—
External causes of death (V01-Y89)	49.0	40.4	6.3	3.4	24.1	29.9	36.7	48.1	45.9	48.0	110.5	502.6
Accidents (V01-X59, Y85-Y86)	36.5	31.4	4.2	2.6	13.3	16.8	21.2	30.3	28.7	31.7	98.1	491.3

See footnotes at end of table.

TABLE 6-7f. Female death rates for selected causes by age, Oregon residents, 2014 — Continued

Causes of death (and their ICD-10 codes) ¹	Rate ²	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Transport accidents (V01-V99, Y85)	6.1	4.5	—	1.3	8.4	4.9	5.8	8.7	7.5	3.7	9.5	18.7
Motor vehicle acc. (Many codes) ³⁴	5.6	4.5	—	1.3	8.0	4.5	5.8	8.3	5.6	2.6	9.5	16.8
Motor veh. traf. (Many codes) ³⁵	5.1	4.5	—	1.3	7.2	4.5	5.8	6.4	4.9	2.6	9.5	16.8
Water transport accidents (V90-V94)	—	—	—	—	—	—	—	—	—	—	—	—
Air transport accidents (V95-V97)	—	—	—	—	—	—	—	—	—	—	—	—
Nontransport accidents (W00-X59, Y86)	30.4	26.9	4.2	1.3	4.8	12.0	15.4	21.6	21.3	28.0	88.6	472.7
Falls (W00-W19)	17.2	—	—	0.4	—	0.4	0.4	1.9	1.9	15.8	76.2	416.6
Firearms (W32-W34)	<0.05	—	—	—	0.4	—	—	—	—	—	—	—
Drowning & submersion (W65-W74) ..	0.7	—	2.1	—	—	1.1	0.8	1.1	1.1	0.5	1.0	—
Exposure to smoke & fire (X00-X09) ..	0.7	—	2.1	—	0.8	0.4	—	0.4	1.9	1.1	1.0	1.9
Poisoning (X40-X49) ³⁶	7.9	—	—	—	3.6	10.1	12.4	16.7	11.9	5.3	2.9	1.9
Suicide (X60-X84, Y87.0)	8.3	—	—	0.9	8.0	8.6	9.7	13.3	12.3	9.0	8.6	5.6
Poisoning (X60-X69)	2.7	—	—	—	1.6	2.6	3.1	3.8	4.9	4.8	1.9	1.9
Hanging/suffocation (X70)	2.2	—	—	0.9	3.6	3.4	1.2	3.0	2.6	1.6	2.9	—
Firearm discharge (X72-X74)	2.8	—	—	—	2.0	1.9	4.6	4.9	4.1	2.6	3.8	3.7
Homicide (X85-Y09, Y87.1)	1.7	4.5	2.1	—	2.0	2.2	3.5	0.8	1.9	1.6	—	1.9
Firearm discharge (X93-X95)	0.9	—	1.1	—	0.8	1.5	2.3	0.8	0.7	1.1	—	—
Legal intervention (Y35, Y89.0) ³⁷	0.1	—	—	—	—	0.7	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	1.6	4.5	—	—	0.8	1.1	2.3	3.4	3.0	1.6	—	—
War and its sequelae (Y36, Y89.1) ³⁸	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88) ..	0.8	—	—	—	—	0.4	—	0.4	—	4.2	3.8	3.7
<i>Injury by firearms (Many codes)³⁹</i>	3.9	—	1.1	—	3.2	4.1	6.9	5.7	4.9	3.7	3.8	3.7
<i>Alcohol-induced deaths (Many codes)^{40,41}</i>	11.2	—	—	—	0.4	1.9	11.2	26.1	27.2	14.3	12.4	13.1
<i>Drug-induced deaths (Many codes)^{42,43}</i>	12.4	4.5	—	—	6.0	13.5	17.0	23.1	19.4	15.3	6.7	7.5
<i>Injury at work⁴⁴</i>	0.4	—	—	—	—	0.4	0.4	0.4	0.7	0.5	1.9	—

1 International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.
2 Rates per 100,000 population.
3 Human immunodeficiency virus/ acquired immune deficiency syndrome.
4 Includes uterus, part unspecified.
5 Includes meninges and other parts of the central nervous system.
6 Includes immunoproliferative neoplasms.
7 Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
8 Includes diseases of the blood forming-organs and disorders involving the immune mechanism.
9 Includes metabolic diseases.
10 Includes behavioral disorders.
11 In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct

- dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia.
- 12 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 13 Includes acute rheumatic fever.
 - 14 The ICD-10 code is I25.0.
 - 15 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
 - 16 Hypertension with/without renal disease.
 - 17 Includes other intracranial hemorrhages.
 - 18 Includes diseases of the arterioles and capillaries.
 - 19 Includes acute bronchiolitis.
 - 20 Formerly chronic obstructive pulmonary disease (COPD).
 - 21 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
 - 22 Includes liver cirrhosis.
 - 23 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 24 Includes other diseases of the gallbladder.
 - 25 Includes subcutaneous tissues.
 - 26 Includes connective tissue.
 - 27 Includes nephrotic syndrome and nephrosis.
 - 28 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
 - 29 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
 - 30 Inflammatory diseases of female pelvic organs.
 - 31 Includes the puerperium.
 - 32 includes congenital deformations and chromosomal abnormalities.
 - 33 Includes abnormal clinical and laboratory findings not elsewhere classified.
 - 34 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
 - 35 Includes the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
 - 36 Includes exposure to noxious substances.
 - 37 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This category may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
 - 38 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
 - 39 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that injuries included here are also included in other cause of death categories.
 - 40 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
 - 41 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively.
 - 42 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other causes, such as drug-induced hypoglycemia and drug-induced Parkinsonism, are also included here. Note that disorders included here are also included in other cause of death categories.
 - 43 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
 - 44 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.