

**TABLE 6-13. Years of potential life lost before age 75 from the leading causes of death, by year, Oregon residents, 2000-2014**

Year	Total	Cancer	Unintended injury	Heart disease	Suicide	Alcohol-induced <sup>1</sup>	Perinatal conditions	CLRD <sup>2</sup>	Diabetes
2000 .....	206,973	49,688	31,398	27,487	14,317	6,778	7,856	5,487	4,839
2001 .....	211,233	51,244	30,249	27,225	15,023	7,821	8,396	5,567	5,852
2002 .....	222,274	52,637	31,185	28,489	14,455	8,125	8,966	5,802	5,929
2003 .....	225,545	50,810	34,383	28,869	15,585	10,033	8,591	6,493	7,237
2004 .....	221,453	50,892	34,830	26,449	15,294	9,877	8,396	5,848	7,497
2005 .....	224,868	53,166	31,845	26,721	14,874	9,553	10,131	6,543	7,585
2006 .....	231,592	52,025	36,529	26,871	16,158	9,082	9,067	6,807	7,590
2007 .....	234,443	51,747	36,820	27,845	16,266	10,168	10,311	7,307	7,551
2008 .....	231,750	51,479	38,621	27,793	16,342	10,362	8,994	7,598	6,621
2009 .....	230,153	53,568	34,029	25,605	17,158	10,686	8,323	7,341	7,530
2010 .....	224,366	54,941	30,199	23,929	17,963	10,666	7,891	7,799	7,292
2011 .....	230,525	55,353	33,117	24,368	18,023	11,984	8,201	7,604	7,831
2012 .....	228,909	54,352	31,236	24,889	19,481	11,856	8,473	7,141	7,273
2013 .....	233,367	53,926	30,610	24,786	19,119	12,867	9,188	8,121	7,665
2014 .....	241,894	55,761	33,715	24,665	20,875	13,653	9,671	8,543	7,988

  

Year	Cerebro-vascular disease	Congenital anomalies	Homicide <sup>3</sup>	Viral hepatitis	Pneumonia & influenza	Undetermined external causes	Sudden infant death syndrome	Septicemia	HIV disease
2000 .....	5,276	6,556	3,798	1,713	1,301	2,040	3,802	1,446	2,040
2001 .....	6,011	6,844	3,887	1,681	1,873	2,663	2,162	1,240	2,050
2002 .....	6,012	7,439	4,728	2,560	2,344	3,592	2,310	1,423	2,691
2003 .....	6,108	6,313	3,522	2,050	1,985	3,575	1,714	1,309	2,675
2004 .....	6,221	6,720	4,502	2,105	1,671	3,284	1,416	1,481	1,902
2005 .....	6,274	5,695	4,078	1,717	2,421	3,370	1,491	1,658	1,729
2006 .....	5,737	6,918	4,429	1,817	1,578	3,390	2,236	1,429	1,478
2007 .....	6,339	6,293	3,147	3,536	1,684	3,691	2,833	1,709	1,518
2008 .....	5,135	6,271	3,949	2,860	2,236	2,693	1,492	1,839	1,045
2009 .....	5,714	4,264	3,684	3,276	3,822	3,004	2,163	2,096	1,076
2010 .....	5,206	5,688	4,080	3,197	1,760	3,432	2,385	1,660	1,130
2011 .....	5,709	5,831	4,235	3,177	1,786	2,437	2,087	1,581	859
2012 .....	5,171	5,405	4,159	2,597	1,482	2,379	1,865	1,253	1,359
2013 .....	5,302	5,607	3,211	3,858	1,915	2,316	1,715	1,403	1,234
2014 .....	6,228	4,338	3,334	3,030	2,734	2,131	1,863	1,321	711

<sup>1</sup> See Table 6-6, footnotes 38-39, for a list of included conditions and their ICD codes. Prior to 1999, figures do not include deaths due to alcohol poisoning.

<sup>2</sup> Chronic lower respiratory disease.

<sup>3</sup> Excludes legal intervention.