

TABLE 6-55. Age-adjusted death rates for residents of Oregon and the United States for leading causes of death, 2013¹

Cause	Age-adjusted rate ²		Percent difference	State rank ³	ICD-10 codes ⁴
	U.S.	Oregon			
All causes	731.9	717.5	-2.0	32	A00-Y89.9
Malignant neoplasms	163.2	163.4	0.1	27	C00-C97
Heart disease	169.8	135.1	-20.4	48	I00-I09, I11, I13, I20-I51
Chronic lower respiratory disease	42.1	43.0	2.1	29	J40-J47
Unintended injuries	39.4	40.1	1.8	34	V01-X59, Y85-Y86
Cerebrovascular disease	36.2	37.3	3.0	22	I60-I69
Alzheimer's disease	23.5	27.2	15.7	19	G30
Diabetes mellitus	21.2	23.4	10.4	16	E10-E14
Suicide	12.6	16.8	33.3	15	X60-X84, Y87.0
Alcohol-induced deaths	8.2	15.5	89.0	6	E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, Y15
Hypertension	8.5	10.7	25.9	5	I10, I12, I15
Influenza & pneumonia	15.9	10.4	-34.6	47	J09-J18
Parkinson's disease	7.3	8.5	16.4	10	G20-G21
Nephritis & nephrosis	13.2	6.8	-48.5	47	N00-N07, N17-N19, N25-N27
Septicemia	10.7	4.7	-56.1	50	A40-A41
Viral hepatitis	2.1	4.5	114.3	2	B15-B19
Perinatal conditions	4.2	3.8	-9.5	33	P00-P96
Congenital anomalies	3.1	3.7	19.4	17	Q00-Q99
Aortic aneurysm & dissection	2.8	3.3	17.9	11	I71
Amyotrophic lateral sclerosis	2.0	2.9	45.0	2	G12.2
Homicide	5.2	2.3	-55.8	42	X85-Y09, Y87.1
HIV/AIDS	2.1	1.2	-42.9	24	B20-B24
Arteriosclerosis	1.8	1.1	-38.9	32	I70

¹ Most recent year for which final data are available.

² Rates are adjusted to the U.S. standard million population and are per 100,000. Age-adjusted death rates allow the comparison of Oregon and the U.S. as if the population structure of each were identical (Oregon's population is older than the U.S. as a whole). U.S. rates in this table were calculated using the federal Centers for Disease Control and Prevention WONDER (Wide-ranging Online Data for Epidemiological Research) system (<http://wonder.cdc.gov>). These rates may vary slightly from rates published by the National Center for Health Statistics and the Oregon Center for Health Statistics due to different file closure dates and different population estimate methodologies.

³ Ranked from high (1) to low (51) among the 50 states and the District of Columbia. Rankings for some causes of death are not out of a total of 51 because states with unreliable data have been excluded.

⁴ From the World Health Organization's International Classification of Disease, 10th Edition.