

TABLE 7-17. Neonatal, postneonatal and infant death rates by maternal characteristics, Oregon residents, birth cohort 2014

Selected maternal characteristics	Neonatal ¹		Postneonatal ²		Infant ³	
	No.	Rate	No.	Rate	No.	Rate
Total⁴	155	3.4	73	1.6	228	5.0
Marital status						
Married	82	2.8	32	1.1	114	3.9
Unmarried	72	4.4	39	2.4	111	6.8
Age of mother						
10-14	2	*	1	*	3	*
15-19	16	6.7	11	4.6	27	11.3
20-24	28	3.0	17	1.8	45	4.9
25-29	36	2.7	22	1.7	58	4.4
30-34	36	2.8	13	1.0	49	3.8
35-39	23	3.7	6	1.0	29	4.6
40-44	13	9.7	2	*	15	11.2
45+	—	—	1	*	1	*
Non-Hispanic race						
White	100	3.2	44	1.4	144	4.6
Black	7	7.4	2	*	9	9.5
American Indian	—	—	1	*	1	*
Asian ⁵	3	*	7	3.2	10	4.6
Pacific Islander ⁶	—	—	—	—	—	—
Other & not stated	2	*	1	*	3	*
Multiple races	9	4.8	5	2.6	14	7.4
Total Hispanic	34	4.0	13	1.5	47	5.5
Education						
8th grade or less	8	5.4	3	*	11	7.5
9th-12th grade, no diploma	23	4.5	10	2.0	33	6.5
High school/GED	45	4.4	26	2.6	71	7.0
More than high school	72	2.5	33	1.2	105	3.7
Start of prenatal care						
Any trimester	135	3.1	65	1.5	200	4.6
1st trimester	111	3.2	39	1.1	150	4.4
2nd trimester	23	3.0	21	2.7	44	5.7
3rd trimester	1	*	5	2.8	6	3.4
No prenatal care	7	20.5	4	*	11	32.3
Tobacco use						
Pre-pregnancy only	6	5.8	5	4.8	11	10.6
During pregnancy	22	4.7	22	4.7	44	9.4
No tobacco use	124	3.1	46	1.2	170	4.3
Multiple birth						
Yes	40	24.8	7	4.3	47	29.1
No	115	2.6	66	1.5	181	4.1

— Quantity is zero.

¹ Neonatal deaths include infant deaths of less than 28 days.

² Postneonatal deaths occur from day 28 through 364 after birth.

³ Infant deaths occur in the first year of life.

⁴ Due to unreported items, the sum of all categories may not equal the total.

⁵ Includes Asian Indian, Chinese, Filipino, Japanese, Korean, Vietnamese and other Asian.

⁶ Includes Guamanian, Hawaiian, Samoan and other Pacific Islander.

* Rates are not calculated when there are fewer than five deaths in a category.

NOTE: All rates per 1,000 live births.