

TABLE 6-35. Fatal overdoses and poisonings by manner, type, sex, and age, Oregon residents, 2016

Manner and type of substance ¹	Total	M	F	Age at death									
				0-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	1,005	665	340	2	1	56	125	136	233	248	138	43	23
Mental and behavioral disorders due to psychoactive substance use	399	290	109	–	–	1	17	26	88	135	90	31	11
Alcohol ²	251	191	60	–	–	–	5	14	56	98	54	16	8
Opioids ³	22	13	9	–	–	–	6	1	5	4	5	1	–
Cannabinoids	–	–	–	–	–	–	–	–	–	–	–	–	–
Sedatives and hypnotics	1	–	1	–	–	–	–	–	–	1	–	–	–
Cocaine	–	–	–	–	–	–	–	–	–	–	–	–	–
Other stimulants	28	20	8	–	–	–	1	6	10	9	2	–	–
Hallucinogens	–	–	–	–	–	–	–	–	–	–	–	–	–
Tobacco ⁴	65	44	21	–	–	–	–	–	7	15	26	14	3
Volatile solvents	–	–	–	–	–	–	–	–	–	–	–	–	–
Other (multiple) psychoactive substances	32	22	10	–	–	1	5	5	10	8	3	–	–
Unintentional overdoses/poisoning	454	302	152	2	1	43	90	86	106	84	26	7	9
Nonopioid analgesics, antipyretics, etc.	3	2	1	–	–	–	–	–	–	–	2	1	–
Psychotropic, sedative-hypnotic drugs	96	74	22	–	–	5	14	13	30	29	5	–	–
Narcotics and hallucinogens ⁵	184	130	54	2	–	26	47	44	35	22	7	1	–
Other and unspecified drugs ⁶	106	52	54	–	–	7	18	17	26	18	9	3	8
Alcohol	45	31	14	–	–	1	7	9	11	12	2	2	1
Organic solvents & halogenated HC ⁷	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbon monoxide & other gases	20	13	7	–	1	4	4	3	4	3	1	–	–
Pesticides	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chemicals & substances	–	–	–	–	–	–	–	–	–	–	–	–	–
Intentional self-poisoning	117	57	60	–	–	10	12	17	31	23	18	4	2
Nonopioid analgesics, antipyretics, etc.	2	1	1	–	–	–	1	–	1	–	–	–	–
Psychotropic, sedative-hypnotic drugs	12	5	7	–	–	1	2	2	4	1	1	–	1
Narcotics and hallucinogens ⁵	24	10	14	–	–	–	3	1	5	5	7	2	1
Other and unspecified drugs ⁶	43	17	26	–	–	6	1	5	13	13	5	–	–
Alcohol	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic solvents & halogenated HC ⁷	3	1	2	–	–	–	–	2	1	–	–	–	–
Carbon monoxide & other gases	32	22	10	–	–	3	5	7	7	4	4	2	–
Pesticides	1	1	–	–	–	–	–	–	–	–	1	–	–
Other chemicals & substances	–	–	–	–	–	–	–	–	–	–	–	–	–
Assault by poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–

See footnotes at end of table.

TABLE 6-35. Fatal overdoses and poisonings by manner, type, sex, and age, Oregon residents, 2016 — Continued

Manner and type of substance ¹	Total	M	F	Age at death									
				0-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Undetermined intent	35	16	19	—	—	2	6	7	8	6	4	1	1
Nonopioid analgesics, antipyretics, etc.	1	—	1	—	—	—	1	—	—	—	—	—	—
Psychotropic, sedative-hypnotic drugs	6	4	2	—	—	—	2	1	1	—	1	1	—
Narcotics and hallucinogens ⁵	13	6	7	—	—	1	1	2	4	4	1	—	—
Other and unspecified drugs ⁶	15	6	9	—	—	1	2	4	3	2	2	—	1
Alcohol	—	—	—	—	—	—	—	—	—	—	—	—	—
Organic solvents & halogenated HC ⁷	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbon monoxide & other gases	—	—	—	—	—	—	—	—	—	—	—	—	—
Pesticides	—	—	—	—	—	—	—	—	—	—	—	—	—
Other chemicals & substances	—	—	—	—	—	—	—	—	—	—	—	—	—

— Quantity is zero.

¹ The distinction between deaths classified as mental/behavioral disorders due to psychoactive substance use versus injury deaths is somewhat factitious. Deaths attributed to drug toxicity are classified to the former category while deaths attributed to poisoning are classified as injury deaths. If the certifying physician notes that a death is due to chronic drug use, then the death is classified to mental/behavioral disorders, but this may not be done in all applicable cases. Other "natural" causes, such as drug-induced hypopituitarism, are not included here but are included in tables 6-6, 6-7, 6-17, and 6-18, among others.

² Most deaths involving abusive alcohol use are attributed to other organ systems (e.g., alcoholic cirrhosis of the liver). See "Alcohol-induced deaths" in other tables, such as 6-6, 6-7, 6-17, and 6-18, for a more inclusive count. Note these figures, too, are undercounts, as they do not include injury deaths in which alcohol played a critical role (e.g., motor vehicle crashes, homicides).

³ Does not include injury deaths due to opioid use (e.g., overdoses, suicides). Includes ICD-10 codes F11.0-F11.9.

⁴ Most deaths resulting from tobacco use were attributed to other organ systems (e.g., lung cancer, emphysema, heart disease). See tables 6-19 through 6-21 for a more complete account of tobacco-linked deaths.

⁵ Includes other drugs acting on the autonomic nervous system.

⁶ Includes deaths due to poisoning from multiple substances in more than one category.

⁷ HC = hydrocarbons.