

TABLE 6-47t. Age-adjusted death rates¹ for selected causes, Oregon residents, 2012-2016

Cause of death	2012	2013	2014	2015	2016
Total	706.4	716.8	702.8	718.6	702.6
Infectious & parasitic disease (A00-B99)	12.7	15.1	13.5	14.2	13.8
Septicemia (A40-A41)	3.7	4.7	4.1	4.7	5.1
Viral hepatitis (B15-B19)	3.2	4.6	4.1	3.5	2.9
HIV disease (B20-B24)	1.4	1.2	0.8	1.0	0.8
Malignant neoplasms (C00-C97)	167.5	163.0	159.3	159.5	154.9
Lip, oral & pharynx (C00-C14)	2.5	2.4	2.8	3.1	3.1
Esophagus (C15)	4.6	4.5	4.8	4.3	4.3
Stomach (C16)	2.7	2.3	2.9	2.2	2.8
Colon, rectum & anus (C18-C21)	13.8	14.3	12.9	13.3	13.4
Liver & intrahepatic bile duct (C22)	6.9	6.8	6.1	7.1	7.1
Pancreas (C25)	11.1	9.6	11.5	12.4	11.3
Trachea, bronchus & lung (C33-C34)	45.0	41.8	39.8	38.2	35.7
Melanoma of skin (C43)	3.4	3.1	2.4	2.7	2.2
Breast (C50)	11.0	10.8	11.0	11.0	11.6
Cervix uteri (C53)	0.6	1.0	1.1	1.2	1.0
Corpus uteri (C54-C55) ²	2.4	2.7	2.5	2.6	2.8
Ovary (C56)	4.8	4.5	4.8	4.6	4.2
Prostate (C61)	8.9	8.1	8.4	8.7	9.1
Kidney & renal pelvis (C64-C65)	3.6	3.8	3.6	3.9	3.5
Bladder (C67)	4.7	4.3	3.6	5.2	4.6
Brain, etc. (C70-C72) ²	5.0	5.5	5.4	5.2	4.0
Lymphoid & hematopoietic (C81-C96)	17.2	17.4	16.0	14.4	15.6
Non-Hodgkin's lymphoma (C82-C85)	6.5	6.3	6.5	5.1	5.8
Leukemia (C91-C95)	6.7	6.9	5.5	5.4	6.3
Lymphoid leukemia (C91)	2.1	1.8	1.7	1.5	1.9
Myeloid leukemia (C92)	3.3	4.0	2.9	3.3	3.5
Multiple myeloma (C88, C90)	3.6	3.9	3.5	3.6	3.2
Anemias (D50-D64)	1.5	1.3	1.3	0.9	1.3
Diabetes mellitus (E10-E14)	24.4	23.4	22.3	22.9	23.9
Organic dementia (F01, F03) ²	46.1	48.1	44.7	41.5	37.4
Amyotrophic lateral sclerosis (G12.2)	2.7	2.9	2.6	2.8	2.1
Parkinson's disease (G20-G21)	8.0	8.5	8.0	8.7	8.9
Alzheimer's disease (G30)	28.1	27.1	28.3	32.6	34.5
Major cardiovascular diseases (I00-I78)	184.9	189.7	184.6	190.1	188.4
Heart disease (I00-I09, I11, I13, I20-I51)	130.3	134.6	131.3	135.3	134.3
Rheumatic heart disease (I00-I09) ²	1.4	1.8	1.6	1.6	1.6
Hypertensive heart disease (I11)	4.5	4.2	4.5	4.2	4.8
Hypertensive heart & renal disease (I13)	1.0	1.2	1.1	1.4	1.4
Ischemic heart disease (I20-I25)	70.2	71.1	66.9	67.7	66.9
Myocardial infarction (I21-I22)	20.7	21.4	20.2	20.6	20.4
Chronic ischemic heart disease (I20, I25)	49.1	49.2	46.4	46.8	46.1
Atherosclerotic cardiovascular dis. (I25.0)	3.6	3.9	2.9	3.0	2.7
Other chr. isch. hrt. dis. (I20, I25.1-I25.9)	45.5	45.3	43.5	43.8	43.3
Nonrheumatic mitral valve disease (I34)	1.1	0.9	1.2	1.1	1.2
Nonrheumatic aortic valve disease (I35)	9.4	10.2	10.7	9.8	9.4
Heart failure (I50)	15.6	17.0	17.8	19.4	19.7
Hypertension & hyp. renal disease (I10, I12, I15)	10.4	10.7	9.8	11.1	10.5
Cerebrovascular disease (I60-I69) ²	37.5	37.0	37.0	37.1	37.5
Subarachnoid hemorrhage (I60)	1.6	1.1	1.3	1.3	1.4
Intracerebral hemorrhage (I61-I62) ²	6.6	7.6	7.3	7.4	7.5
Cerebral infarction (I63)	1.7	1.8	1.7	2.0	2.8
Stroke (type not specified) (I64)	19.9	18.8	18.3	17.4	15.7
Atherosclerosis (I70)	1.1	1.2	0.8	0.9	0.9

See footnotes at end of table.

TABLE 6-47t. Age-adjusted death rates¹ for selected causes, Oregon residents, 2012-2016 — Continued

Cause of death	2012	2013	2014	2015	2016
Aortic aneurysm & dissection (I71)	3.2	3.3	3.0	3.0	2.5
Diseases of arteries (I72-I78) ²	2.3	2.9	2.6	2.6	2.7
Influenza & pneumonia (J09-J18)	8.1	10.5	9.1	9.0	8.8
Pneumonia (J12-J18)	7.7	9.0	8.2	7.0	7.0
Chronic lower respiratory disease (J40-J47) ²	42.0	42.6	39.7	41.9	40.0
Emphysema (J43)	3.4	3.3	2.7	2.8	3.0
Asthma (J45-J46)	1.3	1.4	1.7	1.1	1.6
Other CLRD (J44, J47)	37.1	37.8	35.2	37.8	35.3
Pneumonitis from solids & liquids (J69)	2.8	3.3	3.1	3.4	2.7
Peptic ulcer (K25-K28)	1.0	1.0	1.1	1.0	1.4
Vascular disorders of the intestine (K55)	2.2	2.6	2.7	2.4	2.3
Chronic liver disease & cirrhosis (K70, K73-K74)	11.4	11.7	12.8	13.8	12.2
Alcoholic liver disease (K70) ²	8.7	8.7	10.7	11.7	10.4
Cholelithiasis (K80-K82) ²	1.0	1.2	1.5	1.3	1.3
Musculoskeletal disease (M00-M99) ²	5.3	5.1	4.9	4.9	4.7
Genitourinary system disease (N00-N99)	12.0	11.5	12.4	13.7	12.3
Nephritis (N00-N07, N17-N19, N25-N27) ²	6.9	6.8	7.6	8.1	7.7
Renal failure (N17-N19)	6.7	6.5	7.4	7.7	7.3
Urinary tract infection (N39.0)	3.3	2.9	3.0	3.4	2.8
Perinatal conditions (P00-P96)	3.5	3.8	3.9	3.4	3.1
Congenital malformations (Q00-Q99) ²	3.2	3.7	2.5	3.2	3.4
Malformation of the heart (Q20-Q24)	0.8	1.4	0.6	1.0	0.9
Symptoms & signs NEC (R00-R99) ²	13.2	14.8	12.5	10.9	9.7
Unintentional injuries (V01-X59, Y85-Y86)	38.9	39.6	40.7	44.1	46.0
Transport accidents (V01-V99, Y85)	9.8	9.8	10.6	12.9	13.3
Motor vehicle accidents (many codes) ²	8.6	8.6	9.1	11.8	12.2
Motor vehicle traffic accidents (many codes) ²	7.9	7.9	8.5	11.3	11.8
Water & air, etc. (V90-V99, Y85)	0.9	0.8	0.9	0.9	0.8
Nontransport accidents (W00-X59, Y86)	29.1	29.8	30.1	31.2	32.7
Falls (W00-W19)	13.1	13.2	12.5	14.5	14.0
Drowning & submersion (W65-W74)	1.5	1.4	1.4	1.5	1.9
Exposure to smoke & fire (X00-X09)	0.6	0.9	0.9	0.8	0.6
Poisoning (X40-X49) ²	9.2	9.5	10.6	9.6	10.9
Suicide (X60-X84, Y87.0)	17.6	16.8	18.6	17.8	17.8
Poisoning (X60-X69)	3.1	2.7	2.7	2.8	2.7
Hanging/suffocation (X70)	4.1	3.6	4.6	4.8	4.5
Firearm discharge (X72-X74)	8.9	9.2	9.8	8.6	9.3
Homicide (X85-Y09, Y87.1)	2.8	2.3	2.4	3.5	3.2
Firearm discharge (X93-X95)	1.4	1.4	1.3	2.4	1.9
Undetermined intent (Y10-Y34, Y87.2, Y89.9)	1.9	1.8	1.7	1.8	1.5
Alcohol-induced (many codes) ²	14.7	15.4	16.4	18.7	16.9
Drug-induced (many codes) ²	14.0	13.0	14.6	14.0	15.0
Injury by firearms (many codes) ²	10.8	11.0	11.7	11.4	11.8

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

TABLE 6-47m. Age-adjusted death rates¹ for selected causes, Oregon resident males, 2012-2016

Cause of death	2012	2013	2014	2015	2016
Total	827.8	843.9	831.8	838.1	833.6
Infectious & parasitic disease (A00-B99)	15.5	19.2	16.5	16.5	16.5
Septicemia (A40-A41)	4.3	5.7	4.4	4.7	5.8
Viral hepatitis (B15-B19)	4.4	6.6	5.8	4.8	4.0
HIV disease (B20-B24)	2.1	2.1	1.4	1.7	1.4
Malignant neoplasms (C00-C97)	199.5	193.6	187.2	185.8	183.9
Lip, oral & pharynx (C00-C14)	3.7	3.5	4.1	4.1	4.4
Esophagus (C15)	8.0	8.2	8.0	7.8	7.6
Stomach (C16)	3.2	3.4	4.0	3.0	3.9
Colon, rectum & anus (C18-C21)	16.2	16.1	16.0	15.0	15.9
Liver & intrahepatic bile duct (C22)	10.5	9.6	9.1	10.9	9.8
Pancreas (C25)	12.9	10.9	13.4	15.0	13.6
Trachea, bronchus & lung (C33-C34)	52.5	48.4	45.2	43.4	41.6
Melanoma of skin (C43)	4.8	4.7	3.3	3.5	3.1
Breast (C50)	*	*	*	*	*
Cervix uteri (C53)	—	—	—	—	—
Corpus uteri (C54-C55) ²	—	—	—	—	—
Ovary (C56)	—	—	—	—	—
Prostate (C61)	21.5	19.6	20.4	20.8	21.8
Kidney & renal pelvis (C64-C65)	5.1	5.9	5.5	5.8	5.1
Bladder (C67)	7.8	7.4	6.8	8.5	7.9
Brain, etc. (C70-C72) ²	6.0	6.2	7.1	6.1	4.9
Lymphoid & hematopoietic (C81-C96)	22.8	23.6	20.1	18.9	21.6
Non-Hodgkin's lymphoma (C82-C85)	8.5	8.4	7.7	6.4	8.3
Leukemia (C91-C95)	9.4	9.7	7.4	7.4	8.7
Lymphoid leukemia (C91)	3.0	2.8	2.5	2.3	2.8
Myeloid leukemia (C92)	4.7	5.5	3.7	4.2	4.8
Multiple myeloma (C88, C90)	4.4	5.2	4.4	4.7	4.1
Anemias (D50-D64)	1.7	1.3	1.5	1.1	1.6
Diabetes mellitus (E10-E14)	30.3	30.5	28.0	28.8	31.9
Organic dementia (F01, F03) ²	40.0	43.0	40.5	36.8	34.1
Amyotrophic lateral sclerosis (G12.2)	3.2	3.4	3.5	3.1	2.5
Parkinson's disease (G20-G21)	12.1	12.4	11.9	12.9	13.7
Alzheimer's disease (G30)	23.5	21.8	23.6	26.6	27.5
Major cardiovascular diseases (I00-I78)	225.4	235.2	228.5	226.6	233.1
Heart disease (I00-I09, I11, I13, I20-I51)	167.1	174.7	170.5	170.4	175.7
Rheumatic heart disease (I00-I09) ²	1.4	1.1	1.5	1.2	1.4
Hypertensive heart disease (I11)	4.1	4.5	4.4	3.5	4.7
Hypertensive heart & renal disease (I13)	*	1.2	1.4	1.4	1.4
Ischemic heart disease (I20-I25)	102.6	103.8	98.9	100.4	102.4
Myocardial infarction (I21-I22)	28.6	29.2	28.3	28.7	29.7
Chronic ischemic heart disease (I20, I25)	73.6	74.2	70.3	71.3	72.1
Atherosclerotic cardiovascular dis. (I25.0)	5.7	5.5	4.1	3.8	4.6
Other chr. isch. hrt. dis. (I20, I25.1-I25.9)	67.9	68.6	66.2	67.5	67.6
Nonrheumatic mitral valve disease (I34)	1.1	*	1.0	1.2	1.1
Nonrheumatic aortic valve disease (I35)	10.5	11.7	11.1	10.1	9.8
Heart failure (I50)	18.1	18.8	21.6	21.7	22.4
Hypertension & hyp. renal disease (I10, I12, I15)	10.4	12.5	10.0	11.7	11.6
Cerebrovascular disease (I60-I69) ²	39.0	38.3	40.3	36.9	38.1
Subarachnoid hemorrhage (I60)	1.1	*	1.1	*	1.6
Intracerebral hemorrhage (I61-I62) ²	8.3	8.7	8.5	7.7	8.1
Cerebral infarction (I63)	1.7	2.7	1.9	1.5	2.8
Stroke (type not specified) (I64)	19.7	18.1	18.4	17.4	15.4

See footnotes at end of table.

TABLE 6-47m. Age-adjusted death rates¹ for selected causes, Oregon resident males, 2012-2016 — Continued

Cause of death	2012	2013	2014	2015	2016
Atherosclerosis (I70)	1.6	1.6	*	1.2	1.1
Aortic aneurysm & dissection (I71)	4.5	4.6	3.7	4.0	3.4
Diseases of arteries (I72-I78) ²	2.8	3.6	3.1	2.4	3.2
Influenza & pneumonia (J09-J18)	9.3	11.9	9.8	10.2	10.0
Pneumonia (J12-J18)	8.7	10.6	9.0	8.3	8.0
Chronic lower respiratory disease (J40-J47) ²	44.8	47.2	45.4	44.2	44.7
Emphysema (J43)	3.6	3.8	3.3	3.3	3.9
Asthma (J45-J46)	*	1.0	1.3	*	1.4
Other CLRD (J44, J47)	40.2	42.2	40.7	40.1	39.2
Pneumonitis from solids & liquids (J69)	4.3	4.4	4.3	4.6	4.0
Peptic ulcer (K25-K28)	1.4	*	1.6	1.1	1.7
Vascular disorders of the intestine (K55)	1.5	1.9	1.9	2.1	1.9
Chronic liver disease & cirrhosis (K70, K73-K74)	14.8	16.1	17.0	18.4	16.5
Alcoholic liver disease (K70) ²	11.6	12.4	14.6	16.4	14.1
Cholelithiasis (K80-K82) ²	*	1.6	1.7	1.5	1.3
Musculoskeletal disease (M00-M99) ²	4.7	3.8	4.2	4.4	4.3
Genitourinary system disease (N00-N99)	14.5	12.8	14.8	16.2	14.2
Nephritis (N00-N07, N17-N19, N25-N27) ²	9.1	7.9	10.1	10.4	9.7
Renal failure (N17-N19)	8.8	7.4	9.9	9.8	9.1
Urinary tract infection (N59.0)	2.9	2.4	2.6	2.6	2.3
Perinatal conditions (P00-P96)	3.9	3.5	4.5	4.4	3.3
Congenital malformations (Q00-Q99) ²	3.2	3.9	2.3	3.3	3.9
Malformation of the heart (Q20-Q24)	*	1.6	*	1.1	1.0
Symptoms & signs NEC (R00-R99) ²	13.3	15.9	13.6	13.0	11.0
Unintentional injuries (V01-X59, Y85-Y86)	49.3	50.4	52.6	58.9	60.0
Transport accidents (V01-V99, Y85)	13.8	14.8	15.6	18.7	18.9
Motor vehicle accidents (many codes) ²	11.9	12.8	13.0	16.9	16.9
Motor vehicle traffic accidents (many codes) ²	10.6	11.5	12.3	16.0	16.1
Water & air, etc. (V90-V99, Y85)	1.5	1.2	1.6	1.5	1.5
Nontransport accidents (W00-X59, Y86)	35.6	35.6	37.0	40.2	41.2
Falls (W00-W19)	14.6	14.9	13.6	17.4	15.3
Drowning & submersion (W65-W74)	2.3	1.9	2.2	2.4	2.9
Exposure to smoke & fire (X00-X09)	*	1.2	1.1	1.0	0.9
Poisoning (X40-X49) ²	11.8	11.2	13.5	12.9	14.6
Suicide (X60-X84, Y87.0)	27.8	26.6	30.1	27.6	27.6
Poisoning (X60-X69)	2.9	2.9	3.1	2.9	2.7
Hanging/suffocation (X70)	6.4	5.6	7.1	7.6	6.5
Firearm discharge (X72-X74)	16.0	16.3	17.5	15.2	16.5
Homicide (X85-Y09, Y87.1)	3.7	3.1	3.2	5.1	4.6
Firearm discharge (X93-X95)	1.9	1.9	1.7	3.6	3.1
Undetermined intent (Y10-Y34, Y87.2, Y89.9)	2.0	2.0	2.0	2.2	1.8
Alcohol-induced (many codes) ²	21.3	22.7	23.7	27.9	24.2
Drug-induced (many codes) ²	16.4	14.9	17.5	17.4	18.9
Injury by firearms (many codes) ²	18.8	19.1	20.2	19.6	20.6

— Quantity is zero.

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

TABLE 6-47f. Age-adjusted death rates¹ for selected causes, Oregon resident females, 2012-2016

Cause of death	2012	2013	2014	2015	2016
Total	605.6	612.6	597.6	617.2	594.0
Infectious & parasitic disease (A00-B99)	10.3	11.4	10.7	12.3	11.4
Septicemia (A40-A41)	3.2	3.9	3.8	4.6	4.7
Viral hepatitis (B15-B19)	2.0	2.6	2.6	2.2	1.9
HIV disease (B20-B24)	*	*	*	*	*
Malignant neoplasms (C00-C97)	143.8	140.9	139.8	140.0	133.9
Lip, oral & pharynx (C00-C14)	1.4	1.4	1.6	2.3	1.9
Esophagus (C15)	1.8	1.3	2.2	1.4	1.6
Stomach (C16)	2.3	1.4	2.0	1.5	1.9
Colon, rectum & anus (C18-C21)	11.8	12.9	10.5	11.9	11.3
Liver & intrahepatic bile duct (C22)	3.8	4.4	3.4	3.9	4.7
Pancreas (C25)	9.6	8.4	9.9	10.3	9.5
Trachea, bronchus & lung (C33-C34)	39.4	36.9	35.9	34.1	31.4
Melanoma of skin (C43)	2.2	1.7	1.7	2.1	1.5
Breast (C50)	20.1	19.9	20.3	19.9	21.3
Cervix uteri (C53)	1.1	1.9	2.2	2.3	2.0
Corpus uteri (C54-C55) ²	4.3	5.0	4.7	4.9	5.1
Ovary (C56)	8.8	8.4	8.9	8.4	7.8
Prostate (C61)	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	2.2	2.2	2.2	2.5	2.1
Bladder (C67)	2.5	1.9	1.3	2.8	2.1
Brain, etc. (C70-C72) ²	4.1	4.8	3.8	4.3	3.3
Lymphoid & hematopoietic (C81-C96)	12.7	12.3	12.8	11.0	11.0
Non-Hodgkin's lymphoma (C82-C85)	4.9	4.5	5.6	4.0	3.8
Leukemia (C91-C95)	4.6	4.7	4.0	4.0	4.4
Lymphoid leukemia (C91)	1.4	1.1	1.1	1.0	1.2
Myeloid leukemia (C92)	2.2	2.7	2.3	2.6	2.5
Multiple myeloma (C88, C90)	3.0	2.9	2.9	2.8	2.4
Anemias (D50-D64)	1.4	1.3	1.2	0.8	1.1
Diabetes mellitus (E10-E14)	19.3	17.8	17.6	18.0	17.5
Organic dementia (F01, F03) ²	49.6	50.9	47.1	44.4	39.0
Amyotrophic lateral sclerosis (G12.2)	2.3	2.5	1.9	2.5	1.8
Parkinson's disease (G20-G21)	5.2	5.7	5.3	5.9	5.7
Alzheimer's disease (G30)	30.8	30.6	31.1	36.4	38.9
Major cardiovascular diseases (I00-I78)	151.9	153.5	149.9	159.1	152.2
Heart disease (I00-I09, I11, I13, I20-I51)	101.0	103.3	100.7	106.3	101.7
Rheumatic heart disease (I00-I09) ²	1.4	2.2	1.7	1.9	1.8
Hypertensive heart disease (I11)	4.6	3.8	4.2	4.5	4.7
Hypertensive heart & renal disease (I13)	1.1	1.2	0.8	1.3	1.4
Ischemic heart disease (I20-I25)	45.0	46.0	42.4	42.1	39.4
Myocardial infarction (I21-I22)	14.3	15.4	13.7	13.9	13.1
Chronic ischemic heart disease (I20, I25)	30.3	30.2	28.3	27.9	26.0
Atherosclerotic cardiovascular dis. (I25.0)	2.0	2.5	1.9	2.2	1.3
Other chr. isch. hrt. dis. (I20, I25.1-I25.9)	28.4	27.7	26.4	25.7	24.7
Nonrheumatic mitral valve disease (I34)	1.1	1.0	1.3	1.2	1.3
Nonrheumatic aortic valve disease (I35)	8.6	9.0	10.2	9.6	9.2
Heart failure (I50)	13.9	15.7	15.1	17.5	17.5
Hypertension & hyp. renal disease (I10, I12, I15)	9.9	9.1	9.4	10.4	9.4
Cerebrovascular disease (I60-I69) ²	35.9	35.6	34.5	36.7	36.3
Subarachnoid hemorrhage (I60)	1.9	1.3	1.5	1.7	1.2
Intracerebral hemorrhage (I61-I62) ²	5.2	6.7	6.6	7.2	6.9
Cerebral infarction (I63)	1.7	1.1	1.6	2.2	2.8
Stroke (type not specified) (I64)	19.6	19.1	17.9	17.2	15.5

See footnotes at end of table.

TABLE 6-47f. Age-adjusted death rates¹ for selected causes, Oregon resident females, 2012-2016 — Continued

Cause of death	2012	2013	2014	2015	2016
Atherosclerosis (I70)	0.8	0.9	0.7	0.7	0.8
Aortic aneurysm & dissection (I71)	2.2	2.3	2.4	2.2	1.7
Diseases of arteries (I72-I78) ²	2.0	2.3	2.1	2.7	2.3
Influenza & pneumonia (J09-J18)	7.3	9.7	8.7	8.0	8.0
Pneumonia (J12-J18)	7.0	8.1	7.8	6.1	6.2
Chronic lower respiratory disease (J40-J47) ²	40.2	39.6	35.6	40.6	36.9
Emphysema (J43)	3.2	3.0	2.3	2.4	2.3
Asthma (J45-J46)	1.5	1.6	2.0	1.5	1.8
Other CLRD (J44, J47)	35.1	34.9	31.2	36.6	32.7
Pneumonitis from solids & liquids (J69)	1.8	2.6	2.3	2.5	1.8
Peptic ulcer (K25-K28)	*	1.0	0.8	0.9	1.2
Vascular disorders of the intestine (K55)	2.8	2.9	3.3	2.6	2.6
Chronic liver disease & cirrhosis (K70, K73-K74)	8.3	7.7	8.9	9.5	8.4
Alcoholic liver disease (K70) ²	6.0	5.3	6.9	7.3	6.9
Cholelithiasis (K80-K82) ²	1.1	0.9	1.4	1.2	1.2
Musculoskeletal disease (M00-M99) ²	5.8	5.9	5.4	5.2	5.0
Genitourinary system disease (N00-N99)	10.5	10.7	10.9	12.0	11.4
Nephritis (N00-N07, N17-N19, N25-N27) ²	5.5	6.2	6.0	6.5	6.6
Renal failure (N17-N19)	5.3	6.0	5.9	6.3	6.3
Urinary tract infection (N59.0)	3.6	3.2	3.3	3.9	3.4
Perinatal conditions (P00-P96)	3.0	4.0	3.3	2.5	2.8
Congenital malformations (Q00-Q99) ²	3.2	3.4	2.7	3.2	2.7
Malformation of the heart (Q20-Q24)	*	1.2	*	*	*
Symptoms & signs NEC (R00-R99) ²	12.4	13.5	11.2	8.9	8.4
Unintentional injuries (V01-X59, Y85-Y86)	29.1	29.5	29.3	30.3	32.9
Transport accidents (V01-V99, Y85)	6.0	5.0	5.8	7.3	8.1
Motor vehicle accidents (many codes) ²	5.6	4.6	5.4	6.9	7.8
Motor vehicle traffic accidents (many codes) ²	5.3	4.4	5.0	6.7	7.7
Water & air, etc. (V90-V99, Y85)	*	*	*	*	*
Nontransport accidents (W00-X59, Y86)	23.1	24.4	23.5	23.1	24.7
Falls (W00-W19)	11.7	11.9	11.5	12.2	12.8
Drowning & submersion (W65-W74)	*	*	*	*	1.0
Exposure to smoke & fire (X00-X09)	*	*	*	*	*
Poisoning (X40-X49) ²	6.6	7.9	7.7	6.3	7.2
Suicide (X60-X84, Y87.0)	8.1	7.6	7.9	8.5	8.7
Poisoning (X60-X69)	3.2	2.5	2.4	2.8	2.7
Hanging/suffocation (X70)	1.8	1.7	2.1	2.1	2.6
Firearm discharge (X72-X74)	2.4	2.6	2.7	2.4	2.6
Homicide (X85-Y09, Y87.1)	2.0	1.4	1.7	1.9	1.9
Firearm discharge (X93-X95)	*	*	*	1.1	*
Undetermined intent (Y10-Y34, Y87.2, Y89.9)	1.8	1.5	1.5	1.5	1.2
Alcohol-induced (many codes) ²	8.6	8.5	9.7	10.1	10.2
Drug-induced (many codes) ²	11.6	11.2	11.7	10.9	11.2
Injury by firearms (many codes) ²	3.3	3.5	3.9	3.6	3.5

— Quantity is zero.

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.