

TABLE 7-8. Early neonatal deaths¹ by weeks of gestation and weight, Oregon residents, birth cohort 2015

Birthweight (in grams)	Total	Weeks of gestation ²									
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+	N.S.
Total ³	128	17	43	25	13	10	1	11	4	2	2
001-349	28	17	10	1	—	—	—	—	—	—	—
350-499	23	—	20	3	—	—	—	—	—	—	—
<500	51	17	30	4	—	—	—	—	—	—	—
500-749	28	—	13	15	—	—	—	—	—	—	—
750-999	7	—	—	4	3	—	—	—	—	—	—
1000-1249	4	—	—	1	3	—	—	—	—	—	—
1250-1499	3	—	—	—	3	—	—	—	—	—	—
1500-1999	9	—	—	—	4	4	—	1	—	—	—
2000-2499	8	—	—	—	—	3	—	4	—	1	—
<2500	110	17	43	24	13	7	—	5	—	1	—
2500+	16	—	—	—	—	3	1	6	4	1	1
2500-2999	7	—	—	—	—	2	1	4	—	—	—
3000-3499	5	—	—	—	—	1	—	2	1	1	—
3500-3999	3	—	—	—	—	—	—	—	3	—	—
4000-4499	1	—	—	—	—	—	—	—	—	—	1
4500+	—	—	—	—	—	—	—	—	—	—	—

— Quantity is zero.

¹ Early neonatal deaths occur through day six after birth.

² Clinical estimate of gestation. If clinical estimate is unknown, gestation is calculated from reported date of last menses.

³ Total includes reports with unknown weight.