

TABLE 7-17. Neonatal, postneonatal and infant death rates by maternal characteristics, Oregon residents, birth cohort 2015

Selected maternal characteristics	Neonatal ¹		Postneonatal ²		Infant ³	
	No.	Rate	No.	Rate	No.	Rate
Total⁴	153	3.4	69	1.5	222	4.9
Marital status						
Married	92	3.2	33	1.1	125	4.3
Unmarried	59	3.6	36	2.2	95	5.8
Age of mother						
10-14	—	—	—	—	—	—
15-19	11	4.8	3	*	14	6.1
20-24	23	2.6	26	2.9	49	5.5
25-29	45	3.4	21	1.6	66	5.0
30-34	39	3.0	9	0.7	48	3.7
35-39	26	3.9	8	1.2	34	5.1
40-44	8	6.0	2	*	10	7.4
45+	1	*	—	—	1	*
Non-Hispanic race						
White	103	3.3	52	1.7	155	5.0
Black	10	9.7	4	*	14	13.6
American Indian	—	—	1	*	1	*
Asian ⁵	8	3.5	2	*	10	4.4
Pacific Islander ⁶	1	*	1	*	2	*
Other & not stated	3	*	—	—	3	*
Multiple races	4	*	4	*	8	4.7
Total Hispanic	24	2.8	5	0.6	29	3.4
Education						
8th grade or less	3	*	1	*	4	*
9th-12th grade, no diploma	14	2.9	10	2.1	24	4.9
High school/GED	38	3.8	25	2.5	63	6.3
More than high school	87	3.0	33	1.1	120	4.1
Start of prenatal care						
Any trimester	127	2.9	61	1.4	188	4.2
1st trimester	106	3.0	47	1.3	153	4.3
2nd trimester	19	2.6	11	1.5	30	4.1
3rd trimester	2	*	3	*	5	3.0
No prenatal care	13	39.8	1	*	14	42.8
Tobacco use						
Pre-pregnancy only	3	*	5	4.1	8	6.5
During pregnancy	19	4.2	18	4.0	37	8.2
No tobacco use	125	3.1	45	1.1	170	4.3
Multiple birth						
Yes	25	15.9	9	5.7	34	21.6
No	128	2.9	60	1.4	188	4.3

— Quantity is zero.

¹ Neonatal deaths include infant deaths of less than 28 days.

² Postneonatal deaths occur from day 28 through 364 after birth.

³ Infant deaths occur in the first year of life.

⁴ Due to unreported items, the sum of all categories may not equal the total.

⁵ Includes Asian Indian, Chinese, Filipino, Japanese, Korean, Vietnamese and other Asian.

⁶ Includes Guamanian, Hawaiian, Samoan and other Pacific Islander.

* Rates are not calculated when there are fewer than five deaths in a category.

NOTE: All rates per 1,000 live births.