

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total *	36,640	236	50	75	341	552	861	1,808	4,610	7,173	8,685	12,249
Male	18,689	134	30	40	244	394	522	1,084	2,813	4,183	4,535	4,710
Female	17,949	102	20	35	97	157	339	724	1,796	2,990	4,150	7,539
Infections & parasitic disease (A00-B99)	695	9	3	1	1	6	20	61	137	162	137	158
Male	366	5	2	1	1	4	10	40	83	90	69	61
Female	329	4	1	—	—	2	10	21	54	72	68	97
Tuberculosis (A16-A19)	6	—	—	—	—	—	—	1	1	3	—	1
Male	5	—	—	—	—	—	—	1	1	3	—	—
Female	1	—	—	—	—	—	—	—	—	—	—	1
Septicemia (A40-A41)	242	3	1	1	1	2	7	14	39	56	57	61
Male	122	2	—	1	1	2	2	6	20	33	27	28
Female	120	1	1	—	—	—	5	8	19	23	30	33
Creutzfeldt-Jacob disease (A81.0)	11	—	—	—	—	—	—	—	1	7	2	1
Male	6	—	—	—	—	—	—	—	1	3	1	1
Female	5	—	—	—	—	—	—	—	—	4	1	—
Viral hepatitis (B15-B19)	139	—	—	—	—	—	2	25	58	41	8	5
Male	89	—	—	—	—	—	1	16	39	26	6	1
Female	50	—	—	—	—	—	1	9	19	15	2	4
HIV/AIDS (B20-B24)²	42	—	—	—	—	—	7	15	13	5	1	1
Male	34	—	—	—	—	—	6	14	8	5	1	—
Female	8	—	—	—	—	—	1	1	5	—	—	1
Malignant neoplasms (C00-C97)	8,084	1	5	13	16	37	136	429	1,457	2,361	2,247	1,382
Male	4,194	—	3	7	6	20	53	202	797	1,290	1,178	638
Female	3,890	1	2	6	10	17	83	227	660	1,071	1,069	744
Lip, oral cavity & pharynx (C00-C14)	145	—	—	—	1	—	2	9	37	55	27	14
Male	112	—	—	—	—	—	2	9	30	43	19	9
Female	33	—	—	—	1	—	—	—	7	12	8	5
Digestive organs (C15-C26)	2,151	—	—	2	—	5	38	127	464	631	568	316
Male	1,251	—	—	2	—	2	18	80	301	405	305	138
Female	900	—	—	—	—	3	20	47	163	226	263	178
Esophagus (C15)	249	—	—	—	—	—	4	20	57	88	59	21
Male	209	—	—	—	—	—	2	18	49	72	50	18
Female	40	—	—	—	—	—	2	2	8	16	9	3
Stomach (C16)	97	—	—	—	—	—	6	6	13	33	24	15
Male	60	—	—	—	—	—	4	3	7	22	13	11
Female	37	—	—	—	—	—	2	3	6	11	11	4
Colon, rectum & anus (C18-C21)	667	—	—	—	—	4	16	45	134	147	192	129
Male	334	—	—	—	—	2	6	25	78	80	102	41
Female	333	—	—	—	—	2	10	20	56	67	90	88

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Colon (C18)	437	—	—	—	—	4	9	27	77	96	136	88
Male	213	—	—	—	—	2	4	13	47	50	69	28
Female	224	—	—	—	—	2	5	14	30	46	67	60
Rectosigmoid junction (C19)	53	—	—	—	—	5	4	16	9	11	8	
Male	31	—	—	—	—	2	3	9	4	8	5	
Female	22	—	—	—	—	3	1	7	5	3	3	
Rectum (C20)	143	—	—	—	—	2	11	31	35	36	28	
Male	78	—	—	—	—	—	8	17	22	23	8	
Female	65	—	—	—	—	2	3	14	13	13	20	
Liver & intrahepatic bile ducts (C22)	379	—	—	2	—	4	17	117	143	67	29	
Male	262	—	—	2	—	2	9	85	107	43	14	
Female	117	—	—	—	—	2	8	32	36	24	15	
Pancreas (C25)	640	—	—	—	—	7	31	120	195	196	91	
Male	326	—	—	—	—	3	19	69	110	84	41	
Female	314	—	—	—	—	4	12	51	85	112	50	
Respiratory, intrathoracic organs (C30-C39) ...	1,911	—	—	—	—	1	9	68	334	661	594	244
Male	954	—	—	—	—	—	6	33	179	344	286	106
Female	957	—	—	—	—	1	3	35	155	317	308	138
Larynx (C32)	27	—	—	—	—	—	1	5	11	8	2	
Male	24	—	—	—	—	—	1	5	10	6	2	
Female	3	—	—	—	—	—	—	—	1	2	—	
Trachea, bronchus & lung (C33-C34)	1,865	—	—	—	—	8	66	325	645	581	240	
Male	922	—	—	—	—	5	32	171	332	278	104	
Female	943	—	—	—	—	3	34	154	313	303	136	
Bronchus & lung (C34)	1,865	—	—	—	—	8	66	325	645	581	240	
Male	922	—	—	—	—	5	32	171	332	278	104	
Female	943	—	—	—	—	3	34	154	313	303	136	
Skin (C43-C44)	194	—	—	—	1	4	8	5	37	44	55	40
Male	136	—	—	—	—	3	6	5	26	38	37	21
Female	58	—	—	—	1	1	2	—	11	6	18	19
Melanoma of skin (C43)	133	—	—	—	—	3	7	4	26	32	38	23
Male	91	—	—	—	—	2	5	4	18	28	24	10
Female	42	—	—	—	—	1	2	—	8	4	14	13
Mesothelioma (C45)	41	—	—	—	—	—	—	1	1	11	23	5
Male	30	—	—	—	—	—	—	—	1	9	17	3
Female	11	—	—	—	—	—	—	1	—	2	6	2
Breast (C50)	516	—	—	—	—	1	25	57	110	132	103	88
Male	10	—	—	—	—	—	—	—	1	3	4	2
Female	506	—	—	—	—	1	25	57	109	129	99	86

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Female genital organs (C51-C58)	465	—	—	—	—	6	13	45	78	149	100	74
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	465	—	—	—	—	6	13	45	78	149	100	74
Cervix uteri (C53)	47	—	—	—	—	3	4	13	6	11	5	5
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	47	—	—	—	—	3	4	13	6	11	5	5
Corpus uteri (C54-C55) ³	138	—	—	—	—	—	6	11	24	55	22	20
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	138	—	—	—	—	—	6	11	24	55	22	20
Ovary (C56)	239	—	—	—	—	3	3	19	44	70	62	38
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	239	—	—	—	—	3	3	19	44	70	62	38
Male genital organs (C60-C63)	455	—	—	—	3	2	1	7	34	121	151	136
Male	455	—	—	—	3	2	1	7	34	121	151	136
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	441	—	—	—	—	—	—	6	32	118	151	134
Male	441	—	—	—	—	—	—	6	32	118	151	134
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	190	—	—	—	—	1	1	15	27	60	53	33
Male	131	—	—	—	—	1	1	9	22	47	34	17
Female	59	—	—	—	—	—	—	6	5	13	19	16
Bladder (C67)	254	—	—	—	—	—	1	4	29	53	79	88
Male	173	—	—	—	—	—	1	2	23	39	48	60
Female	81	—	—	—	—	—	—	2	6	14	31	28
Brain, etc. (C70-C72) ⁴	246	—	1	4	2	7	15	21	64	82	35	15
Male	140	—	1	1	1	6	6	14	45	40	22	4
Female	106	—	—	3	1	1	9	7	19	42	13	11
Thyroid/endocrine gland (C73-C75)	38	1	1	—	—	—	—	2	8	14	7	5
Male	21	—	—	—	—	—	—	2	5	8	4	2
Female	17	1	1	—	—	—	—	—	3	6	3	3
Lymphoid & hematopoietic (C81-C96)	814	—	2	2	4	4	10	34	114	191	266	187
Male	447	—	1	1	—	3	7	21	67	109	154	84
Female	367	—	1	1	4	1	3	13	47	82	112	103
Hodgkin's disease (C81)	9	—	—	—	—	—	—	1	—	3	4	1
Male	3	—	—	—	—	—	—	—	—	2	1	—
Female	6	—	—	—	—	—	—	1	—	1	3	1
Non-Hodgkin's lymphoma (C82-C85)	279	—	—	—	—	—	2	11	41	70	93	62
Male	149	—	—	—	—	—	2	8	26	40	48	25
Female	130	—	—	—	—	—	—	3	15	30	45	37

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Leukemia (C91-C95)	346	–	2	2	4	4	8	17	46	73	108	82
Male	193	–	1	1	–	3	5	8	27	40	69	39
Female	153	–	1	1	4	1	3	9	19	33	39	43
Lymphoid leukemia (C91)	90	–	1	1	2	2	2	–	11	12	30	29
Male	53	–	1	–	–	1	2	–	7	8	17	17
Female	37	–	–	1	2	1	–	–	4	4	13	12
Myeloid leukemia (C92)	206	–	1	–	2	2	5	15	31	49	63	38
Male	112	–	–	–	–	2	2	6	16	27	45	14
Female	94	–	1	–	2	–	3	9	15	22	18	24
Multiple myeloma (C88, C90)⁵	174	–	–	–	–	–	–	5	26	45	58	40
Male	99	–	–	–	–	–	–	5	13	27	35	19
Female	75	–	–	–	–	–	–	–	13	18	23	21
Neoplas. not specif. as malign. (D00-D48)⁶ ...	224	1	–	1	2	1	2	1	16	58	70	72
Male	121	–	–	1	–	1	2	–	8	31	41	37
Female	103	1	–	–	2	–	–	1	8	27	29	35
Myelodysplastic syndromes (D46)	94	–	–	–	–	–	–	–	2	21	36	35
Male	55	–	–	–	–	–	–	–	1	12	22	20
Female	39	–	–	–	–	–	–	–	1	9	14	15
Diseases of the blood (D50-89)⁷	126	2	2	2	1	3	2	6	15	25	27	41
Male	69	1	1	1	1	2	2	3	11	15	15	17
Female	57	1	1	1	–	1	–	3	4	10	12	24
Anemias (D50-D64)	61	1	1	–	1	1	1	–	5	10	10	31
Male	30	1	–	–	1	1	1	–	3	5	5	13
Female	31	–	1	–	–	–	–	–	2	5	5	18
Endocrine & nutritional dis. (E00-E88)⁸	1,844	1	1	1	5	18	46	137	345	432	426	432
Male	1,017	1	1	–	2	9	25	79	210	260	235	195
Female	827	–	–	1	3	9	21	58	135	172	191	237
Diabetes mellitus (E10-E14)	1,243	–	–	–	3	8	28	92	244	301	295	272
Male	707	–	–	–	1	5	15	49	150	188	167	132
Female	536	–	–	–	2	3	13	43	94	113	128	140
Nutritional deficiencies (E40-E64)	98	–	–	–	–	2	–	1	3	12	22	58
Male	38	–	–	–	–	–	–	1	2	3	13	19
Female	60	–	–	–	–	2	–	–	1	9	9	39
Malnutrition (E40-E46)	98	–	–	–	–	2	–	1	3	12	22	58
Male	38	–	–	–	–	–	–	1	2	3	13	19
Female	60	–	–	–	–	2	–	–	1	9	9	39
Mental disorders (F01-F99)⁹	2,658	1	–	–	4	24	31	107	171	259	530	1,531
Male	1,090	1	–	–	2	16	15	75	122	162	252	445
Female	1,568	–	–	–	2	8	16	32	49	97	278	1,086

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Organic dementia (F01, F03) ¹⁰	2,138	—	—	—	—	—	—	2	20	133	485	1,498
Male	730	—	—	—	—	—	—	1	9	70	226	424
Female	1,408	—	—	—	—	—	—	1	11	63	259	1,074
Due to alcohol (F10) ¹¹	292	—	—	—	—	9	20	69	98	75	16	5
Male	211	—	—	—	—	5	11	50	76	54	12	3
Female	81	—	—	—	—	4	9	19	22	21	4	2
Due to psychoactive substance (F11-F19)	145	—	—	—	4	13	10	34	35	33	8	8
Male	101	—	—	—	2	9	3	22	28	28	4	5
Female	44	—	—	—	2	4	7	12	7	5	4	3
Nervous system disease (G00-G99)	3,145	2	5	3	9	12	18	41	154	387	853	1,661
Male	1,297	—	4	2	8	5	10	15	81	209	408	555
Female	1,848	2	1	1	1	7	8	26	73	178	445	1,106
Meningitis (G00, G03)	4	—	1	—	—	—	—	1	1	1	—	—
Male	3	—	1	—	—	—	—	—	1	1	—	—
Female	1	—	—	—	—	—	—	1	—	—	—	—
Amyotrophic lateral sclerosis (G12.2)	102	—	—	—	—	—	4	4	28	38	24	4
Male	55	—	—	—	—	—	4	2	12	26	9	2
Female	47	—	—	—	—	—	—	2	16	12	15	2
Parkinson's disease (G20-G21)	465	—	—	—	—	—	—	1	12	68	192	192
Male	305	—	—	—	—	—	—	1	7	46	131	120
Female	160	—	—	—	—	—	—	—	5	22	61	72
Alzheimer's disease (G30)	1,850	—	—	—	—	—	—	3	20	115	444	1,268
Male	569	—	—	—	—	—	—	—	8	37	163	361
Female	1,281	—	—	—	—	—	—	3	12	78	281	907
Multiple sclerosis (G35)	77	—	—	—	—	—	1	1	17	30	21	7
Male	32	—	—	—	—	—	—	1	6	18	5	2
Female	45	—	—	—	—	—	1	—	11	12	16	5
Epilepsy (G40-G41)	35	—	—	—	2	2	2	8	5	6	5	5
Male	13	—	—	—	1	—	1	5	2	2	1	1
Female	22	—	—	—	1	2	1	3	3	4	4	4
Ear & mastoid process dis. (H60-H95)	2	—	—	—	—	1	—	1	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	2	—	—	—	—	1	—	1	—	—	—	—
Circulatory system diseases (I00-I99)	9,993	—	2	3	15	35	111	332	981	1,671	2,412	4,431
Male	5,151	—	—	2	6	21	73	230	688	1,062	1,323	1,746
Female	4,841	—	2	1	9	14	38	102	292	609	1,089	2,685
Major cardiovascular disease (I00-I78)	9,930	—	2	2	14	33	108	329	971	1,658	2,396	4,417
Male	5,119	—	—	1	6	20	72	229	680	1,054	1,316	1,741
Female	4,810	—	2	1	8	13	36	100	290	604	1,080	2,676

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Heart disease (I00-I09, I11, I13, I20-I51)	6,945	–	1	1	11	25	79	264	699	1,172	1,648	3,045
Male	3,761	–	–	–	5	14	55	192	514	764	963	1,254
Female	3,183	–	1	1	6	11	24	72	184	408	685	1,791
Rheumatic heart disease (I00-I09) ¹²	87	–	–	–	–	–	–	3	8	17	19	40
Male	19	–	–	–	–	–	–	1	3	3	2	10
Female	68	–	–	–	–	–	–	2	5	14	17	30
Hypertensive heart disease (I11)	273	–	–	–	–	2	4	6	12	34	59	156
Male	105	–	–	–	–	–	4	4	8	16	31	42
Female	168	–	–	–	–	2	–	2	4	18	28	114
Hypertensive heart & renal dis. (I13)	87	–	–	–	–	–	–	1	6	8	22	50
Male	40	–	–	–	–	–	–	1	4	3	12	20
Female	47	–	–	–	–	–	–	–	2	5	10	30
Ischemic heart disease (I20-I25)	3,387	–	–	–	2	7	47	149	429	709	839	1,205
Male	2,168	–	–	–	2	4	38	119	342	493	555	615
Female	1,219	–	–	–	–	3	9	30	87	216	284	590
Myocardial infarction (I21-I22)	1,088	–	–	–	1	2	15	48	137	281	266	338
Male	648	–	–	–	1	1	12	39	106	182	163	144
Female	440	–	–	–	–	1	3	9	31	99	103	194
Other acute ischemic hrt. dis. (I24)	26	–	–	–	–	–	1	–	–	7	9	9
Male	15	–	–	–	–	–	1	–	–	5	7	2
Female	11	–	–	–	–	–	–	–	–	2	2	7
Chronic isch. heart dis. (I20, I25)	2,273	–	–	–	1	5	31	101	292	421	564	858
Male	1,505	–	–	–	1	3	25	80	236	306	385	469
Female	768	–	–	–	–	2	6	21	56	115	179	389
Atheroscler. cardiovascular dis. ¹³ ...	138	–	–	–	–	1	2	13	40	25	31	26
Male	94	–	–	–	–	1	2	10	32	21	16	12
Female	44	–	–	–	–	–	–	3	8	4	15	14
Other chr. ischemic heart dis. ¹⁴	2,135	–	–	–	1	4	29	88	252	396	533	832
Male	1,411	–	–	–	1	2	23	70	204	285	369	457
Female	724	–	–	–	–	2	6	18	48	111	164	375
Nonrheumatic mitral valve dis. (I34)	51	–	–	–	–	–	–	2	3	5	14	27
Male	18	–	–	–	–	–	–	1	2	4	6	5
Female	33	–	–	–	–	–	–	1	1	1	8	22
Nonrheumatic aortic valve dis. (I35)	469	–	–	–	–	–	–	2	15	36	107	309
Male	210	–	–	–	–	–	–	2	10	23	54	121
Female	259	–	–	–	–	–	–	–	5	13	53	188
Cardiomyopathy (I42)	252	–	–	–	4	5	7	30	47	46	62	51
Male	166	–	–	–	1	5	5	25	38	31	38	23
Female	86	–	–	–	3	–	2	5	9	15	24	28

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Heart failure (I50)	1,034	—	—	—	—	3	4	19	52	144	229	583
Male	470	—	—	—	—	2	2	10	33	87	118	218
Female	564	—	—	—	—	1	2	9	19	57	111	365
Congestive heart failure (I50.0)	764	—	—	—	—	1	2	16	40	94	165	446
Male	344	—	—	—	—	1	1	9	26	57	83	167
Female	420	—	—	—	—	—	1	7	14	37	82	279
Left ventricular heart failure (I50.1)	7	—	—	—	—	—	—	—	—	5	1	1
Male	4	—	—	—	—	—	—	—	—	2	1	1
Female	3	—	—	—	—	—	—	—	—	3	—	—
Heart failure, unspecified (I50.9)	263	—	—	—	—	2	2	3	12	45	63	136
Male	122	—	—	—	—	1	1	1	7	28	34	50
Female	141	—	—	—	—	1	1	2	5	17	29	86
HBP (I10, I12, I15) ¹⁵	561	—	—	—	—	—	6	16	84	94	115	246
Male	272	—	—	—	—	—	4	8	54	61	61	84
Female	289	—	—	—	—	—	2	8	30	33	54	162
Cerebrovascular disease (I60-I69) ¹⁰	2,066	—	1	1	2	6	16	41	151	329	526	993
Male	890	—	—	1	—	5	8	23	86	189	242	336
Female	1,176	—	1	—	2	1	8	18	65	140	284	657
Subarachnoid hemorrhage (I60)	59	—	—	—	1	—	3	9	18	9	10	9
Male	19	—	—	—	—	—	1	6	5	—	2	5
Female	40	—	—	—	1	—	2	3	13	9	8	4
Intracerebral hemorrhage (I61-I62) ¹⁶	395	—	—	1	—	4	10	13	42	84	103	138
Male	190	—	—	1	—	3	5	5	27	47	49	53
Female	205	—	—	—	—	1	5	8	15	37	54	85
Cerebral infarction (I63)	221	—	—	—	—	—	—	4	18	43	62	94
Male	100	—	—	—	—	—	—	3	12	26	31	28
Female	121	—	—	—	—	—	—	1	6	17	31	66
Stroke (type not specified) (I64)	768	—	1	—	—	1	2	7	41	112	208	396
Male	311	—	—	—	—	1	2	4	24	62	94	124
Female	457	—	1	—	—	—	—	3	17	50	114	272
Atherosclerosis (I70)	31	—	—	—	—	—	—	—	1	5	11	14
Male	13	—	—	—	—	—	—	—	—	3	4	6
Female	18	—	—	—	—	—	—	—	1	2	7	8
Aortic aneurysm & dissection (I71)	179	—	—	—	1	2	3	6	22	25	60	60
Male	110	—	—	—	1	1	2	6	16	19	31	34
Female	69	—	—	—	—	1	1	—	6	6	29	26
Diseases of arteries (I72-I78) ¹⁷	148	—	—	—	—	—	4	2	14	33	36	59
Male	73	—	—	—	—	—	3	—	10	18	15	27
Female	75	—	—	—	—	—	1	2	4	15	21	32

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Respiratory system diseases (J00-J99)	3,300	1	4	–	8	5	24	78	368	796	997	1,019
Male	1,560	1	1	–	6	2	8	42	182	428	470	420
Female	1,740	–	3	–	2	3	16	36	186	368	527	599
Influenza & pneumonia (J09-J18)	573	1	1	–	2	–	8	22	63	79	130	267
Male	282	1	–	–	2	–	4	15	35	53	66	106
Female	291	–	1	–	–	–	4	7	28	26	64	161
Influenza (J09-J11)	203	–	–	–	–	–	2	8	21	26	42	104
Male	96	–	–	–	–	–	1	6	12	17	18	42
Female	107	–	–	–	–	–	1	2	9	9	24	62
Pneumonia (J12-J18)	370	1	1	–	2	–	6	14	42	53	88	163
Male	186	1	–	–	2	–	3	9	23	36	48	64
Female	184	–	1	–	–	–	3	5	19	17	40	99
Other acute lower resp. infect'ns (J20-J22)	6	–	–	–	–	–	–	1	1	–	–	4
Male	1	–	–	–	–	–	–	–	–	–	–	1
Female	5	–	–	–	–	–	–	1	1	–	–	3
Acute bronchitis (J20-J21)¹⁸	3	–	–	–	–	–	–	–	–	–	–	3
Male	1	–	–	–	–	–	–	–	–	–	–	1
Female	2	–	–	–	–	–	–	–	–	–	–	2
Chronic lower respiratory dis. (J40-J47)¹⁹	2,088	–	1	–	3	3	8	42	237	591	660	543
Male	949	–	–	–	2	–	2	19	108	310	295	213
Female	1,139	–	1	–	1	3	6	23	129	281	365	330
Bronchitis, chronic & unspec. (J40-J42)	9	–	–	–	–	–	–	1	2	–	3	3
Male	3	–	–	–	–	–	–	–	2	–	–	1
Female	6	–	–	–	–	–	–	1	–	–	3	2
Emphysema (J43)	144	–	–	–	–	–	1	4	22	43	39	35
Male	54	–	–	–	–	–	–	2	9	16	15	12
Female	90	–	–	–	–	–	1	2	13	27	24	23
Asthma (J45-J46)	65	–	1	–	3	2	2	6	11	12	7	21
Male	16	–	–	–	2	–	1	2	2	5	1	3
Female	49	–	1	–	1	2	1	4	9	7	6	18
Other CLRD (J44, J47)	1,870	–	–	–	–	1	5	31	202	536	611	484
Male	876	–	–	–	–	–	1	15	95	289	279	197
Female	994	–	–	–	–	1	4	16	107	247	332	287
Bronchiectasis (J47)	19	–	–	–	–	–	1	–	1	3	6	8
Male	5	–	–	–	–	–	–	–	–	–	2	3
Female	14	–	–	–	–	–	1	–	1	3	4	5
Pneumoconioses (J60-J66, J68)²⁰	13	–	–	–	–	–	–	–	–	4	3	6
Male	12	–	–	–	–	–	–	–	–	3	3	6
Female	1	–	–	–	–	–	–	–	–	1	–	–

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Pneumonitis due to solids & liquids (J69)	154	—	2	—	1	2	—	3	13	21	40	72
Male	77	—	1	—	—	2	—	2	7	11	18	36
Female	77	—	1	—	1	—	—	1	6	10	22	36
Digestive system diseases (K00-K92)	1,652	3	—	1	5	24	70	165	330	369	299	386
Male	891	1	—	—	3	17	45	101	200	223	157	144
Female	761	2	—	1	2	7	25	64	130	146	142	242
Peptic ulcer (K25-K28)	68	—	—	—	1	1	—	1	9	15	19	22
Male	35	—	—	—	—	—	—	1	6	9	10	9
Female	33	—	—	—	1	1	—	—	3	6	9	13
Diseases of the appendix (K35-K38)	6	—	—	—	—	—	—	—	—	2	2	2
Male	3	—	—	—	—	—	—	—	—	2	1	—
Female	3	—	—	—	—	—	—	—	—	—	1	2
Appendicitis (K35-K37)	6	—	—	—	—	—	—	—	—	2	2	2
Male	3	—	—	—	—	—	—	—	—	2	1	—
Female	3	—	—	—	—	—	—	—	—	—	1	2
Hernia (K40-K46)	45	—	—	—	—	—	—	—	4	3	12	26
Male	19	—	—	—	—	—	—	—	2	2	5	10
Female	26	—	—	—	—	—	—	—	2	1	7	16
Vascular disorders of the intestine (K55)	117	1	—	—	—	—	1	5	11	33	30	36
Male	41	—	—	—	—	—	—	2	6	11	10	12
Female	76	1	—	—	—	—	1	3	5	22	20	24
Chronic liver disease (K70, K73-K74) ²¹	642	—	—	—	—	18	51	122	212	169	52	18
Male	408	—	—	—	—	13	36	76	129	114	31	9
Female	234	—	—	—	—	5	15	46	83	55	21	9
Alcoholic liver disease (K70) ²²	522	—	—	—	—	16	48	106	195	126	24	7
Male	363	—	—	—	—	12	34	68	125	97	21	6
Female	159	—	—	—	—	4	14	38	70	29	3	1
Cholelithiasis (K80-K82) ²³	68	—	—	—	—	—	—	—	6	11	17	34
Male	45	—	—	—	—	—	—	—	4	9	13	19
Female	23	—	—	—	—	—	—	—	2	2	4	15
Diseases of the skin (L00-L98) ²⁴	89	—	—	—	—	2	1	4	15	12	14	41
Male	37	—	—	—	—	2	1	1	6	6	7	14
Female	52	—	—	—	—	—	—	3	9	6	7	27
Musculoskeletal disease (M00-M99) ²⁵	249	—	—	—	—	1	4	16	28	51	70	79
Male	95	—	—	—	—	—	2	8	12	19	29	25
Female	154	—	—	—	—	1	2	8	16	32	41	54
Genitourinary system dis. (N00-N99)	671	—	—	—	1	3	12	18	62	128	176	271
Male	322	—	—	—	—	2	6	10	34	71	92	107
Female	349	—	—	—	1	1	6	8	28	57	84	164

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Nephritis (N00-N07, N17-N19, N25-N27)²⁶	377	–	–	–	–	3	9	13	42	72	101	137
Male	203	–	–	–	–	2	5	7	29	42	62	56
Female	174	–	–	–	–	1	4	6	13	30	39	81
Acute nephrotic syndr. (N00-N01, N04)²⁷ ..	9	–	–	–	–	–	–	–	1	–	2	6
Male	4	–	–	–	–	–	–	–	–	–	2	2
Female	5	–	–	–	–	–	–	–	1	–	–	4
Chr. nephritis (N02-N03, N05-N07, N26)²⁸	14	–	–	–	–	1	1	1	–	2	6	3
Male	6	–	–	–	–	1	–	–	–	2	2	1
Female	8	–	–	–	–	–	1	1	–	–	4	2
Renal failure (N17-N19)	353	–	–	–	–	2	8	12	40	70	93	128
Male	192	–	–	–	–	1	5	7	28	40	58	53
Female	161	–	–	–	–	1	3	5	12	30	35	75
Other disorders of kidney (N25, N27)	1	–	–	–	–	–	–	–	1	–	–	–
Male	1	–	–	–	–	–	–	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–
Kidney infect'ns (N10-N12, N13.6, N15.1)	23	–	–	–	1	–	1	1	2	7	3	8
Male	8	–	–	–	–	–	–	1	–	4	–	3
Female	15	–	–	–	1	–	1	–	2	3	3	5
Urinary tract infection (N39.0)	163	–	–	–	–	–	1	1	12	26	41	82
Male	53	–	–	–	–	–	–	–	1	11	14	27
Female	110	–	–	–	–	–	1	1	11	15	27	55
Hyperplasia of prostate (N40)	22	–	–	–	–	–	–	1	–	2	6	13
Male	22	–	–	–	–	–	–	1	–	2	6	13
Female	–	–	–	–	–	–	–	–	–	–	–	–
Female pelvic inflam. dis. (N70-N76)²⁹	1	–	–	–	–	–	–	–	–	1	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–
Pregnancy & childbirth (O00-O99)³⁰	12	–	–	–	4	4	3	1	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	12	–	–	–	4	4	3	1	–	–	–	–
Pregnancy with abortive outcome (O00-O07)	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–
Perinatal conditions (P00-P96)	120	117	1	–	–	–	–	–	–	1	1	–
Male	71	70	–	–	–	–	–	–	–	1	–	–
Female	49	47	1	–	–	–	–	–	–	–	1	–
Congenital malformations (Q00-Q99)³¹	144	55	4	6	5	7	8	12	18	11	8	10
Male	72	24	3	1	–	7	5	8	10	3	5	6
Female	72	31	1	5	5	–	3	4	8	8	3	4

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Malformation of the heart (Q20-Q24)	35	14	1	1	2	3	3	2	3	1	1	4
Male	23	9	—	—	—	3	2	2	3	—	1	3
Female	12	5	1	1	2	—	1	—	—	1	—	1
Other malf. of the circul. sys. (Q25-Q28)	8	1	—	1	—	1	—	—	—	1	1	3
Male	3	1	—	—	—	1	—	—	—	—	—	1
Female	5	—	—	1	—	—	—	—	—	1	1	2
Malf. of the respiratory system (Q30-Q34)	4	3	—	—	—	—	—	—	—	1	—	—
Male	1	—	—	—	—	—	—	—	—	1	—	—
Female	3	3	—	—	—	—	—	—	—	—	—	—
Symptoms & signs (R00-R99)³²	468	23	—	—	4	8	10	21	73	90	85	154
Male	263	18	—	—	3	5	8	14	54	59	46	56
Female	205	5	—	—	1	3	2	7	19	31	39	98
Senility (R54)	26	—	—	—	—	—	—	—	—	1	4	21
Male	8	—	—	—	—	—	—	—	—	—	1	7
Female	18	—	—	—	—	—	—	—	—	1	3	14
Sudden infant death syndrome (R95)	21	21	—	—	—	—	—	—	—	—	—	—
Male	17	17	—	—	—	—	—	—	—	—	—	—
Female	4	4	—	—	—	—	—	—	—	—	—	—
External causes of death (V01-Y89)	3,164	20	23	44	261	361	363	378	440	360	333	581
Male	2,073	12	15	25	206	281	257	256	315	254	208	244
Female	1,090	8	8	19	55	79	106	122	125	106	125	337
Accidents (V01-X59, Y85-Y86)	2,073	16	20	26	141	200	197	196	270	227	256	524
Male	1,268	10	12	17	107	151	130	134	194	152	156	205
Female	805	6	8	9	34	49	67	62	76	75	100	319
Transport accidents (V01-V99, Y85)	553	1	12	15	79	78	71	64	100	63	49	21
Male	396	—	9	11	60	59	47	52	69	43	33	13
Female	157	1	3	4	19	19	24	12	31	20	16	8
Motor vehicle acc. (Many codes) ³³	507	1	12	14	78	76	65	56	89	55	43	18
Male	360	—	9	10	59	57	42	45	62	37	29	10
Female	147	1	3	4	19	19	23	11	27	18	14	8
Motor veh. traf. acc. (Many codes) ³⁴ ...	473	1	7	13	75	74	63	50	82	52	39	17
Male	334	—	4	9	59	56	40	39	56	35	26	10
Female	139	1	3	4	16	18	23	11	26	17	13	7
Other land trans. acc. (Many codes) ³⁵	17	—	—	1	1	—	5	3	3	1	2	1
Male	14	—	—	1	1	—	4	3	2	1	1	1
Female	3	—	—	—	—	—	1	—	1	—	1	—
Water transport accidents (V90-V94)	6	—	—	—	—	2	—	2	—	1	1	—
Male	5	—	—	—	—	2	—	1	—	1	1	—
Female	1	—	—	—	—	—	—	1	—	—	—	—

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Air transport accidents (V95-V97)	4	—	—	—	—	—	—	—	1	1	1	1	—
Male	3	—	—	—	—	—	—	—	1	—	1	1	—
Female	1	—	—	—	—	—	—	—	—	1	—	—	—
Nontransport accidents (W00-X59,Y86)	1,520	15	8	11	62	122	126	132	170	164	207	503	
Male	872	10	3	6	47	92	83	82	125	109	123	192	
Female	648	5	5	5	15	30	43	50	45	55	84	311	
Falls (W00-W19)	764	—	—	—	7	10	10	13	38	83	160	443	
Male	361	—	—	—	5	7	8	8	31	49	93	160	
Female	403	—	—	—	2	3	2	5	7	34	67	283	
Firearms (W32-W34)	4	—	—	—	—	1	—	—	—	2	1	—	
Male	4	—	—	—	—	1	—	—	—	2	1	—	
Female	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning & submersion (W65-W74)	49	1	2	3	10	9	5	3	5	7	3	1	
Male	39	1	1	3	9	6	4	2	4	6	3	—	
Female	10	—	1	—	1	3	1	1	1	1	—	1	
Exposure to smoke & fire (X00-X09)	36	1	3	6	1	—	6	4	4	1	5	5	
Male	20	1	—	3	—	—	3	2	2	—	4	5	
Female	16	—	3	3	1	—	3	2	2	1	1	—	
Poisoning (X40-X49) ³⁶	450	—	—	—	42	94	92	92	93	27	4	6	
Male	302	—	—	—	32	71	57	55	63	18	2	4	
Female	148	—	—	—	10	23	35	37	30	9	2	2	
Suicide (X60-X84, Y87.0)	825	—	—	10	97	123	131	150	126	102	55	31	
Male	629	—	—	5	80	99	99	100	94	85	42	25	
Female	195	—	—	5	17	23	32	50	32	17	13	6	
Poisoning (X60-X69)	130	—	—	1	8	18	22	28	26	16	9	2	
Male	67	—	—	—	5	10	13	13	11	10	3	2	
Female	62	—	—	1	3	7	9	15	15	6	6	—	
Hanging/suffocation (X70)	180	—	—	7	31	43	35	25	21	14	1	3	
Male	134	—	—	4	24	34	25	17	17	10	—	3	
Female	46	—	—	3	7	9	10	8	4	4	1	—	
Firearm discharge (X72-X74)	439	—	—	2	48	53	59	78	65	66	44	24	
Male	372	—	—	1	43	48	50	57	55	60	39	19	
Female	67	—	—	1	5	5	9	21	10	6	5	5	
Homicide (X85-Y09, Y87.1)	128	3	2	7	11	28	25	22	14	11	4	1	
Male	97	1	2	3	10	23	20	19	10	7	1	1	
Female	31	2	—	4	1	5	5	3	4	4	3	—	
Firearm discharge (X93-X95)	74	—	—	6	8	18	18	13	4	3	3	1	
Male	58	—	—	2	7	16	16	11	2	3	—	1	
Female	16	—	—	4	1	2	2	2	2	—	3	—	

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2017 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Legal intervention (Y35, Y89.0) ³⁷	11	—	—	—	3	3	3	1	—	1	—	—
Male	11	—	—	—	3	3	3	1	—	1	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	60	1	1	1	9	7	6	8	19	5	3	—
Male	32	1	1	—	6	5	4	1	10	2	2	—
Female	28	—	—	1	3	2	2	7	9	3	1	—
Medical care complica'ns (Y40-Y84, Y88)	67	—	—	—	—	—	1	1	11	14	15	25
Male	36	—	—	—	—	—	1	1	7	7	7	13
Female	31	—	—	—	—	—	—	—	4	7	8	12
Injury by firearms (Many codes) ³⁸	529	—	—	8	59	75	80	93	69	72	48	25
Male	445	—	—	3	53	68	69	69	57	66	40	20
Female	84	—	—	5	6	7	11	24	12	6	8	5
Alcohol-induced deaths (Many codes) ^{39,40}	878	—	—	—	1	29	74	194	310	215	43	12
Male	622	—	—	—	—	20	51	129	215	163	35	9
Female	256	—	—	—	1	9	23	65	95	52	8	3
Drug-induced deaths (Many codes) ^{41,42}	671	1	1	1	52	119	113	138	143	69	21	13
Male	418	—	1	—	38	84	63	79	89	48	8	8
Female	252	1	—	1	14	34	50	59	54	21	13	5
Injury at work ⁴³	61	—	—	—	1	10	10	12	19	8	—	1
Male	58	—	—	—	1	10	9	12	17	8	—	1
Female	3	—	—	—	—	—	1	—	2	—	—	—

— Quantity is zero.

* Includes unknown sex.

1 International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

2 Human immunodeficiency virus/ acquired immune deficiency syndrome.

3 Includes uterus, part unspecified.

4 Includes meninges and other parts of the central nervous system.

5 Includes immunoproliferative neoplasms.

6 Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

7 Includes diseases of the blood forming-organs and disorders involving the immune mechanism.

8 Includes metabolic diseases.

9 Includes behavioral disorders.

10 In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia.

11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

12 Includes acute rheumatic fever.

13 The ICD-10 code is I25.0.

14 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.

15 Hypertension with/without renal disease.

16 Includes other intracranial hemorrhages.

- 17 Includes diseases of the arterioles and capillaries.
- 18 Includes acute bronchiolitis.
- 19 Formerly chronic obstructive pulmonary disease (COPD).
- 20 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
- 21 Includes liver cirrhosis.
- 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 23 Includes other diseases of the gallbladder.
- 24 Includes subcutaneous tissues.
- 25 Includes connective tissue.
- 26 Includes nephrotic syndrome and nephrosis.
- 27 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
- 28 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 29 Inflammatory diseases of female pelvic organs.
- 30 Includes the puerperium.
- 31 Includes congenital deformations and chromosomal abnormalities.
- 32 Includes abnormal clinical and laboratory findings not elsewhere classified.
- 33 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 34 Includes the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 35 Includes the following ICD-10 codes: V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9.
- 36 Includes exposure to noxious substances.
- 37 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 38 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note this category includes injuries included in other cause of death categories.
- 39 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note disorders included here are also included in other cause of death categories.
- 40 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15.
- 41 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note disorders included here are also included in other cause of death categories.
- 42 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1-F11.5, F11.7-F11.9, F12.1-F12.5, F12.7-F12.9, F13.1-F13.5, F13.7-F13.9, F14.1-F14.5, F14.7-F14.9, F15.1-F15.5, F15.7-F15.9, F16.1-F16.5, F16.7-F16.9, F18.1-F18.5, F18.7-F18.9, F19.1-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, K85.3, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
- 43 Recorded as a separate item on the death certificate by the medical examiner.