

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total*	36,191	176	30	62	309	594	813	1,803	4,490	7,254	8,828	11,832
Male	18,673	97	16	39	230	417	503	1,079	2,759	4,244	4,655	4,634
Female	17,517	79	14	23	79	176	310	724	1,731	3,010	4,173	7,198
Infections & parasitic disease (A00-B99)	581	4	—	1	2	6	18	52	98	161	116	123
Male	329	4	—	1	2	2	7	42	65	93	64	49
Female	252	—	—	—	—	4	11	10	33	68	52	74
Tuberculosis (A16-A19)	4	—	—	—	—	—	1	1	—	1	—	1
Male	2	—	—	—	—	—	—	1	—	—	—	1
Female	2	—	—	—	—	—	1	—	—	1	—	—
Meningococcal infection (A39)	2	1	—	—	—	—	—	—	—	—	—	1
Male	1	1	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	—	1
Septicemia (A40-A41)	217	3	—	1	—	4	2	17	29	60	54	47
Male	117	3	—	1	—	1	1	13	17	33	29	19
Female	100	—	—	—	—	3	1	4	12	27	25	28
Syphilis (A50-A53)	1	—	—	—	—	—	—	—	—	—	—	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	—	1
Creutzfeldt-Jacob disease (A81.0)	5	—	—	—	—	—	1	—	—	3	1	—
Male	3	—	—	—	—	—	—	—	—	3	—	—
Female	2	—	—	—	—	—	1	—	—	—	1	—
Viral hepatitis (B15-B19)	107	—	—	—	—	—	4	15	42	42	3	1
Male	76	—	—	—	—	—	3	14	30	27	2	—
Female	31	—	—	—	—	—	1	1	12	15	1	1
HIV/AIDS (B20-B24) ²	30	—	—	—	—	1	6	11	5	4	2	1
Male	24	—	—	—	—	1	3	9	5	3	2	1
Female	6	—	—	—	—	—	3	2	—	1	—	—
Malignant neoplasms (C00-C97)	8,161	1	3	6	18	52	115	453	1,427	2,406	2,191	1,489
Male	4,349	1	—	2	12	29	48	199	798	1,381	1,179	700
Female	3,812	—	3	4	6	23	67	254	629	1,025	1,012	789
Lip, oral cavity & pharynx (C00-C14)	148	—	—	—	1	1	2	6	33	48	26	31
Male	105	—	—	—	1	—	1	3	26	44	16	14
Female	43	—	—	—	—	1	1	3	7	4	10	17
Digestive organs (C15-C26)	2,215	—	1	—	2	9	29	141	445	711	530	347
Male	1,313	—	—	—	—	7	12	87	301	454	301	151
Female	902	—	1	—	2	2	17	54	144	257	229	196
Esophagus (C15)	248	—	—	—	1	—	3	16	56	87	58	27
Male	207	—	—	—	—	—	—	14	53	74	48	18
Female	41	—	—	—	1	—	3	2	3	13	10	9

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	112	—	—	—	—	1	5	10	25	35	22	14
Male	67	—	—	—	—	1	2	7	16	22	14	5
Female	45	—	—	—	—	—	3	3	9	13	8	9
Colon, rectum & anus (C18-C21)	674	—	—	—	1	4	10	57	105	175	154	168
Male	352	—	—	—	—	3	6	34	58	102	86	63
Female	322	—	—	—	1	1	4	23	47	73	68	105
Colon (C18)	485	—	—	—	1	2	6	33	73	123	118	129
Male	236	—	—	—	—	2	3	16	40	63	66	46
Female	249	—	—	—	1	—	3	17	33	60	52	83
Rectosigmoid junction (C19)	57	—	—	—	—	1	1	8	11	12	12	12
Male	35	—	—	—	—	1	1	8	5	9	7	4
Female	22	—	—	—	—	—	—	—	6	3	5	8
Rectum (C20)	111	—	—	—	—	1	3	13	15	35	23	21
Male	69	—	—	—	—	—	2	8	10	26	12	11
Female	42	—	—	—	—	1	1	5	5	9	11	10
Liver & intrahepatic bile ducts (C22)	416	—	—	—	—	1	6	12	108	170	87	32
Male	291	—	—	—	—	1	2	7	82	131	48	20
Female	125	—	—	—	—	—	4	5	26	39	39	12
Pancreas (C25)	620	—	—	—	—	2	5	35	126	207	169	76
Male	332	—	—	—	—	1	2	20	79	113	85	32
Female	288	—	—	—	—	1	3	15	47	94	84	44
Respiratory, intrathoracic organs (C30-C39) ...	1,865	—	—	—	—	2	6	73	362	603	558	261
Male	954	—	—	—	—	1	4	32	199	329	272	117
Female	911	—	—	—	—	1	2	41	163	274	286	144
Larynx (C32)	38	—	—	—	—	—	—	—	15	13	6	4
Male	33	—	—	—	—	—	—	—	13	10	6	4
Female	5	—	—	—	—	—	—	—	2	3	—	—
Trachea, bronchus & lung (C33-C34)	1,811	—	—	—	—	2	5	73	343	586	548	254
Male	909	—	—	—	—	1	3	32	185	316	262	110
Female	902	—	—	—	—	1	2	41	158	270	286	144
Bronchus & lung (C34)	1,811	—	—	—	—	2	5	73	343	586	548	254
Male	909	—	—	—	—	1	3	32	185	316	262	110
Female	902	—	—	—	—	1	2	41	158	270	286	144
Skin (C43-C44)	176	—	—	—	—	5	9	17	27	47	36	35
Male	119	—	—	—	—	1	2	8	24	38	29	17
Female	57	—	—	—	—	4	7	9	3	9	7	18
Melanoma of skin (C43)	126	—	—	—	—	5	9	13	20	31	26	22
Male	82	—	—	—	—	1	2	6	17	24	21	11
Female	44	—	—	—	—	4	7	7	3	7	5	11

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Mesothelioma (C45)	38	—	—	—	—	—	—	—	3	7	18	10
Male	31	—	—	—	—	—	—	—	1	5	17	8
Female	7	—	—	—	—	—	—	—	2	2	1	2
Breast (C50)	530	—	—	—	—	1	17	54	105	133	120	100
Male	5	—	—	—	—	—	—	1	—	3	—	1
Female	525	—	—	—	—	1	17	53	105	130	120	99
Female genital organs (C51-C58)	437	—	—	—	—	4	11	44	92	136	92	58
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	437	—	—	—	—	4	11	44	92	136	92	58
Cervix uteri (C53)	47	—	—	—	—	3	5	8	11	10	7	3
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	47	—	—	—	—	3	5	8	11	10	7	3
Corpus uteri (C54-C55) ³	140	—	—	—	—	—	3	13	29	44	32	19
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	140	—	—	—	—	—	3	13	29	44	32	19
Ovary (C56)	217	—	—	—	—	1	3	22	46	71	45	29
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	217	—	—	—	—	1	3	22	46	71	45	29
Male genital organs (C60-C63)	491	—	—	—	—	4	2	3	32	119	184	147
Male	491	—	—	—	—	4	2	3	32	119	184	147
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	475	—	—	—	—	—	—	2	32	115	180	146
Male	475	—	—	—	—	—	—	2	32	115	180	146
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	214	1	—	1	1	1	4	14	29	69	65	29
Male	126	1	—	—	1	—	3	9	23	44	31	14
Female	88	—	—	1	—	1	1	5	6	25	34	15
Bladder (C67)	261	—	—	—	—	—	2	3	28	68	72	88
Male	190	—	—	—	—	—	2	3	20	52	55	58
Female	71	—	—	—	—	—	—	—	8	16	17	30
Brain, etc. (C70-C72) ⁴	259	—	1	1	5	6	15	25	54	83	57	12
Male	163	—	—	—	3	4	13	14	36	57	31	5
Female	96	—	1	1	2	2	2	11	18	26	26	7
Thyroid/endocrine gland (C73-C75)	46	—	—	—	—	—	2	6	4	12	14	8
Male	27	—	—	—	—	—	1	3	3	8	9	3
Female	19	—	—	—	—	—	1	3	1	4	5	5
Lymphoid & hematopoietic (C81-C96)	869	—	—	1	3	12	4	32	103	221	265	228
Male	501	—	—	1	2	8	2	18	63	142	158	107
Female	368	—	—	—	1	4	2	14	40	79	107	121

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Hodgkin's disease (C81)	12	—	—	—	—	1	—	—	—	3	4	4
Male	6	—	—	—	—	1	—	—	—	2	2	1
Female	6	—	—	—	—	—	—	—	—	1	2	3
Non-Hodgkin's lymphoma (C82-C85)	352	—	—	—	—	4	2	15	46	89	92	104
Male	196	—	—	—	—	2	2	10	25	55	56	46
Female	156	—	—	—	—	2	—	5	21	34	36	58
Leukemia (C91-C95)	317	—	—	1	3	7	2	8	32	74	106	84
Male	189	—	—	1	2	5	—	2	26	49	61	43
Female	128	—	—	—	1	2	2	6	6	25	45	41
Lymphoid leukemia (C91)	95	—	—	—	2	2	—	1	5	21	26	38
Male	59	—	—	—	2	2	—	—	4	15	15	21
Female	36	—	—	—	—	—	—	1	1	6	11	17
Myeloid leukemia (C92)	193	—	—	1	1	5	2	6	25	46	66	41
Male	113	—	—	1	—	3	—	2	20	29	38	20
Female	80	—	—	—	1	2	2	4	5	17	28	21
Multiple myeloma (C88, C90) ⁵	185	—	—	—	—	—	—	9	25	54	61	36
Male	108	—	—	—	—	—	—	6	12	35	38	17
Female	77	—	—	—	—	—	—	3	13	19	23	19
Neoplas. not specif. as malign. (D00-D48)⁶	224	—	—	2	—	1	1	5	24	44	71	76
Male	124	—	—	2	—	1	1	2	12	28	43	35
Female	100	—	—	—	—	—	—	3	12	16	28	41
Myelodysplastic syndromes (D46)	101	—	—	1	—	—	—	2	6	21	35	36
Male	68	—	—	1	—	—	—	1	4	16	27	19
Female	33	—	—	—	—	—	—	1	2	5	8	17
Diseases of the blood (D50-89)⁷	159	1	1	—	—	4	—	13	20	32	32	56
Male	74	—	1	—	—	3	—	6	13	15	15	21
Female	85	1	—	—	—	1	—	7	7	17	17	35
Anemias (D50-D64)	79	—	—	—	—	2	—	2	2	11	20	42
Male	36	—	—	—	—	2	—	1	1	6	11	15
Female	43	—	—	—	—	—	—	1	1	5	9	27
Endocrine & nutritional dis. (E00-E88)⁸	1,904	—	3	2	3	17	47	133	306	479	469	445
Male	1,056	—	1	2	3	9	32	75	193	289	256	196
Female	848	—	2	—	—	8	15	58	113	190	213	249
Diabetes mellitus (E10-E14)	1,224	—	—	—	2	7	31	85	202	342	317	238
Male	723	—	—	—	2	6	23	48	136	217	179	112
Female	501	—	—	—	—	1	8	37	66	125	138	126
Nutritional deficiencies (E40-E64)	140	—	—	—	—	1	1	—	6	20	42	70
Male	58	—	—	—	—	1	—	—	2	10	19	26
Female	82	—	—	—	—	—	1	—	4	10	23	44

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Malnutrition (E40-E46)	135	–	–	–	–	1	1	–	5	19	42	67
Male	55	–	–	–	–	1	–	–	1	10	19	24
Female	80	–	–	–	–	–	1	–	4	9	23	43
Mental disorders (F01-F99)⁹	2,427	–	–	–	–	18	33	86	200	243	508	1,339
Male	1,035	–	–	–	–	10	23	58	150	148	224	422
Female	1,392	–	–	–	–	8	10	28	50	95	284	917
Organic dementia (F01, F03) ¹⁰	1,891	–	–	–	–	–	–	1	20	117	464	1,289
Male	664	–	–	–	–	–	–	1	9	57	199	398
Female	1,227	–	–	–	–	–	–	–	11	60	265	891
Due to alcohol (F10) ¹¹	305	–	–	–	–	4	23	58	122	71	16	11
Male	233	–	–	–	–	3	17	42	100	55	10	6
Female	72	–	–	–	–	1	6	16	22	16	6	5
Due to psychoactive substance (F11-F19)	135	–	–	–	–	11	10	20	44	33	10	7
Male	92	–	–	–	–	6	6	12	35	26	3	4
Female	43	–	–	–	–	5	4	8	9	7	7	3
Nervous system disease (G00-G99)	3,327	1	1	10	12	19	29	57	135	407	931	1,725
Male	1,376	1	1	5	8	16	17	33	67	213	447	568
Female	1,951	–	–	5	4	3	12	24	68	194	484	1,157
Meningitis (G00, G03)	12	–	1	–	–	1	1	–	3	4	1	1
Male	5	–	1	–	–	–	–	–	1	2	–	1
Female	7	–	–	–	–	1	1	–	2	2	1	–
Amyotrophic lateral sclerosis (G12.2)	143	–	–	–	–	–	4	10	25	61	37	6
Male	72	–	–	–	–	–	2	7	16	27	17	3
Female	71	–	–	–	–	–	2	3	9	34	20	3
Parkinson's disease (G20-G21)	482	–	–	–	–	–	–	–	14	64	213	191
Male	309	–	–	–	–	–	–	–	9	42	145	113
Female	173	–	–	–	–	–	–	–	5	22	68	78
Alzheimer's disease (G30)	1,867	–	–	–	–	–	–	1	14	108	466	1,278
Male	580	–	–	–	–	–	–	–	3	46	176	355
Female	1,287	–	–	–	–	–	–	1	11	62	290	923
Multiple sclerosis (G35)	74	–	–	–	–	–	1	8	13	28	17	7
Male	31	–	–	–	–	–	–	6	5	10	9	1
Female	43	–	–	–	–	–	1	2	8	18	8	6
Epilepsy (G40-G41)	44	–	–	3	1	7	6	5	3	12	5	2
Male	30	–	–	2	–	5	3	4	2	11	3	–
Female	14	–	–	1	1	2	3	1	1	1	2	2
Diseases of the eye & adnexa (H00-H59) ...	2	–	–	–	–	–	–	–	–	–	–	2
Male	1	–	–	–	–	–	–	–	–	–	–	1
Female	1	–	–	–	–	–	–	–	–	–	–	1

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Ear & mastoid process dis. (H60-H95)	2	–	–	–	–	–	–	–	1	1	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–
Circulatory system diseases (I00-I99)	9,845	3	–	2	10	38	111	283	955	1,662	2,496	4,285
Male	5,093	1	–	1	5	24	65	200	654	1,068	1,378	1,697
Female	4,752	2	–	1	5	14	46	83	301	594	1,118	2,588
Major cardiovascular disease (I00-I78)	9,795	3	–	2	9	37	107	279	951	1,651	2,485	4,271
Male	5,067	1	–	1	5	23	63	198	651	1,061	1,371	1,693
Female	4,728	2	–	1	4	14	44	81	300	590	1,114	2,578
Heart disease (I00-I09, I11, I13, I20-I51)	6,814	3	–	1	9	29	76	205	671	1,126	1,742	2,952
Male	3,723	1	–	–	5	17	46	150	467	752	1,034	1,251
Female	3,091	2	–	1	4	12	30	55	204	374	708	1,701
Rheumatic heart disease (I00-I09)¹²	84	–	–	–	–	–	1	2	8	6	22	45
Male	33	–	–	–	–	–	–	1	6	4	8	14
Female	51	–	–	–	–	–	1	1	2	2	14	31
Hypertensive heart disease (I11)	368	–	–	–	2	7	10	18	38	35	67	191
Male	172	–	–	–	2	6	7	13	26	20	36	62
Female	196	–	–	–	–	1	3	5	12	15	31	129
Hypertensive heart & renal dis. (I13)	111	–	–	–	–	–	1	2	5	19	23	61
Male	49	–	–	–	–	–	1	1	4	11	10	22
Female	62	–	–	–	–	–	–	1	1	8	13	39
Ischemic heart disease (I20-I25)	3,168	–	–	–	–	3	23	106	385	650	896	1,105
Male	2,030	–	–	–	–	2	14	80	291	487	592	564
Female	1,138	–	–	–	–	1	9	26	94	163	304	541
Myocardial infarction (I21-I22)	988	–	–	–	–	–	9	33	133	221	285	307
Male	603	–	–	–	–	–	5	26	100	158	177	137
Female	385	–	–	–	–	–	4	7	33	63	108	170
Other acute ischemic hrt. dis. (I24)	29	–	–	–	–	–	–	1	4	10	6	8
Male	15	–	–	–	–	–	–	1	1	7	2	4
Female	14	–	–	–	–	–	–	–	3	3	4	4
Chronic isch. heart dis. (I20, I25)	2,151	–	–	–	–	3	14	72	248	419	605	790
Male	1,412	–	–	–	–	2	9	53	190	322	413	423
Female	739	–	–	–	–	1	5	19	58	97	192	367
Atheroscler. cardiovascular dis.¹³ ...	194	–	–	–	–	1	3	23	56	49	37	25
Male	139	–	–	–	–	–	2	18	47	35	24	13
Female	55	–	–	–	–	1	1	5	9	14	13	12
Other chr. ischemic heart dis.¹⁴	1,957	–	–	–	–	2	11	49	192	370	568	765
Male	1,273	–	–	–	–	2	7	35	143	287	389	410
Female	684	–	–	–	–	–	4	14	49	83	179	355

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Nonrheumatic mitral valve dis. (I34)	66	—	—	—	—	1	1	1	6	8	14	35
Male	22	—	—	—	—	1	—	1	2	2	5	11
Female	44	—	—	—	—	—	1	—	4	6	9	24
Nonrheumatic aortic valve dis. (I35)	490	—	—	—	—	—	4	6	10	37	104	329
Male	198	—	—	—	—	—	4	5	8	18	49	114
Female	292	—	—	—	—	—	—	1	2	19	55	215
Cardiomyopathy (I42)	263	3	—	—	2	6	8	20	41	62	69	52
Male	153	1	—	—	—	2	6	17	26	34	40	27
Female	110	2	—	—	2	4	2	3	15	28	29	25
Heart failure (I50)	1,005	—	—	—	—	4	4	10	65	114	242	566
Male	466	—	—	—	—	2	1	4	34	70	138	217
Female	539	—	—	—	—	2	3	6	31	44	104	349
Congestive heart failure (I50.0)	729	—	—	—	—	2	2	7	44	85	165	424
Male	335	—	—	—	—	1	1	4	24	51	94	160
Female	394	—	—	—	—	1	1	3	20	34	71	264
Left ventricular heart failure (I50.1)	8	—	—	—	—	—	—	1	—	1	4	2
Male	3	—	—	—	—	—	—	—	—	1	2	—
Female	5	—	—	—	—	—	—	1	—	—	2	2
Heart failure, unspecified (I50.9)	268	—	—	—	—	2	2	2	21	28	73	140
Male	128	—	—	—	—	1	—	—	10	18	42	57
Female	140	—	—	—	—	1	2	2	11	10	31	83
HBP (I10, I12, I15) ¹⁵	607	—	—	—	—	2	9	21	81	117	131	246
Male	300	—	—	—	—	1	7	16	63	73	64	76
Female	307	—	—	—	—	1	2	5	18	44	67	170
Cerebrovascular disease (I60-I69) ¹⁰	2,027	—	—	—	—	4	16	48	160	336	509	954
Male	864	—	—	—	—	4	6	29	92	186	222	325
Female	1,163	—	—	—	—	—	10	19	68	150	287	629
Subarachnoid hemorrhage (I60)	88	—	—	—	—	3	4	11	20	19	21	10
Male	37	—	—	—	—	3	—	6	9	7	7	5
Female	51	—	—	—	—	—	4	5	11	12	14	5
Intracerebral hemorrhage (I61-I62) ¹⁶	377	—	—	—	—	1	7	22	53	76	115	103
Male	179	—	—	—	—	1	2	15	30	40	45	46
Female	198	—	—	—	—	—	5	7	23	36	70	57
Cerebral infarction (I63)	280	—	—	—	—	—	3	3	22	54	69	129
Male	110	—	—	—	—	—	3	—	16	31	24	36
Female	170	—	—	—	—	—	—	3	6	23	45	93
Stroke (type not specified) (I64)	700	—	—	—	—	—	1	5	44	105	166	379
Male	281	—	—	—	—	—	—	4	23	59	81	114
Female	419	—	—	—	—	—	1	1	21	46	85	265

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Atherosclerosis (I70)	44	—	—	—	—	—	—	—	1	1	11	12	19
Male	15	—	—	—	—	—	—	—	—	—	7	4	4
Female	29	—	—	—	—	—	—	1	1	4	8	15	
Aortic aneurysm & dissection (I71)	155	—	—	1	—	2	6	2	24	33	44	43	
Male	86	—	—	1	—	1	4	1	20	22	22	15	
Female	69	—	—	—	—	1	2	1	4	11	22	28	
Diseases of arteries (I72-I78) ¹⁷	148	—	—	—	—	—	—	—	2	14	28	47	57
Male	79	—	—	—	—	—	—	—	2	9	21	25	22
Female	69	—	—	—	—	—	—	—	—	5	7	22	35
Respiratory system diseases (J00-J99)	3,040	7	4	3	5	14	19	86	324	725	980	873	
Male	1,484	4	2	2	2	5	8	44	188	356	498	375	
Female	1,556	3	2	1	3	9	11	42	136	369	482	498	
Influenza & pneumonia (J09-J18)	528	3	1	—	2	4	8	26	55	82	138	209	
Male	243	1	—	—	1	—	2	14	29	42	71	83	
Female	285	2	1	—	1	4	6	12	26	40	67	126	
Influenza (J09-J11)	199	1	1	—	2	3	3	15	20	24	48	82	
Male	89	—	—	—	1	—	—	8	10	12	27	31	
Female	110	1	1	—	1	3	3	7	10	12	21	51	
Pneumonia (J12-J18)	329	2	—	—	—	1	5	11	35	58	90	127	
Male	154	1	—	—	—	—	2	6	19	30	44	52	
Female	175	1	—	—	—	1	3	5	16	28	46	75	
Other acute lower resp. infect'ns (J20-J22)	2	1	—	—	—	—	—	—	—	1	—	—	
Male	1	1	—	—	—	—	—	—	—	—	—	—	
Female	1	—	—	—	—	—	—	—	—	1	—	—	
Acute bronchitis (J20-J21) ¹⁸	1	—	—	—	—	—	—	—	—	—	1	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	1	—	—
Chronic lower respiratory dis. (J40-J47) ¹⁹	1,919	—	—	—	2	7	7	46	207	515	649	486	
Male	900	—	—	—	1	3	5	24	120	240	310	197	
Female	1,019	—	—	—	1	4	2	22	87	275	339	289	
Bronchitis, chronic & unspec. (J40-J42)	4	—	—	—	—	—	—	—	—	—	—	—	4
Male	2	—	—	—	—	—	—	—	—	—	—	—	2
Female	2	—	—	—	—	—	—	—	—	—	—	—	2
Emphysema (J43)	135	—	—	—	—	—	—	3	15	34	47	36	
Male	73	—	—	—	—	—	—	—	14	18	24	17	
Female	62	—	—	—	—	—	—	3	1	16	23	19	
Asthma (J45-J46)	58	—	—	—	2	7	4	3	10	11	7	14	
Male	21	—	—	—	1	3	2	2	3	3	2	5	
Female	37	—	—	—	1	4	2	1	7	8	5	9	

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other CLRD (J44, J47)	1,722	—	—	—	—	—	3	40	182	470	595	432
Male	804	—	—	—	—	—	3	22	103	219	284	173
Female	918	—	—	—	—	—	—	18	79	251	311	259
Bronchiectasis (J47)	9	—	—	—	—	—	—	—	1	1	1	6
Male	1	—	—	—	—	—	—	—	—	—	—	1
Female	8	—	—	—	—	—	—	—	1	1	1	5
Pneumoconioses (J60-J66, J68) ²⁰	9	—	—	—	—	—	—	—	—	—	5	4
Male	8	—	—	—	—	—	—	—	—	—	4	4
Female	1	—	—	—	—	—	—	—	—	—	1	—
Pneumonitis due to solids & liquids (J69)	132	1	—	—	—	1	—	5	12	20	43	50
Male	87	—	—	—	—	—	—	4	8	12	30	33
Female	45	1	—	—	—	1	—	1	4	8	13	17
Digestive system diseases (K00-K92)	1,733	1	—	—	4	23	58	189	364	408	319	367
Male	906	1	—	—	4	15	29	116	213	232	166	130
Female	827	—	—	—	—	8	29	73	151	176	153	237
Peptic ulcer (K25-K28)	67	—	—	—	—	—	2	1	7	17	17	23
Male	44	—	—	—	—	—	2	1	4	12	13	12
Female	23	—	—	—	—	—	—	—	3	5	4	11
Diseases of the appendix (K35-K38)	6	—	—	—	—	—	1	—	—	1	4	—
Male	3	—	—	—	—	—	—	—	—	—	3	—
Female	3	—	—	—	—	—	1	—	—	1	1	—
Appendicitis (K35-K37)	5	—	—	—	—	—	1	—	—	1	3	—
Male	3	—	—	—	—	—	—	—	—	—	3	—
Female	2	—	—	—	—	—	1	—	—	1	—	—
Hernia (K40-K46)	39	—	—	—	—	—	—	1	3	7	11	17
Male	13	—	—	—	—	—	—	—	2	3	6	2
Female	26	—	—	—	—	—	—	1	1	4	5	15
Vascular disorders of the intestine (K55)	104	—	—	—	—	—	—	2	17	21	25	39
Male	37	—	—	—	—	—	—	2	6	8	11	10
Female	67	—	—	—	—	—	—	—	11	13	14	29
Chronic liver disease (K70, K73-K74) ²¹	700	—	—	—	2	16	39	147	229	190	59	18
Male	424	—	—	—	2	11	20	90	137	122	32	10
Female	276	—	—	—	—	5	19	57	92	68	27	8
Alcoholic liver disease (K70) ²²	583	—	—	—	2	16	39	138	207	141	34	6
Male	375	—	—	—	2	11	20	87	129	99	24	3
Female	208	—	—	—	—	5	19	51	78	42	10	3
Cholelithiasis (K80-K82) ²³	69	—	—	—	—	1	—	2	3	10	22	31
Male	39	—	—	—	—	—	—	—	2	7	15	15
Female	30	—	—	—	—	1	—	2	1	3	7	16

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Diseases of the skin (L00-L98)²⁴	76	—	—	—	—	—	—	4	16	13	22	21
Male	39	—	—	—	—	—	—	3	8	7	12	9
Female	37	—	—	—	—	—	—	1	8	6	10	12
Musculoskeletal disease (M00-M99)²⁵	218	—	—	—	—	1	4	11	35	43	57	67
Male	99	—	—	—	—	1	1	8	19	22	24	24
Female	119	—	—	—	—	—	3	3	16	21	33	43
Genitourinary system dis. (N00-N99)	655	1	—	—	2	—	4	21	52	135	190	250
Male	300	—	—	—	—	—	3	10	26	64	92	105
Female	355	1	—	—	2	—	1	11	26	71	98	145
Nephritis (N00-N07, N17-N19, N25-N27)²⁶	395	1	—	—	1	—	2	15	43	84	120	129
Male	201	—	—	—	—	—	2	10	23	43	66	57
Female	194	1	—	—	1	—	—	5	20	41	54	72
Acute nephrotic syndr. (N00-N01, N04) ²⁷ ..	10	—	—	—	—	—	—	—	1	2	4	3
Male	4	—	—	—	—	—	—	—	—	1	2	1
Female	6	—	—	—	—	—	—	—	1	1	2	2
Chr. nephritis (N02-N03, N05-N07, N26) ²⁸	12	—	—	—	—	—	1	1	1	4	5	—
Male	8	—	—	—	—	—	1	—	—	4	3	—
Female	4	—	—	—	—	—	—	1	1	—	2	—
Renal failure (N17-N19)	373	1	—	—	1	—	1	14	41	78	111	126
Male	189	—	—	—	—	—	1	10	23	38	61	56
Female	184	1	—	—	1	—	—	4	18	40	50	70
Kidney infect'ns (N10-N12, N13.6, N15.1)	18	—	—	—	1	—	1	1	1	3	5	6
Male	6	—	—	—	—	—	—	—	—	1	2	3
Female	12	—	—	—	1	—	1	1	1	2	3	3
Urinary tract infection (N39.0)	149	—	—	—	—	—	—	4	4	32	39	70
Male	44	—	—	—	—	—	—	—	—	10	12	22
Female	105	—	—	—	—	—	—	4	4	22	27	48
Hyperplasia of prostate (N40)	15	—	—	—	—	—	—	—	—	3	1	11
Male	15	—	—	—	—	—	—	—	—	3	1	11
Female	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76)²⁹	3	—	—	—	—	—	—	—	—	1	—	2
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	3	—	—	—	—	—	—	—	—	1	—	2
Pregnancy & childbirth (O00-O99)³⁰	3	—	—	—	1	2	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	3	—	—	—	1	2	—	—	—	—	—	—
Pregnancy with abortive outcome (O00-O07)	1	—	—	—	—	1	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	1	—	—	—	—	—	—

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Perinatal conditions (P00-P96)	81	79	1	–	–	–	–	–	1	–	–	–	–
Male	46	45	1	–	–	–	–	–	–	–	–	–	–
Female	35	34	–	–	–	–	–	1	–	–	–	–	–
Congenital malformations (Q00-Q99) ³¹	115	32	5	5	2	11	4	16	17	9	7	7	7
Male	57	16	3	2	1	7	1	7	9	6	4	1	1
Female	58	16	2	3	1	4	3	9	8	3	3	6	6
Malformation of the heart (Q20-Q24)	30	7	1	1	1	3	4	4	3	2	–	4	4
Male	14	2	1	–	–	2	1	3	3	1	–	1	1
Female	16	5	–	1	1	1	3	1	–	1	–	3	3
Other malf. of the circul. sys. (Q25-Q28)	9	1	–	–	–	1	–	–	1	2	2	2	2
Male	6	1	–	–	–	1	–	–	–	2	2	–	–
Female	3	–	–	–	–	–	–	–	1	–	–	2	2
Malf. of the respiratory system (Q30-Q34)	2	2	–	–	–	–	–	–	–	–	–	–	–
Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Symptoms & signs (R00-R99) ³²	461	30	–	–	3	9	13	15	72	82	71	166	166
Male	230	16	–	–	2	5	7	6	44	55	36	59	59
Female	231	14	–	–	1	4	6	9	28	27	35	107	107
Senility (R54)	30	–	–	–	–	–	–	–	–	2	1	27	27
Male	4	–	–	–	–	–	–	–	–	2	–	2	2
Female	26	–	–	–	–	–	–	–	–	–	1	25	25
Sudden infant death syndrome (R95)	27	27	–	–	–	–	–	–	–	–	–	–	–
Male	15	15	–	–	–	–	–	–	–	–	–	–	–
Female	12	12	–	–	–	–	–	–	–	–	–	–	–
External causes of death (V01-Y89)	3,177	16	12	31	247	379	357	378	444	404	368	541	541
Male	2,075	8	7	22	191	290	261	270	300	267	217	242	242
Female	1,101	8	5	9	56	88	96	108	144	137	151	299	299
Accidents (V01-X59, Y85-Y86)	2,067	14	11	15	108	205	204	203	283	257	276	491	491
Male	1,263	6	6	11	82	162	151	137	194	163	144	207	207
Female	804	8	5	4	26	43	53	66	89	94	132	284	284
Transport accidents (V01-V99, Y85)	540	–	3	9	65	93	73	61	85	72	51	28	28
Male	382	–	1	7	47	69	59	41	59	50	32	17	17
Female	158	–	2	2	18	24	14	20	26	22	19	11	11
Motor vehicle acc. (Many codes) ³³	493	–	3	7	64	88	66	56	77	58	48	26	26
Male	350	–	1	5	46	68	53	37	52	42	30	16	16
Female	143	–	2	2	18	20	13	19	25	16	18	10	10
Motor veh. traf. acc. (Many codes) ³⁴ ...	479	–	2	6	64	87	64	55	76	54	46	25	25
Male	341	–	1	4	46	67	52	37	51	39	29	15	15
Female	138	–	1	2	18	20	12	18	25	15	17	10	10

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other land trans. acc. (Many codes) ³⁵	19	—	—	1	—	3	3	3	4	4	—	1
Male	14	—	—	1	—	—	3	3	4	2	—	1
Female	5	—	—	—	—	3	—	—	—	2	—	—
Water transport accidents (V90-V94)	8	—	—	1	—	—	2	—	—	4	1	—
Male	7	—	—	1	—	—	1	—	—	4	1	—
Female	1	—	—	—	—	—	1	—	—	—	—	—
Air transport accidents (V95-V97)	2	—	—	—	—	—	1	—	—	1	—	—
Male	1	—	—	—	—	—	1	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	1	—	—
Nontransport accidents (W00-X59, Y86)	1,527	14	8	6	43	112	131	142	198	185	225	463
Male	881	6	5	4	35	93	92	96	135	113	112	190
Female	646	8	3	2	8	19	39	46	63	72	113	273
Falls (W00-W19)	762	—	—	—	4	3	5	12	44	106	173	415
Male	354	—	—	—	3	3	3	9	25	61	80	170
Female	408	—	—	—	1	—	2	3	19	45	93	245
Firearms (W32-W34)	5	—	—	1	2	—	—	—	2	—	—	—
Male	4	—	—	1	2	—	—	—	1	—	—	—
Female	1	—	—	—	—	—	—	—	1	—	—	—
Drowning & submersion (W65-W74)	59	1	5	3	3	10	9	8	6	10	3	1
Male	45	1	4	2	3	8	7	6	5	6	2	1
Female	14	—	1	1	—	2	2	2	1	4	1	—
Exposure to smoke & fire (X00-X09)	40	—	—	1	—	—	2	2	9	11	10	5
Male	23	—	—	—	—	—	2	2	6	4	6	3
Female	17	—	—	1	—	—	—	—	3	7	4	2
Poisoning (X40-X49) ³⁶	458	—	—	—	28	91	104	103	98	30	1	3
Male	331	—	—	—	22	74	74	67	71	23	—	—
Female	127	—	—	—	6	17	30	36	27	7	1	3
Suicide (X60-X84, Y87.0)	844	—	—	13	116	135	115	135	133	109	60	28
Male	631	—	—	8	93	96	82	103	92	83	50	24
Female	212	—	—	5	23	38	33	32	41	26	10	4
Poisoning (X60-X69)	124	—	—	1	7	15	15	25	31	18	10	2
Male	68	—	—	—	5	11	5	12	21	10	4	—
Female	56	—	—	1	2	4	10	13	10	8	6	2
Hanging/suffocation (X70)	223	—	—	6	36	51	39	42	32	11	3	3
Male	161	—	—	3	24	35	30	34	22	9	2	2
Female	61	—	—	3	12	15	9	8	10	2	1	1
Firearm discharge (X72-X74)	427	—	—	5	61	55	48	60	60	71	45	22
Male	359	—	—	4	55	39	39	53	45	60	43	21
Female	68	—	—	1	6	16	9	7	15	11	2	1

See footnotes at end of table.

TABLE 5. Number of deaths from selected causes by age and sex, Oregon residents, 2018 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Homicide (X85-Y09, Y87.1)	102	–	–	2	15	24	20	18	8	8	3	4
Male	78	–	–	2	12	20	18	12	6	4	3	1
Female	24	–	–	–	3	4	2	6	2	4	–	3
Firearm discharge (X93-X95)	67	–	–	2	13	17	15	9	4	5	1	1
Male	58	–	–	2	12	16	14	7	2	4	1	–
Female	9	–	–	–	1	1	1	2	2	1	–	1
Legal intervention (Y35, Y89.0) ³⁷	15	–	–	–	1	5	4	4	–	1	–	–
Male	15	–	–	–	1	5	4	4	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	64	1	1	1	7	10	12	16	7	4	4	1
Male	40	1	1	1	3	7	5	13	3	3	3	–
Female	24	–	–	–	4	3	7	3	4	1	1	1
Medical care complica'ns (Y40-Y84, Y88)	85	1	–	–	–	–	2	2	13	25	25	17
Male	48	1	–	–	–	–	1	1	5	13	17	10
Female	37	–	–	–	–	–	1	1	8	12	8	7
<i>Injury by firearms (Many codes)</i> ³⁸	519	–	1	9	77	79	68	73	66	77	46	23
Male	440	–	1	8	70	61	58	64	48	65	44	21
Female	79	–	–	1	7	18	10	9	18	12	2	2
<i>Alcohol-induced deaths (Many codes)</i> ^{39,40}	930	–	–	–	3	22	65	206	341	220	55	18
Male	643	–	–	–	3	16	40	138	239	160	37	10
Female	287	–	–	–	–	6	25	68	102	60	18	8
<i>Drug-induced deaths (Many codes)</i> ^{41,42}	671	–	–	1	33	114	125	139	156	75	16	12
Male	449	–	–	–	24	88	78	85	109	54	6	5
Female	222	–	–	1	9	26	47	54	47	21	10	7
<i>Injury at work</i> ⁴³	57	–	–	–	2	8	8	15	12	7	3	2
Male	53	–	–	–	2	8	7	13	12	7	2	2
Female	4	–	–	–	–	–	1	2	–	–	1	–

– Quantity is zero.

* Includes unknown sex.

1 International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

2 Human immunodeficiency virus/ acquired immune deficiency syndrome.

3 Includes uterus, part unspecified.

4 Includes meninges and other parts of the central nervous system.

5 Includes immunoproliferative neoplasms.

6 Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

7 Includes diseases of the blood forming-organs and disorders involving the immune mechanism.

8 Includes metabolic diseases.

9 Includes behavioral disorders.

10 In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular

- disease rubric are now counted as forms of organic dementia.
- 11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 12 Includes acute rheumatic fever.
 - 13 The ICD-10 code is I25.0.
 - 14 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
 - 15 Hypertension with/without renal disease.
 - 16 Includes other intracranial hemorrhages.
 - 17 Includes diseases of the arterioles and capillaries.
 - 18 Includes acute bronchiolitis.
 - 19 Formerly chronic obstructive pulmonary disease (COPD).
 - 20 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
 - 21 Includes liver cirrhosis.
 - 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 23 Includes other diseases of the gallbladder.
 - 24 Includes subcutaneous tissues.
 - 25 Includes connective tissue.
 - 26 Includes nephrotic syndrome and nephrosis.
 - 27 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
 - 28 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
 - 29 Inflammatory diseases of female pelvic organs.
 - 30 Includes the puerperium.
 - 31 Includes congenital deformations and chromosomal abnormalities.
 - 32 Includes abnormal clinical and laboratory findings not elsewhere classified.
 - 33 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
 - 34 Includes the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
 - 35 Includes the following ICD-10 codes: V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9.
 - 36 Includes exposure to noxious substances.
 - 37 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
 - 38 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note this category includes injuries included in other cause of death categories.
 - 39 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note disorders included here are also included in other cause of death categories.
 - 40 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15.
 - 41 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note disorders included here are also included in other cause of death categories.
 - 42 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1-F11.5, F11.7-F11.9, F12.1-F12.5, F12.7-F12.9, F13.1-F13.5, F13.7-F13.9, F14.1-F14.5, F14.7-F14.9, F15.1-F15.5, F15.7-F15.9, F16.1-F16.5, F16.7-F16.9, F18.1-F18.5, F18.7-F18.9, F19.1-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, K85.3, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
 - 43 Recorded as a separate item on the death certificate by the medical examiner.