

TABLE 7. Fatal overdoses and poisonings by manner, type, sex, and age, Oregon residents, 2018

Manner and type of substance	Total*	M	F	Age at death									
				0-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	1,049	738	311	–	1	39	126	160	215	296	152	37	23
Mental and behavioral disorders due to psychoactive substance use¹	433	322	111	–	–	–	15	33	78	163	102	24	18
Alcohol ²	305	233	72	–	–	–	4	23	58	122	71	16	11
Opioids	10	6	4	–	–	–	4	1	–	1	3	1	–
Cannabinoids	–	–	–	–	–	–	–	–	–	–	–	–	–
Sedatives and hypnotics	1	–	1	–	–	–	–	–	–	–	–	1	–
Cocaine	1	1	–	–	–	–	–	–	–	1	–	–	–
Other stimulants	35	25	10	–	–	–	2	6	13	12	2	–	–
Hallucinogens	–	–	–	–	–	–	–	–	–	–	–	–	–
Tobacco ³	55	39	16	–	–	–	–	–	2	21	22	4	6
Volatile solvents	2	2	–	–	–	–	1	–	1	–	–	–	–
Other (multiple) psychoactive substances	24	16	8	–	–	–	4	3	4	6	4	2	1
Unintentional overdoses/poisoning	458	331	127	–	–	28	91	104	103	98	30	1	3
Nonopioid analgesics, antipyretics, etc.	2	1	1	–	–	–	–	–	1	–	1	–	–
Psychotropic, sedative-hypnotic drugs	99	69	30	–	–	3	8	13	38	28	9	–	–
Narcotics and hallucinogens ⁴	156	122	34	–	–	8	46	37	24	31	9	–	1
Other and unspecified drugs ⁵	171	111	60	–	–	16	34	47	34	29	9	1	1
Alcohol	12	12	–	–	–	1	1	1	3	6	–	–	–
Organic solvents & halogenated HC ⁶	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbon monoxide & other gases	11	11	–	–	–	–	1	6	–	2	2	–	–
Pesticides	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chemicals & substances	7	5	2	–	–	–	1	–	3	2	–	–	1
<i>Any opioid</i> ⁷	281	203	78	–	–	17	73	78	48	49	15	–	1
Intentional self-poisoning	124	68	56	–	1	7	15	15	25	31	18	10	2
Nonopioid analgesics, antipyretics, etc.	1	1	–	–	–	–	–	–	1	–	–	–	–
Psychotropic, sedative-hypnotic drugs	26	16	10	–	–	–	6	3	3	7	5	2	–
Narcotics and hallucinogens ⁴	15	9	6	–	–	1	1	1	5	4	1	1	1
Other and unspecified drugs ⁵	45	17	28	–	1	2	3	6	8	12	9	3	1
Alcohol	–	–	–	–	–	–	–	–	–	–	–	–	–
Organic solvents & halogenated HC ⁶	1	–	1	–	–	–	–	1	–	–	–	–	–
Carbon monoxide & other gases	34	23	11	–	–	3	5	4	8	8	2	4	–
Pesticides	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chemicals & substances	2	2	–	–	–	1	–	–	–	–	1	–	–
<i>Any opioid</i> ⁷	38	19	19	–	–	2	4	5	9	9	5	3	1

See footnotes at end of table.

TABLE 7. Fatal overdoses and poisonings by manner, type, sex, and age, Oregon residents, 2018 — Continued

Manner and type of substance	Total*	M	F	Age at death										
				0-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Assault by poisoning	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Undetermined intent	34	17	17	—	—	4	5	8	9	4	2	2	—	—
Nonopioid analgesics, antipyretics, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Psychotropic, sedative-hypnotic drugs	5	3	2	—	—	1	1	3	—	—	—	—	—	—
Narcotics and hallucinogens ⁴	3	—	3	—	—	—	—	1	1	1	—	—	—	—
Other and unspecified drugs ⁵	19	10	9	—	—	2	4	4	4	3	1	1	—	—
Alcohol	1	—	1	—	—	—	—	—	1	—	—	—	—	—
Organic solvents & halogenated HC ⁶	2	2	—	—	—	—	—	—	1	—	1	—	—	—
Carbon monoxide & other gases	4	2	2	—	—	1	—	—	2	—	—	1	—	—
Pesticides	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other chemicals & substances	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Any opioid</i> ⁷	13	5	8	—	—	1	—	5	1	4	1	1	—	—

— Quantity is zero.

* Includes unknown sex.

1 Includes ICD-10 codes F10-F19.

2 Most deaths involving abusive alcohol use are attributed to other organ systems (e.g., alcoholic cirrhosis of the liver). See "Alcohol-induced deaths" in Tables 5 and 6 for a more inclusive count. Note these figures, too, are undercounts, as they do not include injury deaths in which alcohol played a critical role (e.g., motor vehicle crashes, homicides).

3 Most deaths resulting from tobacco use were attributed to other organ systems (e.g., lung cancer, emphysema, heart disease).

4 Includes other drugs acting on the autonomic nervous system.

5 Includes deaths due to poisoning from multiple substances in more than one category.

6 HC = hydrocarbons.

7 Fatal overdoses/poisonings in which a specific opioid was coded on the death certificate (ICD-10 codes T40.0-T40.4, T40.6). Some death certificates involving overdoses/poisonings do not mention the specific drug(s). Category is not mutually exclusive.