

AGE-SPECIFIC CANCER DEATH RATES BY RACE/ETHNICITY AND SEX, OREGON RESIDENTS, 1989-1995

Rates per 100,000

RACE	AGE						
	0-14	15-24	25-34	35-54	55-64	65-74	75+
=====	=====	=====	=====	=====	=====	=====	=====
NON-HISP WHITES	3.1	5.0	11.0	76.7	423.8	877.1	1481.0
MALES	3.0	5.6	11.2	71.8	459.0	1064.7	2005.7
FEMALES	3.2	4.4	10.8	81.6	391.2	720.3	1157.8
HISPANIC WHITES	2.6	2.5	1.9	30.4	207.5	471.1	607.5
MALES	3.6	4.4	2.1	28.6	165.9	483.7	806.5
FEMALES	1.5	0.0	1.6	32.7	251.4	458.8	475.2
AFRICAN AMER.	2.8	1.6	16.2	97.2	621.8	1065.7	1830.1
MALES	1.9	3.0	14.7	95.2	821.6	1325.8	2915.5
FEMALES	3.8	0.0	18.0	99.6	423.7	850.5	1163.6
AMER. INDIANS	1.2	3.9	9.9	40.5	335.7	665.1	1298.7
MALES	2.3	3.7	7.8	51.1	295.5	762.2	1242.2
FEMALES	0.0	4.1	12.0	30.5	373.4	588.0	1337.4
ASIAN & P.I.	1.4	2.7	3.7	51.1	312.1	542.7	1095.6
MALES	1.4	0.0	1.9	44.5	380.2	832.5	1338.6
FEMALES	1.4	5.4	5.6	56.6	264.7	318.2	884.1

NUMBER OF CANCER DEATHS BY AGE GROUP, RACE/ETHNICITY, AND SEX, OREGON RESIDENTS, 1989-1995

RACE	AGE							TOTAL DEATHS
	0-14	15-24	25-34	35-54	55-64	65-74	75+	
NON-HISP WHITES	121	118	300	4187	6678	13528	18162	43094
MALES	60	67	151	1956	3476	7477	9377	22564
FEMALES	61	51	149	2231	3202	6051	8785	20530
HISPANIC WHITES	7	4	3	50	61	89	66	280
MALES	5	4	2	26	25	45	35	142
FEMALES	2	0	1	24	36	44	31	138
AFRICAN AMER.	3	1	10	82	114	158	165	533
MALES	1	1	5	44	75	89	100	315
FEMALES	2	0	5	38	39	69	65	218
AMER. INDIANS	1	2	5	31	54	69	72	234
MALES	1	1	2	19	23	35	28	109
FEMALES	0	1	3	12	31	34	44	125
ASIAN & P.I.	2	3	4	70	94	112	102	387
MALES	1	0	1	28	47	75	58	210
FEMALES	1	3	3	42	47	37	44	177

SELECTED CANCER DEATH STATISTICS, BY RACE/ETHNICITY AND SEX, OREGON RESIDENTS, 1989-1995

RACE	TOTAL DEATHS	CRUDE DEATH RATE	AGE-ADJUSTED DEATH RATE	COMPARATIVE MORTALITY FIG.		YEARS OF LIFE LOST INDEX		MEAN YPLL PER YEAR
=====	=====	=====	=====	=====		=====		=====
NON-HISP WHITES	43094	229.2	229.2	1.000		1.000		19306
MALES	22564	245.2	280.3	1.223	0.01	0.985		9420
FEMALES	20530	213.9	193.8	0.846	0.01	1.015		9886
HISPANIC WHITES	280	34.7	105.6	0.461	0.01	0.439	0.01	281
MALES	142	32.1	116.1	0.506	0.01	0.477	0.01	169
FEMALES	138	37.8	99.7	0.435	0.01	0.392	0.01	113
AFRICAN AMER.	533	149.4	290.2	1.266	0.01	1.228	0.05	385
MALES	315	168.9	398.2	1.737	0.01	1.262		211
FEMALES	218	128.1	213.4	0.931		1.190		173
AMER. INDIANS	234	78.8	181.3	0.791	0.01	0.611	0.01	168
MALES	109	73.4	185.2	0.808	0.05	0.687	0.02	93
FEMALES	125	84.1	177.8	0.776	0.01	0.538	0.01	75
ASIAN & P.I.	387	69.1	158.1	0.690	0.01	0.614	0.01	312
MALES	210	77.9	200.9	0.876		0.521	0.01	122
FEMALES	177	60.9	124.1	0.542	0.01	0.693	0.01	190

Age-adjusted statistics were not calculated for subsets with fewer than 50 deaths. Statistically significant CMF and YLLI values are indicated by .01, .02, or .05 where appropriate.