

**AGE-SPECIFIC CHRONIC OBSTRUCTIVE PULMONARY DISEASE DEATH RATES  
BY RACE/ETHNICITY AND SEX, OREGON RESIDENTS, 1989-1995**

**Rates per 100,000**

RACE	AGE						
	0-14	15-24	25-34	35-54	55-64	65-74	75+
NON-HISP WHITES	0.0	0.2	0.5	4.4	62.0	201.9	424.3
MALES	0.0	0.3	0.4	3.7	67.0	236.8	612.8
FEMALES	0.0	0.1	0.5	5.0	57.4	172.7	308.1
HISPANIC WHITES	0.0	0.0	0.0	2.4	10.2	58.2	101.3
MALES	0.0	0.0	0.0	2.2	13.3	75.2	138.2
FEMALES	0.0	0.0	0.0	2.7	7.0	41.7	76.6
AFRICAN AMER.	0.0	1.6	0.0	17.8	43.6	107.9	166.4
MALES	0.0	3.0	0.0	19.5	54.8	134.1	320.7
FEMALES	0.0	0.0	0.0	15.7	32.6	86.3	71.6
AMER. INDIANS	1.2	0.0	0.0	3.9	49.7	183.2	270.6
MALES	0.0	0.0	0.0	5.4	51.4	239.5	488.0
FEMALES	2.4	0.0	0.0	2.5	48.2	138.4	121.6
ASIAN & P.I.	0.0	0.0	0.0	0.7	16.6	82.4	171.9
MALES	0.0	0.0	0.0	0.0	8.1	122.1	276.9
FEMALES	0.0	0.0	0.0	1.3	22.5	51.6	80.4

**NUMBER OF CHRONIC OBSTRUCTIVE PULMONARY DISEASE DEATHS,  
BY AGE GROUP, RACE/ETHNICITY, AND SEX, OREGON RESIDENTS, 1989-1995**

RACE	AGE							TOTAL DEATHS
	0-14	15-24	25-34	35-54	55-64	65-74	75+	
NON-HISP WHITES	1	5	13	240	977	3114	5203	9553
MALES	1	4	6	102	507	1663	2865	5148
FEMALES	0	1	7	138	470	1451	2338	4405
HISPANIC WHITES	0	0	0	4	3	11	11	29
MALES	0	0	0	2	2	7	6	17
FEMALES	0	0	0	2	1	4	5	12
AFRICAN AMER.	0	1	0	15	8	16	15	55
MALES	0	1	0	9	5	9	11	35
FEMALES	0	0	0	6	3	7	4	20
AMER. INDIANS	1	0	0	3	8	19	15	46
MALES	0	0	0	2	4	11	11	28
FEMALES	1	0	0	1	4	8	4	18
ASIAN & P.I.	0	0	0	1	5	17	16	39
MALES	0	0	0	0	1	11	12	24
FEMALES	0	0	0	1	4	6	4	15

**SELECTED CHRONIC OBSTRUCTIVE PULMONARY DISEASE DEATH STATISTICS, BY RACE/ETHNICITY AND SEX, OREGON RESIDENTS, 1989-1995**

RACE	TOTAL DEATHS	CRUDE DEATH RATE	AGE-ADJUSTED DEATH RATE	COMPARATIVE MORTALITY FIG.		YEARS OF LIFE LOST INDEX		MEAN YPLL PER YEAR
=====	=====	=====	=====	=====		=====		=====
NON-HISP WHITES	9553	50.8	50.8	1.000		1.000		1420
MALES	5148	55.9	66.2	1.303	0.01	0.988		685
FEMALES	4405	45.9	40.6	0.800	0.01	1.021		735
HISPANIC WHITES	29	3.6						13
MALES	17	3.8						7
FEMALES	12	3.3						6
AFRICAN AMER.	55	15.4	28.7	0.565	0.01	2.628	0.02	53
MALES	35	18.8						35
FEMALES	20	11.8						18
AMER. INDIANS	46	15.5						23
MALES	28	18.9						8
FEMALES	18	12.1						14
ASIAN & P.I.	39	7.0						6
MALES	24	8.9						1
FEMALES	15	5.2						5

Age-adjusted statistics were not calculated for subsets with fewer than 50 deaths. Statistically significant CMF and YLLI values are indicated by .01, .02, or .05 where appropriate.