

Teen Suicidal Behavior

A Survey of Oregon High School Students, 1997

Published September 1998 / ISSN 1520-5681

Prepared by: David Hopkins

Desktop Publishing by: Melissa Grace Franklin

Acknowledgments: Many people reviewed and otherwise contributed to this report, including Tammis Alexander, Linda Duke, David Fleming, M.D., Joyce Grant-Worley, Elinor Hall, Grant Higginson, M.D., Tina Kent, David Lane, Phyllis Mason, Andy Osborn, Cathy Riddell, Ken Rosenberg, M.D., and Jill Skrezyna.

Figures

FIGURE 1. Suicide Rates for 15- to 19-year-olds, 1959-61, 1969-71, 1979-81, and Three-year Moving Averages, 1981-96, Oregon Residents

FIGURE 2. Percentage of High School Students Reporting That They Considered Suicide, Attempted Suicide, or Were Treated for an Attempt During the Previous Year, Oregon, 1997

FIGURE 3. Percentage of High School Students Reporting That They Considered Suicide, Attempted Suicide, or Were Treated for an Attempt, by Their Number of Risk Factors, Oregon 1997

FIGURE 4. Percentage of High School Students Reporting That They Attempted Suicide, by the Number of Caring Adults They Could Go to for Advice, Oregon, 1997

FIGURE 5. Percentage of High School Students Reporting That They Attempted Suicide, by Whether They Reported Ever Having Been Physically or Sexually Abused, Oregon, 1997

FIGURE 6. Percentage of High School Students Reporting That They Attempted Suicide, by the Number of Times They Were Threatened or Injured with a Weapon at School, Oregon, 1997

FIGURE 7. Percentage of High School Students Reporting That They Attempted Suicide, by Cigarette and Alcohol Use During the Previous 30 Days, Oregon, 1997

FIGURE 8. Percentage of High School Students Reporting That They Attempted Suicide, by Sexual History, Oregon, 1997

FIGURE 9. Percentage of High School Students Reporting That They Attempted Suicide, by Sexual History and Number of Mood-altering Substances Used, Oregon, 1997


FIGURE 10. Odds of Reporting Having Made a Suicide Attempt During the Previous Year, by Selected Risk Factors, Oregon High School Students, 1997

FIGURE 11. Suicide Death Rates for Oregon Youth Aged 10-19 Years, by Residence County, 1986-1996

FIGURE C-1. Odds of Engaging in Suicidal and Other Risky Behavior, Oregon High School Students in Undesirable Environments, 1997

FIGURE D-1. Percentage of Suicide Deaths, By Weekday, Oregonians Aged 10-17, 1994-1996

Figure 1. Suicide Rates for 15- to 19-Year-olds, 1959-61, 1969-71, 1979-81, and Three-year Moving Averages, 1981-96, Oregon Residents



Note: Because population data by age and sex are not available for the 1960s and 1970s, rates for these years, other than those based on decennial census data, have been interpolated. Therefore, variations within 10-year periods prior to 1980 are not apparent. Rates are per 100,000 population for the groups at risk.

Figure 2. Percentage of High School Students Reporting That They Considered Suicide, Attempted Suicide, or Were Treated for an Attempt During the Previous Year, Oregon, 1997




Figure 3. Percentage of High School Students Reporting That They Considered Suicide, Attempted Suicide, or Were Treated for an Attempt, by Their Number of Risk Factors, Oregon, 1997




Figure 4. Percentage of High School Students Reporting That They Attempted Suicide, by the Number of Caring Adults They Could Go to for Advice, Oregon, 1997




Figure 5. Percentage of High School Students Reporting That They Attempted Suicide, by Whether They Reported Ever Having Been Physically or Sexually Abused, Oregon, 1997




Figure 6. Percentage of High School Students Reporting That They Attempted Suicide, by the Number of Times They Were Threatened or Injured With a Weapon at School, Oregon, 1997




Figure 7. Percentage of High School Students Reporting That They Attempted Suicide, by Cigarette and Alcohol Use During the Previous 30 Days, Oregon, 1997






Figure 8. Percentage of High School Students Reporting That They Attempted Suicide, by Sexual History, Oregon, 1997



* For males, the categories including pregnancy indicate whether the student caused a pregnancy.

Figure 9. Percentage of High School Students Reporting That They Attempted Suicide, by Sexual History and Number of Mood-altering Substances Used, Oregon, 1997



Pregnant Includes Causing a Pregnancy.

Figure 10. Odds of Reporting Having Made a Suicide Attempt During the Previous Year, by Selected Risk Factors, Oregon High School Students, 1997





Figure 11. Suicide Death Rates for Oregon Youth Aged 10-19 Years, by Residence County, 1986-1996

RATES

- 12.0 OR HIGHER
- 6.0-11.9
- 5.9 OR LESS



Note: Some rates are based on a small number of events.
Rates are per 100,000 10- to 19-year-olds.

Figure C-1. Odds of Engaging in Suicidal and Other Risky Behavior, Oregon High School Students in Undesirable Environments, 1997




Figure D-1. Percentage of Suicide Deaths, By Weekday, Oregonians Aged 10-17, 1994-1996

