

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2011-2013

Deschutes County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	930	5	46	76	784	19
Gestation (weeks)						
< 9	635	2	26	48	545	14
9-12	194	2	15	18	157	2
13-16	50	1	3	7	38	1
17-20	15	—	1	1	13	—
21-22	6	—	1	—	5	—
23+	1	—	—	—	1	—
Unknown	29	—	—	2	25	2
Contraceptive use						
None	668	4	40	50	562	12
Birth control pills	87	—	1	10	74	2
Condoms	105	1	3	10	88	3
Other contraceptive	73	—	3	6	62	2
Unknown	4	—	1	—	3	—
Procedure type						
Suction curette	472	3	28	41	387	13
Medical (non-surgical)	414	2	15	31	360	6
Dilation & evacuation	41	—	3	4	34	—
Intra-uterine instillation	2	—	—	—	2	—
Vaginal prostaglandin	—	—	—	—	—	—
Sharp curettage	—	—	—	—	—	—
Other	1	—	—	—	1	—
Unknown	—	—	—	—	—	—
Complications						
None	882	5	43	73	744	17
Hemorrhage	1	—	—	—	1	—
Infection	2	—	—	1	—	1
Uterine perforation	—	—	—	—	—	—
Cervical laceration	1	—	—	—	1	—
Retained products	16	—	2	1	12	1
Failure of first method	10	—	—	1	9	—
Other	15	—	1	—	14	—
Multiple complications	3	—	—	—	3	—
Unknown	—	—	—	—	—	—

— Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.