

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2011-2013

Jackson County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	1,202	6	52	113	1,021	10
Gestation (weeks)						
< 9	816	2	38	73	701	2
9-12	175	1	3	23	147	1
13-16	78	—	6	7	65	—
17-20	25	—	1	2	22	—
21-22	11	—	1	1	9	—
23+	2	1	—	—	1	—
Unknown	95	2	3	7	76	7
Contraceptive use						
None	571	5	28	64	469	5
Birth control pills	204	—	5	19	176	4
Condoms	304	1	17	26	259	1
Other contraceptive	150	—	3	8	139	—
Unknown	1	—	—	—	1	—
Procedure type						
Suction curette	613	3	24	61	515	10
Medical (non-surgical)	495	3	20	46	426	—
Dilation & evacuation	89	—	8	6	75	—
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	—	—	—	—	—	—
Sharp curettage	—	—	—	—	—	—
Other	1	—	—	—	1	—
Unknown	4	—	—	—	4	—
Complications						
None	1,152	5	51	108	978	10
Hemorrhage	3	1	—	—	2	—
Infection	4	—	—	—	4	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	—	—	—	—	—	—
Retained products	26	—	1	3	22	—
Failure of first method	9	—	—	2	7	—
Other	7	—	—	—	7	—
Multiple complications	1	—	—	—	1	—
Unknown	—	—	—	—	—	—

— Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.