

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2011-2013

Wasco County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	109	—	5	8	95	1
Gestation (weeks)						
< 9	60	—	5	6	48	1
9-12	30	—	—	1	29	—
13-16	8	—	—	—	8	—
17-20	7	—	—	—	7	—
21-22	—	—	—	—	—	—
23+	2	—	—	1	1	—
Unknown	2	—	—	—	2	—
Contraceptive use						
None	77	—	3	5	68	1
Birth control pills	8	—	—	1	7	—
Condoms	19	—	1	2	16	—
Other contraceptive	6	—	1	—	5	—
Unknown	1	—	—	—	1	—
Procedure type						
Suction curette	34	—	—	1	33	—
Medical (non-surgical)	26	—	2	3	20	1
Dilation & evacuation	47	—	3	4	40	—
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	—	—	—	—	—	—
Sharp curettage	—	—	—	—	—	—
Other	2	—	—	—	2	—
Unknown	—	—	—	—	—	—
Complications						
None	107	—	5	8	93	1
Hemorrhage	1	—	—	—	1	—
Infection	—	—	—	—	—	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	—	—	—	—	—	—
Retained products	—	—	—	—	—	—
Failure of first method	—	—	—	—	—	—
Other	1	—	—	—	1	—
Multiple complications	—	—	—	—	—	—
Unknown	—	—	—	—	—	—

— Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.