

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2011-2013

Washington County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	3,237	2	124	274	2,817	20
Gestation (weeks)						
< 9	2,220	1	72	165	1,969	13
9-12	603	—	30	64	505	4
13-16	182	—	8	19	153	2
17-20	97	—	8	11	78	—
21-22	34	1	4	4	25	—
23+	21	—	—	3	18	—
Unknown	80	—	2	8	69	1
Contraceptive use						
None	2,350	1	104	212	2,019	14
Birth control pills	280	—	7	28	243	2
Condoms	438	1	13	31	392	1
Other contraceptive	170	—	—	6	161	3
Unknown	29	—	—	—	28	1
Procedure type						
Suction curette	1,426	—	60	137	1,218	11
Medical (non-surgical)	1,002	1	34	76	884	7
Dilation & evacuation	774	1	29	58	684	2
Intra-uterine instillation	2	—	—	1	1	—
Vaginal prostaglandin	9	—	—	—	9	—
Sharp curettage	—	—	—	—	—	—
Other	17	—	1	1	15	—
Unknown	7	—	—	1	6	—
Complications						
None	3,131	2	122	267	2,721	19
Hemorrhage	2	—	—	—	2	—
Infection	7	—	1	—	6	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	—	—	—	—	—	—
Retained products	46	—	—	3	43	—
Failure of first method	5	—	—	2	3	—
Other	16	—	1	1	14	—
Multiple complications	29	—	—	1	27	1
Unknown	1	—	—	—	1	—

— Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.