

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2011-2013

Yamhill County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	453	2	37	48	359	7
Gestation (weeks)						
< 9	308	1	22	29	250	6
9-12	76	—	9	8	58	1
13-16	28	1	3	3	21	—
17-20	19	—	1	8	10	—
21-22	11	—	1	—	10	—
23+	5	—	—	—	5	—
Unknown	6	—	1	—	5	—
Contraceptive use						
None	364	2	32	41	285	4
Birth control pills	31	—	2	3	25	1
Condoms	42	—	3	4	34	1
Other contraceptive	22	—	—	1	20	1
Unknown	3	—	—	—	3	—
Procedure type						
Suction curette	169	1	14	21	132	1
Medical (non-surgical)	164	—	11	14	135	4
Dilation & evacuation	113	1	12	13	86	1
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	3	—	—	—	2	1
Sharp curettage	—	—	—	—	—	—
Other	2	—	—	—	2	—
Unknown	2	—	—	—	2	—
Complications						
None	431	2	33	45	344	7
Hemorrhage	1	—	1	—	—	—
Infection	4	—	—	1	3	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	—	—	—	—	—	—
Retained products	7	—	—	—	7	—
Failure of first method	3	—	—	—	3	—
Other	6	—	3	2	1	—
Multiple complications	1	—	—	—	1	—
Unknown	—	—	—	—	—	—

— Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.