

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2012-2014

Douglas County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	391	3	13	43	323	9
Gestation (weeks)						
< 9	189	1	5	21	159	3
9-12	120	—	5	13	99	3
13-16	32	—	2	2	27	1
17-20	22	1	1	3	17	—
21-22	5	—	—	—	5	—
23+	5	—	—	1	4	—
Unknown	18	1	—	3	12	2
Contraceptive use						
None	278	1	11	29	229	8
Birth control pills	46	—	1	7	37	1
Condoms	45	2	1	6	36	—
Other contraceptive	23	—	—	2	21	—
Unknown	4	—	—	1	2	1
Procedure type						
Suction curette	247	2	8	29	202	6
Medical (non-surgical)	73	—	2	6	64	1
Dilation & evacuation	67	1	3	7	54	2
Intra-uterine instillation	3	—	—	—	3	—
Vaginal prostaglandin	1	—	—	1	—	—
Sharp curettage	—	—	—	—	—	—
Other	—	—	—	—	—	—
Unknown	—	—	—	—	—	—
Complications						
None	387	3	13	43	319	9
Hemorrhage	—	—	—	—	—	—
Infection	—	—	—	—	—	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	—	—	—	—	—	—
Retained products	3	—	—	—	3	—
Failure of first method	—	—	—	—	—	—
Other	—	—	—	—	—	—
Multiple complications	—	—	—	—	—	—
Unknown	1	—	—	—	1	—

— Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.