

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2012-2014

Jackson County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	1,080	7	45	98	921	9
Gestation (weeks)						
< 9	740	2	29	64	642	3
9-12	184	2	7	23	149	3
13-16	68	—	5	4	59	—
17-20	18	—	1	1	16	—
21-22	6	—	1	—	5	—
23+	3	1	—	—	2	—
Unknown	61	2	2	6	48	3
Contraceptive use						
None	571	5	26	63	473	4
Birth control pills	149	1	5	14	127	2
Condoms	240	1	13	16	208	2
Other contraceptive	142	—	2	6	133	1
Unknown	7	—	—	—	7	—
Procedure type						
Suction curette	498	4	19	51	417	7
Medical (non-surgical)	489	3	19	44	421	2
Dilation & evacuation	82	—	7	3	72	—
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	—	—	—	—	—	—
Sharp curettage	—	—	—	—	—	—
Other	2	—	—	—	2	—
Unknown	9	—	—	—	9	—
Complications						
None	1,052	6	44	95	898	9
Hemorrhage	2	1	—	—	1	—
Infection	—	—	—	—	—	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	—	—	—	—	—	—
Retained products	18	—	1	2	15	—
Failure of first method	6	—	—	1	5	—
Other	—	—	—	—	—	—
Multiple complications	2	—	—	—	2	—
Unknown	—	—	—	—	—	—

— Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.