

**Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2012-2014**

**Malheur County**

| Medical and health characteristics | Total | Patient's age |       |       |     |      |
|------------------------------------|-------|---------------|-------|-------|-----|------|
|                                    |       | 10-14         | 15-17 | 18-19 | 20+ | N.S. |
| <b>Total</b> .....                 | 105   | 3             | 7     | 8     | 86  | 1    |
| <b>Gestation (weeks)</b>           |       |               |       |       |     |      |
| < 9 .....                          | 75    | 1             | 5     | 8     | 60  | 1    |
| 9-12 .....                         | 14    | 1             | —     | —     | 13  | —    |
| 13-16 .....                        | 6     | —             | —     | —     | 6   | —    |
| 17-20 .....                        | 4     | —             | 2     | —     | 2   | —    |
| 21-22 .....                        | —     | —             | —     | —     | —   | —    |
| 23+ .....                          | 1     | —             | —     | —     | 1   | —    |
| Unknown .....                      | 5     | 1             | —     | —     | 4   | —    |
| <b>Contraceptive use</b>           |       |               |       |       |     |      |
| None .....                         | 96    | 3             | 6     | 8     | 79  | —    |
| Birth control pills .....          | 4     | —             | —     | —     | 4   | —    |
| Condoms .....                      | 4     | —             | 1     | —     | 3   | —    |
| Other contraceptive .....          | 3     | —             | —     | —     | 2   | 1    |
| Unknown .....                      | —     | —             | —     | —     | —   | —    |
| <b>Procedure type</b>              |       |               |       |       |     |      |
| Suction curette .....              | 52    | 2             | 3     | 3     | 44  | —    |
| Medical (non-surgical) .....       | 46    | 1             | 2     | 5     | 38  | —    |
| Dilation & evacuation .....        | 7     | —             | 2     | —     | 4   | 1    |
| Intra-uterine instillation .....   | —     | —             | —     | —     | —   | —    |
| Vaginal prostaglandin .....        | —     | —             | —     | —     | —   | —    |
| Sharp curettage .....              | —     | —             | —     | —     | —   | —    |
| Other .....                        | —     | —             | —     | —     | —   | —    |
| Unknown .....                      | —     | —             | —     | —     | —   | —    |
| <b>Complications</b>               |       |               |       |       |     |      |
| None .....                         | 105   | 3             | 7     | 8     | 86  | 1    |
| Hemorrhage .....                   | —     | —             | —     | —     | —   | —    |
| Infection .....                    | —     | —             | —     | —     | —   | —    |
| Uterine perforation .....          | —     | —             | —     | —     | —   | —    |
| Cervical laceration .....          | —     | —             | —     | —     | —   | —    |
| Retained products .....            | —     | —             | —     | —     | —   | —    |
| Failure of first method .....      | —     | —             | —     | —     | —   | —    |
| Other .....                        | —     | —             | —     | —     | —   | —    |
| Multiple complications .....       | —     | —             | —     | —     | —   | —    |
| Unknown .....                      | —     | —             | —     | —     | —   | —    |

— Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.