

**Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2012-2014**

**Marion County**

| Medical and health characteristics | Total | Patient's age |       |       |       |      |
|------------------------------------|-------|---------------|-------|-------|-------|------|
|                                    |       | 10-14         | 15-17 | 18-19 | 20+   | N.S. |
| <b>Total</b> .....                 | 1,688 | 12            | 87    | 151   | 1,417 | 21   |
| <b>Gestation (weeks)</b>           |       |               |       |       |       |      |
| < 9 .....                          | 1,014 | 5             | 49    | 93    | 855   | 12   |
| 9-12 .....                         | 435   | 3             | 25    | 32    | 371   | 4    |
| 13-16 .....                        | 119   | 2             | 7     | 9     | 98    | 3    |
| 17-20 .....                        | 54    | —             | 4     | 10    | 40    | —    |
| 21-22 .....                        | 16    | 2             | —     | 2     | 12    | —    |
| 23+ .....                          | 6     | —             | 1     | 2     | 2     | 1    |
| Unknown .....                      | 44    | —             | 1     | 3     | 39    | 1    |
| <b>Contraceptive use</b>           |       |               |       |       |       |      |
| None .....                         | 1,380 | 12            | 77    | 130   | 1,143 | 18   |
| Birth control pills .....          | 93    | —             | 3     | 12    | 77    | 1    |
| Condoms .....                      | 143   | —             | 6     | 6     | 130   | 1    |
| Other contraceptive .....          | 69    | —             | 1     | 3     | 64    | 1    |
| Unknown .....                      | 12    | —             | —     | —     | 11    | 1    |
| <b>Procedure type</b>              |       |               |       |       |       |      |
| Suction curette .....              | 893   | 9             | 49    | 86    | 741   | 8    |
| Medical (non-surgical) .....       | 533   | 1             | 20    | 45    | 457   | 10   |
| Dilation & evacuation .....        | 253   | 2             | 18    | 20    | 210   | 3    |
| Intra-uterine instillation .....   | 3     | —             | —     | —     | 3     | —    |
| Vaginal prostaglandin .....        | —     | —             | —     | —     | —     | —    |
| Sharp curettage .....              | —     | —             | —     | —     | —     | —    |
| Other .....                        | 6     | —             | —     | —     | 6     | —    |
| Unknown .....                      | —     | —             | —     | —     | —     | —    |
| <b>Complications</b>               |       |               |       |       |       |      |
| None .....                         | 1,616 | 12            | 80    | 143   | 1,362 | 19   |
| Hemorrhage .....                   | —     | —             | —     | —     | —     | —    |
| Infection .....                    | 11    | —             | 1     | 1     | 9     | —    |
| Uterine perforation .....          | —     | —             | —     | —     | —     | —    |
| Cervical laceration .....          | —     | —             | —     | —     | —     | —    |
| Retained products .....            | 16    | —             | 2     | 2     | 11    | 1    |
| Failure of first method .....      | 10    | —             | —     | —     | 9     | 1    |
| Other .....                        | 27    | —             | 3     | 5     | 19    | —    |
| Multiple complications .....       | 8     | —             | 1     | —     | 7     | —    |
| Unknown .....                      | —     | —             | —     | —     | —     | —    |

— Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.