

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2012-2014

Washington County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	3,244	6	113	265	2,822	38
Gestation (weeks)						
< 9	2,247	3	66	173	1,982	23
9-12	589	2	25	57	496	9
13-16	193	—	6	17	166	4
17-20	98	—	8	12	77	1
21-22	39	1	4	4	30	—
23+	24	—	1	2	21	—
Unknown	54	—	3	—	50	1
Contraceptive use						
None	2,271	4	93	198	1,948	28
Birth control pills	298	—	6	29	260	3
Condoms	477	2	11	32	429	3
Other contraceptive	205	—	3	8	190	4
Unknown	29	—	—	2	27	—
Procedure type						
Suction curette	1,300	2	48	106	1,123	21
Medical (non-surgical)	1,127	2	34	95	988	8
Dilation & evacuation	793	2	29	62	691	9
Intra-uterine instillation	3	—	1	1	1	—
Vaginal prostaglandin	8	—	—	—	8	—
Sharp curettage	1	—	—	—	1	—
Other	10	—	1	1	8	—
Unknown	2	—	—	—	2	—
Complications						
None	3,087	6	110	250	2,685	36
Hemorrhage	1	—	—	—	1	—
Infection	3	—	—	—	3	—
Uterine perforation	1	—	—	—	1	—
Cervical laceration	—	—	—	—	—	—
Retained products	36	—	—	4	32	—
Failure of first method	6	—	—	2	4	—
Other	75	—	3	8	63	1
Multiple complications	33	—	—	1	31	1
Unknown	2	—	—	—	2	—

— Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.