

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2012-2014

Yamhill County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	407	2	26	36	331	12
Gestation (weeks)						
< 9	283	2	15	27	228	11
9-12	70	—	5	6	58	1
13-16	23	—	3	1	19	—
17-20	17	—	2	2	13	—
21-22	9	—	—	—	9	—
23+	2	—	—	—	2	—
Unknown	3	—	1	—	2	—
Contraceptive use						
None	308	1	22	27	248	10
Birth control pills	30	—	3	3	24	—
Condoms	47	1	1	6	38	1
Other contraceptive	22	—	—	—	21	1
Unknown	5	—	—	—	5	—
Procedure type						
Suction curette	148	2	11	16	118	1
Medical (non-surgical)	157	—	6	13	130	8
Dilation & evacuation	99	—	9	7	81	2
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	2	—	—	—	1	1
Sharp curettage	—	—	—	—	—	—
Other	—	—	—	—	—	—
Unknown	1	—	—	—	1	—
Complications						
None	389	2	23	35	317	12
Hemorrhage	—	—	—	—	—	—
Infection	4	—	—	1	3	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	—	—	—	—	—	—
Retained products	6	—	—	—	6	—
Failure of first method	1	—	—	—	1	—
Other	5	—	3	—	2	—
Multiple complications	2	—	—	—	2	—
Unknown	—	—	—	—	—	—

— Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.