

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2013-2015

Baker County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	31	1	-	3	27	-
Gestation (weeks)						
< 9	16	-	-	-	16	-
9-12	11	1	-	2	8	-
13-16	3	-	-	1	2	-
17-20	-	-	-	-	-	-
21-22	1	-	-	-	1	-
23+	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Contraceptive use¹						
None	21	1	-	3	17	-
Birth control pills	5	-	-	-	5	-
Condoms	-	-	-	-	-	-
Other contraceptive	-	-	-	-	-	-
Unknown	5	-	-	-	5	-
Procedure type						
Suction curette	20	1	-	3	16	-
Medical (non-surgical)	8	-	-	-	8	-
Dilation & evacuation	3	-	-	-	3	-
Intra-uterine instillation	-	-	-	-	-	-
Vaginal prostaglandin	-	-	-	-	-	-
Sharp curettage	-	-	-	-	-	-
Other	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Complications²						
None	31	1	-	3	27	-
Hemorrhage	-	-	-	-	-	-
Infection	-	-	-	-	-	-
Uterine perforation	-	-	-	-	-	-
Cervical laceration	-	-	-	-	-	-
Retained products	-	-	-	-	-	-
Failure of first method	-	-	-	-	-	-
Other	-	-	-	-	-	-
Multiple complications ³	-	-	-	-	-	-

- Quantity is zero.

¹ Multiple contraceptive methods may be reported for a single patient.

² Reported complications. Categorized as none if no specific complication was reported.

³ Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.