

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2014-2016

Washington County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	3,290	7	117	237	2,907	22
Gestation (weeks)						
< 9	2,422	4	78	178	2,148	14
9-12	505	3	20	38	439	5
13-16	186	—	9	12	163	2
17-20	85	—	4	5	75	1
21-22	33	—	1	2	30	—
23+	27	—	2	2	23	—
Unknown	32	—	3	—	29	—
Contraceptive use¹						
None	2,067	4	79	160	1,807	17
Birth control pills	331	1	9	25	294	2
Condoms	481	1	15	27	436	2
Other contraceptive	397	1	14	23	358	1
Unknown	14	—	—	2	12	—
Procedure type						
Suction curette	1,056	3	41	77	922	13
Medical (non-surgical)	1,463	2	48	115	1,296	2
Dilation & evacuation	760	2	27	44	680	7
Intra-uterine instillation	1	—	1	—	—	—
Vaginal prostaglandin	5	—	—	1	4	—
Sharp curettage	1	—	—	—	1	—
Other	4	—	—	—	4	—
Unknown	—	—	—	—	—	—
Complications²						
None	3,082	7	112	219	2,723	21
Hemorrhage	2	—	—	1	1	—
Infection	8	—	—	—	8	—
Uterine perforation	1	—	—	—	1	—
Cervical laceration	1	—	—	—	1	—
Retained products	23	—	1	5	17	—
Failure of first method	9	—	—	—	9	—
Other	132	—	4	10	117	1
Multiple complications ³	32	—	—	2	30	—

— Quantity is zero.

¹ Multiple contraceptive methods may be reported for a single patient.

² Reported complications. Categorized as none if no specific complication was reported.

³ Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.